



ESTABLISHED 1860.



Sharp & Dohme
Manufacturing
CHEMISTS.
BALTIMORE,
CHICAGO, NEW YORK,
U. S. A.
1899.

PRESERVE FOR REFERENCE.

8
SN RXF
3/8

PRICE LIST
OF
CHEMICAL
AND
PHARMACEUTICAL
PREPARATIONS

MANUFACTURED BY

SHARP & DOHME,

(ESTABLISHED 1860.)

MANUFACTURING CHEMISTS.

LABORATORIES,
BALTIMORE.

WESTERN BRANCH:
221 RANDOLPH ST.
CHICAGO.

GENERAL OFFICES:
41 JOHN ST.
NEW YORK.

JANUARY 1, 1899.

CONTENTS.

	PAGE
ACID PHOSPHATES.....	103
ALKALINE and ANTISEPTIC TABLETS (Seiler's).....	103
ANTISEPTIC DISKS.....	103
ANTISEPTIC TABLETS (Bernays', and Bernays' Special).....	103
BENZOTHYMOL.....	104
BOTANICAL INDEX.....	161 to 166
CACHOUS.....	90, 107
CAPSULES, EMPTY GELATIN.....	106
CAPSULES, Soluble Elastic and Hard Filled.....	91, 92
CATHARTIC PILLS, in Bulk and 25s....	106
CERATES.....	85
CHEMICALS.....	105
CHOCOLATE-COATED TABLETS.....	149 to 154
COCAINE TABLETS, 2.28 grs.....	105
COD LIVER OIL PREPARATIONS.....	88
COMPRESSED TABLETS.....	107, 119 to 132
CONFECTIONS.....	86
CORDIALS.....	79
DISPENSARY TABLETS.....	62
EFFERVESCENT SALTS.....	56
ELIXIRS.....	69 to 77
ERGOTOLE.....	109
FERRO-MANGANESE PEPTONATE.....	109
FLUID EXTRACTS.....	5 to 18
FORMALDEHYDE.....	110
FORMULÆ.—For Preparing Syrups, Tinctures, &c.....	167 to 181
GLYCERIN SUPPOSITORIES.....	110
GLYCEROLS.....	77
GRANULES, PINK.....	55
HEADACHE SALT.....	110
HERBS and LEAVES.....	95 to 99
HYDRIODIC ACID, Conc. Sol. of.....	118
HYPODERMIC TABLETS, SOLUBLE.....	57 to 60
HYPODERMIC TABLETS, SOLUBLE, for Veterinary use.....	61
HYPODERMIC SYRINGES and CASES.....	111, 112
HYPOPHOSPHITES COMP., Solution without sugar.....	118
INHALERS.....	113
LAPACTIC PILLS.....	113
LINIMENTS.....	87
LITHIA TABLETS, EFFERVESCENT.....	114
LITHIATED SORGHUM COMP.....	114
LOZENGES, COMPRESSED.....	63 to 67
LOZENGES, DROP—NOT COMPRESSED.....	68
MALT, LIQUID EXTRACT OF.....	114
MATERIA MEDICA CABINET.....	114
MEL-MAROBA.....	115
MISCELLANEOUS.....	90
NOTES OF REFERENCE.....	155 to 160
OINTMENTS.....	86
OLEATES.....	89, 90
OLEORESINS.....	86
PANCREATIN.....	109
PAN-PEPTIC ELIXIR and TABLETS.....	115
PEPSIN.....	108
PHYSICIANS' POCKET CASES.....	116, 117
PILLS, ENTERIC.....	54
PILLS, GELATIN- and SUGAR-COATED.....	26 to 54
POWDERED EXTRACTS.....	23, 24
POWDERS.....	87
PRIVATE FORMULA PREPARATIONS.....	183
RESINOIDS.....	25
SANTALETTS.....	118
SEIDLITZ POWDERS.....	117
SODA WATER REQUISITES.....	100, 101
SODIO-PHOS. COMP.....	118
SOLID EXTRACTS.....	20 to 22
SPIRITS.....	87
SYRUPS.....	79 to 82
TABLE of EQUIVALENTS.....	182
TABLET TRITURATES.....	133 to 148
TASTELESS QUININE TABLETS.....	118
TINCTURES.....	83 to 85
WATERS.....	88
WEBBER-PEPSIN.....	108
WINES.....	78
WITCH HAZEL, Conc. Dist. Extract.....	118
WORM LOZENGES and CONFECTIONS.....	67, 68

TO OUR PATRONS.

It has always been our aim to serve our patrons promptly, courteously and fairly. Our business creed will continue to be pure drugs, uniform products and fair prices.

We take advantage of this annual announcement to the drug trade and medical profession to briefly call attention to several matters of equal importance to our customers and ourselves.

Prices.

Prices in force on the day the order reaches us are those at which we will bill. We should not be expected to allow claims of rebate in the event of subsequent decline, since we never make claims on buyers of our products when an advance in price occurs after the sale is made. Mutual fairness is indispensable to pleasant business relations.

Claims.

Claims of shortage, breakage or leakage must be made promptly and must be accompanied by the packer's ticket. We check every order twice and employ only skilled packers. Before making claim of shortage please most carefully examine the packing, as small articles are easily overlooked in unpacking.

When the shipping case shows signs of rough usage and breakage has occurred it is probably the fault of the transportation company. In such cases we shall always gladly co-operate with our patrons in the endeavor to establish a claim against the transportation company.

Broken Packages and Returnable Goods.

We are at all times willing to exchange unsalable for salable goods of the same class, *i. e.* fluid extracts for fluid extracts, pills for pills, etc., but we do not accept returned goods for credit on account.

Only original unbroken packages are returnable. Broken packages are not returnable.

We also cheerfully replace any goods of our manufacture that have deteriorated, provided these products have not been exposed to excessive heat or moisture, or otherwise carelessly handled. We always act with impartial justice in disposing of these claims.

Containers.

We regard a five-pint bottle as much of a stock package as the $\frac{1}{4}$ pt., $\frac{1}{2}$ pt., pint or quart. The gallon container we consider a bulk package. Stock packages are billed to the trade at list, less discount. Bulk packages are billed at net prices except where listed in single gallons, as Elixirs, Syrups, etc. We do not supply our products in half-gallon containers.

Labels.

Loose labels, for manifest reasons, cannot be supplied. A moment's reflection will show the reason why. We hold ourselves responsible for the integrity of our products when we have labeled them, and by our system errors in labeling are practically impossible.

Preparations liable to freeze.

Such articles as Liquid Acid Phosphates, Distilled Extract Witch-hazel, Dialysed Iron, Solution of Citrate of Magnesia and Liquid Extract of Malt, if shipped during very cold weather, are forwarded at the buyer's risk.

Remittances.

Should be sent to our General Offices at 41 John St., New York, whether your orders are filled in Baltimore or New York, because our books are kept in New York. Even if remittances are sent to Baltimore they must be reforwarded to New York for entry, acknowledgment and collection.

This does not apply to the customers of our Chicago house, since that office transacts its business independently and only in a specified territory. Remittances for goods purchased from our Chicago house should therefore be sent to 221 Randolph St., Chicago.

Quotations.

Requests for quotations should be addressed to our General Offices at New York, because our files of records are kept there and all quotations are made there.

Correspondence.

All general correspondence relative to our general business department should be addressed to New York.

Orders.

Please send your orders to Baltimore, New York or Chicago, selecting that point from which in your experience the goods can be most expeditiously shipped, distance and transportation facilities being duly considered.

We pride ourselves upon prompt shipments.

SHARP & DOHME.

PART 1.

(SUBJECT TO USUAL TRADE DISCOUNT.)

SHARP & DOHME'S STANDARD AND ASSAYED Medicinal Fluid Extracts.

The following list embraces all of the official and other standard Fluid Extracts in general use.

Since quality is the great desideratum in medicine we have always supplied only the very best pharmaceuticals, and for the mutual protection of our patrons and ourselves, shall continue to critically examine macroscopically, microscopically and wherever possible analytically by assay, every drug before we use it and can therefore confidently recommend our Fluid Extracts to the medical profession and drug trade for the following reasons:

They are made from the best and most carefully selected drugs.

Our methods are accurate, systematic and scientific.

We invariably assay all drugs containing alkaloids, glucosides or other assayable principles.

All of our Fluid Extracts are standardized, hence uniform.

Our U. S. P. preparations are strictly U. S. P.

Our prices are reasonable, quality of product being duly considered.

All orders are filled in Pint Bottles unless otherwise specified.

A deduction of 10 cts. list per pint is made if ordered in five-pint bottles.

A " " 5 cts. " " " " " " in quart bottles.

An advance of 10 cts. " " " " " " in half-pint bottles.

PRICES SUBJECT TO MARKET FLUCTUATIONS.

In all cases unless otherwise specified, U. S. P. refers to U. S. P. 1890.

FLUID EXTRACTS.		Per Pint Bottle.	Pr. Doz. 4 oz. Bottles.
ACONITE LEAVES.....(<i>Aconitum Napellus</i>).....		\$1 10	\$3 90
Standard 0.5 % alkaloids (see notes 1 and 3).			
ACONITE ROOT (U. S. P.).....(<i>Aconitum Napellus</i>).....		1 20	4 20
Standard 0.5 % alkaloids (see notes 1 and 3).			
ADONIS VERNALIS.....(<i>See False Hellebore</i>)		3 00	9 60
AGARIC.....(<i>Boletus laricis</i>)		3 00	9 60
AGRIMONY.....(<i>Agrimonia Eupatoria</i>)...		1 05	3 75
AILANTHUS GLANDULOSA.....(<i>See Tree of Heaven</i>)		1 80	6 00
ALLSPICE.....(<i>Pimenta officinalis</i>).....		1 20	4 20
ALOES.....(<i>Aloe socotrina</i>)		1 65	5 55
Standard 20 % crystallized Aloin (see note 4).			
ALOES and MYRRH (see note 39).(<i>For Tincture U. S. P.</i>).			
One pint represents about	100 Cc. represent		
{ Aloes Purif., 5 ozs.	30 Gm.	1 75	5 85
{ Myrrh, 5 ozs.	30 Gm.		
{ Liquorice Root, 5 ozs.	30 Gm.		
ALTERATIVE COMP.....(<i>Bamboo Brier Comp.</i>).			
One pint represents			
{ Bamboo Brier Root, 4 ozs.		1 20	4 20
{ Stillingia Root, 4 ozs.			
{ Burdock Root, 4 ozs.			
{ Poke Root, 4 ozs.			
{ Prickly Ash Bark, 1 oz.			
AMERICAN ASH, White.....(<i>Fraxinus americana</i>).....		1 20	4 20
AMERICAN HELLEBORE(U.S.P.)(<i>Veratrum Viride</i>).....		1 50	5 10
AMERICAN IVY.....(<i>Ampelopsis quinquefolia</i>).		1 20	4 20
ANGELICA ROOT.....(<i>Archangelica officinalis</i>) .		1 25	4 35

FLUID EXTRACTS.



Per
Pint
Bottle.

Pr. Doz-
4 oz.
Bottles.

ANGUSTURA.....(<i>Galipea Cusparia</i>).....	\$1 50	\$5 10
ANISE SEED.....(<i>Pimpinella Anisum</i>).....	1 50	5 10
ANISE SEED, Soluble (see note 42).....	1 20	4 20
APOCYNUM (U. S. P.).....(<i>See Canadian Hemp</i>).....	1 20	4 20
APPLE TREE BARK.....(<i>Pyrus Malus</i>).....	1 20	4 20
ARBOR VITÆ.....(<i>Thuja occidentalis</i>).....	1 20	4 20
ARECA NUT.....(<i>Areca Catechu</i>).....	2 25	7 35
ARNICA FLOWERS.....(<i>Arnica montana</i>).....	1 20	4 20
ARNICA ROOT (U. S. P.).....(<i>Arnica montana</i>).....	1 20	4 20
AROMATIC.....(<i>For Aromatic Wine</i>).....	1 50	5 10
AROMATIC (U. S. P.).....	2 50	8 10
ARROW WOOD.....(<i>Viburnum dentatum</i>).....	1 20	4 20
ASAFETIDA (see note 39).....(<i>Ferula foetida</i>).....	1 50	5 10
ASCLEPIAS (U. S. P.).....(<i>See Pleurisy Root</i>).....	1 20	4 20
ASPARAGUS.....(<i>Asparagus officinalis</i>).....	1 50	5 10
ASPIDOSPERMA (U. S. P.).....(<i>See Quebracho</i>).....	2 40	7 80
AVENA SATIVA.....(<i>See Oats</i>).....	1 50	5 10
AVENS ROOT.....(<i>Geum rivale</i>).....	1 00	3 60
BAEL FRUIT.....(<i>Egle Marmelos</i>).....	2 25	7 35
BALM OF GILEAD BUDS.....(<i>Populus Candicans</i>).....	1 50	5 10
BALMONY.....(<i>Chelone glabra</i>).....	1 00	3 60
BAMBOO BRIER ROOT.....(<i>Smilax Sarsaparilla</i>).....	1 50	5 10
BAMBOO BRIER COMP.....(<i>See Alterative Comp.</i>).....	1 20	4 20
BARBERRY BARK.....(<i>Berberis vulgaris</i>).....	1 20	4 20
BAYBERRY.....(<i>Myrica cerifera</i>).....	1 00	3 60
BAY LAUREL, Concentrated.....(<i>For Bay Rum</i>).....	3 00	9 60
BEAR'S FOOT.....(<i>Polymnia Uvedalia</i>).....	1 80	6 00
BEECH DROP.....(<i>See Cancer Root</i>).....	1 50	5 10
BELLADONNA LEAVES.....(<i>Atropa Belladonna</i>).....	1 25	4 35
Standard 0.35 % alkaloids (see note 1).		
BELLADONNA ROOT (U. S. P.)...(<i>Atropa Belladonna</i>).....	1 50	5 10
Standard 0.45 % alkaloids (see note 1).		
BENZOIN (see note 39).....(<i>For Tincture U. S. P.</i>) ...	2 00	6 60
BENZOIN COMP (see note 39).....(<i>For Tincture U. S. P.</i>)		
One pint represents about	100 Cc. represent	
{ Benzoïn, 6 ozs.	36 Gr.	
{ Aloes Purif., 1 oz.	6 Gm.	
{ Storax, 4 ozs.	24 Gm.	
{ Tolu, 2 ozs.	12 Gm.	
	2 00 6 60
BERBERIS AQUIFOLIUM..(<i>Oregon Grape Root</i>).....	2 40	7 80
BETH ROOT.....(<i>Trillium erectum</i>).....	1 05	3 75
BITTER ROOT.....(<i>Apocynum androsæmifolium</i>).....	1 20	4 20
BITTER SWEET (U. S. P.).....(<i>Solanum Dulcamara</i>)	1 20	4 20
BITTER SWEET, False.....(<i>Celastrus scandens</i>).....	1 05	3 75
BLACK ALDER.....(<i>Prinos verticillatus</i>).....	1 00	3 60
BLACK ASH.....(<i>Frazinus sambucifolia</i>) ..	1 20	4 20
BLACKBERRY (U. S. P.), Root....(<i>Rubus villosus</i>).....	1 00	3 60
BLACKBERRY COMP.		
One pint represents		
{ Blackberry, 12 1-2 ozs.		
{ Cloves, 1 1-4 ozs.		
{ Cassia Bark, 1 1-4 ozs.		
{ Nutmeg, 1 oz.		
	1 20 4 20
BLACK COHOSH (U. S. P.).....(<i>Cimicifuga racemosa</i>)	1 20	4 20
BLACK COHOSH COMP.		
One pint represents		
{ Black Cohosh, 8 ozs.		
{ Wild Cherry Bark, 4 ozs.		
{ Ipecac, 1 oz.		
{ Senega, 1 oz.		
{ Liquorice Root, 2 ozs.		
	1 20 4 20
BLACK HAW (U. S. P.).....(<i>Viburnum prunifolium</i>) .	1 20	4 20
BLACK HELLEBORE.....(<i>Helleborus niger</i>).....	1 20	4 20
BLACK PEPPER.....(<i>Piper nigrum</i>).....	2 00	6 60
BLACK SNAKERROOT (U. S. P.)...(<i>See Black Cohosh</i>).....	1 20	4 20

FLUID EXTRACTS.

	Per Pint Bottle.	Pr. Doz. 4 oz. Bottles.
BLACK WALNUT LEAVES.....(See Walnut Leaves, Black).	\$1 50	\$5 10
BLACK WILLOW BARK.....(<i>Salix nigra</i>)	1 50	5 10
BLACK WILLOW BUDS (<i>Salix nigra</i>)	1 50	5 10
BLADDER WRACK.....(<i>Fucus vesiculosus</i>)	1 35	4 65
BLESSED THISTLE.....(<i>Centaurea benedicta</i>)....	1 20	4 20
BLOODROOT (U. S. P.), (<i>Sanguinaria canadensis</i>). Standard 2.5 % Sanguinarine (see note 1).	1 05	3 75
BLUE COHOSH.....(<i>Caulophyllum thalictroides</i>).	1 00	3 60
BLUE FLAG (U. S. P.).....(<i>Iris versicolor</i>)	1 05	3 75
BOLDO LEAVES.....(<i>Peumus Boldus</i>)	3 00	9 60
BONESET.....(<i>Eupatorium perfoliatum</i>).	1 00	3 60
BROOM-CORN SEED (see note 9). (<i>Sorghum saccharatum</i>)...	1 20	4 20
BROOMTOP (U. S. P.), (<i>Cytisus Scoparius</i>).....	1 05	3 75
BRYONY.....(<i>Bryonia alba</i>).....	1 50	5 10
BUCHU, Long Leaf (see note 10). (<i>Barosma serratifolia</i>)	1 80	6 00
BUCHU (U. S. P.), Short Leaf (see note 10). (<i>Barosma betulina</i>)	1 50	5 10
BUCHU COMP. One pint represents		
{ Buchu, 8 ozs. }		
{ Cubeb, 2 ozs. }		
{ Pareira Brava, 2 ozs. }	1 50	5 10
{ Juniper Berries, 2 ozs. }		
{ Spts. Nitrous Ether, 2 fl. ozs. }		
BUCHU and JUNIPER with POTASSIUM ACETATE. One pint represents		
{ Buchu, 12 ozs. }		
{ Juniper Berries, 3 ozs. }	1 50	5 10
{ Potassium Acetate, 495 grs. }		
BUCHU and PAREIRA BRAVA. One pint represents		
{ Buchu, 8 ozs. }		
{ Pareira Brava, 8 ozs. }	1 50	5 10
BUCHU, PAREIRA BRAVA and UVA URSI. One pint represents		
{ Buchu, 8 ozs. }		
{ Pareira Brava, 4 ozs. }		
{ Uva Ursi, 4 ozs. }	1 65	5 55
BUCKBEAN.....(<i>Trifolii Fibrini</i>), (<i>Menyanthes trifoliata</i>).	1 20	4 20
BUCKEYE BARK.....(<i>Aesculus glabra</i>).....	1 20	4 20
BUCKHORN BRAKE.....(<i>Osmunda regalis</i>)	1 20	4 20
BUCKTHORN BARK (U. S. P.)...(<i>Rhamnus Frangula</i>)	1 00	3 60
BUCKTHORN BERRIES.....(<i>Rhamnus catharticus</i>)....	1 20	4 20
BUGLE WEED.....(<i>Lycopus virginicus</i>)	1 00	3 60
BURDOCK ROOT (U. S. P.).....(<i>Arctium Lappa</i>).....	1 00	3 60
BURDOCK SEED.....(<i>Arctium Lappa</i>)	1 20	4 20
BUTTERNUT BARK.....(<i>Juglans cinerea</i>)	1 00	3 60
BUTTONBUSH.....(<i>Cephalanthus occidentalis</i>).	1 20	4 20
BUTTON SNAKEROOT.....(<i>Liatris spicata</i>).....	1 00	3 60
CACTUS GRANDIFLORUS.....(See Night Blooming Cereus).	3 90	12 30
GALABAR BEAN.....(<i>Physostigma venenosum</i>) .	2 70	8 70
Standard 0.2 % Eserine (see note 1).		
CALAMUS (U. S. P.), (<i>Acorus Calamus</i>)	1 25	4 35
CALENDULA.....(<i>Calendula officinalis</i>)	2 20	7 20
CALUMBA (U. S. P.).....(<i>Jateorhiza palmata</i>).....	1 25	4 35
CAMELLIA.....(Discontinued).		
CANADA SNAKEROOT.....(<i>Asarum canadense</i>).....	1 05	3 75
CANADIAN HEMP (U. S. P.).....(<i>Apocynum cannabinum</i>) .	1 20	4 20
CANCER ROOT.....(<i>Epiphegus virginiana</i>) ...	1 50	5 10
CANELLA.....(<i>Canella alba</i>).....	1 00	3 60
CANNABIS INDICA.....(See Indian Hemp U. S. P.) .	1 50	5 10
Standard 10 % resin (see note 1).		
CANTHARIDES, Alcoholic.....(<i>Cantharis vesicatoria</i>)	5 00	15 60
CANTHARIDES, Ethereal.....(Discontinued).		
CAPSICUM (U. S. P.), (See Cayenne Pepper)	1 50	5 10
Standard 18 % oleoresin (see note 1).		
CAPSICUM and MYRRH..... } (See Myrrh and Capsicum.)	2 00	6 60
(See note 39).....		

FLUID EXTRACTS.

	Per Pint Bottle.	Pr. Doz. 4 oz. Bottles.
CARAWAY.....(<i>Carum Carui</i>)	\$1 35	\$4 65
CARAWAY, Soluble (see note 42).....	1 20	4 20
CARDAMOM.....(<i>Elettaria Cardamomum</i>)..	8 00	9 60
CARDAMOM COMP.....(<i>For Tincture U. S. P.</i>)		
One pint represents about	100 Cc. represent	
{ Cardamom, 3 1-5 ozs. 20 Gm. }		
{ Cinnamon, 3 1-5 ozs. 20 Gm. }		
{ Caraway, 1 3-5 ozs. 10 Gm. }	2 00	6 60
{ Cochineal, 4-5 oz. 5 Gm. }		
CAROA LEAVES (see note 11) ..(<i>Jacaranda procera</i>)	3 50	11 10
CARROT SEED, Wild.....(<i>Daucus Carota</i>)	1 20	4 20
CASCARA AMARGA.....(<i>Picramnia</i>)	3 00	9 60
CASCARA SAGRADA (U. S. P.)... { (<i>Rhamnus Purshiana</i>) ..	1 50	5 10
(See note 12).....		
CASCARA SAGRADA, Aromatized	1 50	5 10
CASCARA SAGRADA, Free from bitterness.....	1 50	5 10
CASCARA SAGRADA COMP.		
Each fluidrachm represents		
{ Cascara Sagrada, 40 grs. }		
{ Senna Alex., 25 grs. }	2 00	6 60
{ Aloin, 1-12 gr. }		
CASCARILLA.....(<i>Croton Eluteria</i>)	1 00	3 60
CASSIA BARK.....(<i>Cinnamomum Cassia</i>)	1 80	6 00
CASTANEA (U. S. P.).....(<i>See Chestnut Leaves</i>)	1 00	3 60
CASTOR LEAVES.....(<i>Ricinus communis</i>).....	1 80	6 00
CATECHU (see note 39).....(<i>Acacia Catechu</i>)	1 20	4 20
CATECHU COMP (see note 39)....(<i>For Tincture U. S. P.</i>)		
One pint represents about	100 Cc. represent	
{ Catechu, 6 1-2 ozs. 40 Gm. }		
{ Cinnamon, 3 1-4 ozs. 20 Gm. }	1 20	4 20
CATNEP.....(<i>Nepeta Cataria</i>)	1 00	3 60
CAYENNE PEPPER (U. S. P.)(<i>Capsicum</i>).....	1 50	5 10
CELANDINE, GARDEN.....(<i>See Garden Celandine</i>) ...	1 00	3 60
CELERY SEED.....(<i>Apium graveolens</i>).....	1 80	6 00
CENTAURY, RED.....(<i>Sabbatia angularis</i>)	1 00	3 60
CEREUS BONPLANDI.....(<i>Discontinued</i>).		
CHAPARRO AMARGOSO (see note 13). (<i>Castela Nicholsoni</i>)..	2 50	8 10
CHAPARRO AMARGOSO, Aromatic.....	2 50	8 10
CHAMOMILE, German.....(<i>Matricaria Chamomilla</i>) .	1 20	4 20
CHAMOMILE, Roman.....(<i>Anthemis nobilis</i>)	1 20	4 20
CHECKERBERRY.....(<i>See Squaw Vine</i>)	1 20	4 20
CHEKAN.....(<i>Eugenia Chequen</i>)	4 00	12 60
CHESTNUT LEAVES (U. S. P.) ..(<i>Castanea dentata</i>)	1 00	3 60
CHICORY.....(<i>Chicorium Intybus</i>)	1 20	4 20
CHIRATA (U. S. P.).....(<i>Swertia Chirata</i>).....	1 80	6 00
CIMICIFUGA (U. S. P.).....(<i>See Black Cohosh</i>)	1 20	4 20
CINCHONA (U. S. P.). }		
(Best grade of bark) }		
Standard 2.5 % anhydrous Quinine (see note 1).	1 50	5 10
CINCHONA, Aromatic.		
One pint represents about	100 Cc. represent	
{ Cinchona, Red, 14 ozs. 85 Gm. }		
{ Cassia Cinnamon, 3-4 oz. 5 Gm. }		
{ Ginger, 3-4 oz. 5 Gm. }	1 80	6 00
{ Cardamom, 3-8 oz. 2 1-2 Gm. }		
{ Nutmeg, 3-8 oz. 2 1-2 Gm. }		
CINCHONA CALISAYA (U. S. P. 1860) (<i>Discontinued</i>).		
CINCHONA, Detannated.....(<i>Cinchona Calisaya</i>)	1 70	5 70
CINCHONA COMP.....(<i>For Huexham's Tinct., Br. P.</i>)		
One imperial pint represents		
{ Cinchona, Red, 8 ozs. }		
{ Orange Peel, Bitter, 4 ozs. }		
{ Serpentina, 2 ozs. }	1 50	5 10
{ Saffron, 1-2 oz. }		
{ Cochineal, 1-4 oz. }		

FLUID EXTRACTS.

	Per Pint Bottle.	Pr. Doz. 4 oz. Bottles.
CINCHONA COMP.(For Tincture U. S. P.).		
One pint represents about 100 Cc. represent		
{ Cinchona, Red, 6 2-3 ozs. 40 Gm. }		
{ Orange Peel, Bitter, 5 1-3 ozs. 32 Gm. }	\$1 50	\$5 10
{ Serpentina, 1 1-3 ozs. 8 Gm. }		
CINCHONA, PALE(<i>Cinchona pallida</i>).....	1 25	4 35
CINCHONA, RED , (best grade of bark)..(<i>Cinchona rubra</i>) ...	1 50	5 10
Standard 5 % total alkaloids (see note 1).		
CINNAMON BARK(<i>Cinnamomum zeylanicum</i>)..	1 80	6 00
CINNAMON BARK , Soluble (see note 42).....	1 20	4 20
CLEAVERS(<i>Galium Aparine</i>).....	1 00	3 60
CLOVER TOPS , Red.....(<i>Trifolium pratense</i>).....	1 20	4 20
CLOVES(<i>Caryophyllus</i>), (<i>Eugenia aromatica</i>)..	2 00	6 60
COCA LEAVES (U. S. P.).....(<i>Erythroxylon Coca</i>).....	2 00	6 60
Standard 0.5 % Cocaine (see notes 1 and 14).		
COCA LEAVES , Soluble (see note 42).....	2 00	6 60
COCCULUS INDICUS(See <i>Fishberries</i>).....	1 20	4 20
COFFEE , Green Berry.....(<i>Coffea arabica</i>).....	1 50	5 10
COFFEE , for Syrup.....(<i>Coffea arabica</i>).....	1 50	5 10
COHOSH , BLACK (U. S. P.).....(See <i>Black Cohosh</i>).....	1 20	4 20
COHOSH , BLACK, COMP.....(See <i>Black Cohosh Comp.</i>)..	1 20	4 20
COHOSH , BLUE.....(See <i>Blue Cohosh</i>).....	1 00	3 60
COLCHICUM ROOT (U. S. P.).....(<i>Colchicum autumnale</i>) ...	1 20	4 20
Standard 0.5 % Colchicine (see note 1).		
COLCHICUM SEED (U. S. P.).....(<i>Colchicum autumnale</i>) ...	1 50	5 10
Standard 0.5 % Colchicine (see note 1).		
COLOCYNTH(<i>Citrullis Colocynthis</i>).....	1 90	6 30
COLTSFOOT(<i>Tussilago Farfara</i>).....	1 00	3 60
COLUMBO(See <i>Calumba</i>).....	1 25	4 35
COMFREY(<i>Symphytum officinale</i>)....	1 00	3 60
CONDURANGO(<i>Gonolobus Cundurango</i>)..	3 00	9 60
CONIUM FRUIT (U. S. P.).....(<i>Conium maculatum</i>).....	1 50	5 10
Standard 0.6 % Coniine (see note 1).		
CONIUM LEAVES(<i>Conium maculatum</i>).....	1 20	4 20
CONVALLARIA (U. S. P.).....(See <i>Lily of the Valley Root</i>)..	1 25	4 35
CORIANDER(<i>Coriandrum sativum</i>) ...	1 20	4 20
CORN SILK (see note 17).....(<i>Stigmata Maydis</i>).....	1 50	5 10
COTO BARK(<i>Para-Coto</i>).....	3 90	12 30
COTTON ROOT BARK (U. S. P.) ..(<i>Gossypium herbaceum</i>)...	1 40	4 80
COUCH GRASS (U. S. P.).....(<i>Agropyrum repens</i>).....	1 05	3 75
CRAMP BARK (U. S. P.).....(<i>Viburnum Opulus</i>).....	1 00	3 60
CRAMP BARK COMP.		
One pint represents		
{ Cramp Bark, 6 ozs. }		
{ Scullcap, 2 ozs. }		
{ Wild Yam, 4 ozs. }	1 90	6 30
{ Cinnamon, 3 ozs. }		
{ Cloves, 1 oz. }		
CRANESBILL (U. S. P.).....(<i>Geranium maculatum</i>)...	1 05	3 75
CRANESBILL COMP.		
One pint represents		
{ Cranesbill, 12 ozs. }		
{ Blackberry Root, 3 ozs. }	1 05	3 75
{ Cassia Bark, 1 oz. }		
CUBEB (U. S. P.).....(<i>Piper Cubeba</i>).....	2 00	6 60
CULVER'S ROOT (U. S. P.).....(<i>Leptandra virginica</i>)	1 25	4 35
CUSO(See <i>Koussou</i>).....	2 40	7 80
CYPRIPEDIUM (U. S. P.).....(See <i>Ladies' Slipper</i>).....	2 00	6 60
DAMIANA(<i>Turnera microphylla</i>)	2 10	6 90
DANDELION (U. S. P.).....(<i>Taraxacum officinale</i>)	1 25	4 35
DANDELION COMP.		
One pint represents		
{ Dandelion, 12 ozs. }		
{ Mandrake, 2 ozs. }	1 20	4 20
{ Conium Leaves, 2 ozs. }		

FLUID EXTRACTS.

Per Pint Bottle.	Pr. Doz. 4 oz. Bottles.
------------------------	-------------------------------

DANDELION and SENNA.

One pint represents

{ Dandelion, 12 ozs. }	\$1 20	\$4 20
{ Senna, 4 ozs. }		

DEER TONGUE	(<i>Liatris odoratissima</i>).....	1 20	4 20
DEWBERRY ROOT	(<i>Rubus canadensis</i>).....	1 20	4 20
DIGITALIS (U. S. P.).....	(See <i>Foxglove</i>).....	1 25	4 35
Standard 0.4 % Digitoxin (see notes 1 and 18).			
DITA BARK	(<i>Alstonia scholaris</i>).....	2 25	7 35
DOG GRASS.....	(See <i>Couch Grass</i>)	1 05	3 75
DOG WOOD BARK, Boxwood.....	(<i>Cornus florida</i>).....	1 00	3 60
DWARF ELDER.....	(<i>Aralia hispida</i>)	1 10	3 90
ECHINACEA (see note 20).....	(<i>Echinacea angustifolia</i>)..	2 00	6 60
ELDER BARK	(<i>Sambucus nigra</i>)	1 80	6 00
ELDER FLOWERS.....	(<i>Sambucus canadensis</i>)....	1 00	3 60
ELECAMPANE	(<i>Inula Helenium</i>).....	1 10	3 90
EPHEDRA TRIFURCA (Ephedra Antisyphilitica) (see note 21)		3 50	11 10
ERGOT (U. S. P.).....	(<i>Claviceps purpurea</i>).....	2 00	6 60
Standard 0.25 % Cornutine of Keller (see notes 1 and 22).			
ERIGERON, Canada.....	(<i>Erigeron canadense</i>)....	1 20	4 20
ERIODICTYON (U. S. P.)	(See <i>Yerba Santa</i>)	2 00	6 60
EUCALYPTUS (U. S. P.).....	(<i>Eucalyptus globulus</i>)....	1 15	4 05
EUPATORIUM (U. S. P.).....	(See <i>Boneset</i>)	1 00	3 60
EUPHORBIA PILULIFERA		4 00	12 60
EVENING PRIMROSE.....	(<i>Oenothera biennis</i>)	1 50	5 10
FALSE BITTERSWEET	(See <i>Bittersweet, false</i>) ...	1 05	3 75
FALSE HELLEBORE.....	(<i>Adonis vernalis</i>).....	3 00	9 60
FALSE UNICORN.....	(See <i>Helonias</i>)	1 80	6 00
FENNEL SEED.....	(<i>Foeniculum capillaceum</i>)..	1 20	4 20
FENNEL SEED, Soluble (see note 42).....		1 20	4 20
FERN, SWEET.....	(<i>Comptonia asplenifolia</i>)..	1 00	3 60
FEVER BUSH	(<i>Lindera Benzoin</i>)	1 20	4 20
FEVERFEW	(<i>Pyrethrum Parthenium</i>) ..	1 20	4 20
FIGWORT	(<i>Scrophularia nodosa</i>).....	1 80	6 00
FIRE WEED	(<i>Erechtites hieracifolia</i>) ..	1 00	3 60
FISHBERRIES	(<i>Cocculus indicus</i>)	1 20	4 20
FIVE FLOWERED GENTIAN....	(<i>Gentiana quinqueflora</i>)...	2 50	8 10
FOXGLOVE (U. S. P.).....	(<i>Digitalis purpurea</i>).....	1 25	4 35
FRINGE TREE BARK.....	(<i>Chionanthus virginica</i>)...	1 50	5 10
FROSTWORT	(<i>Helianthemum canadense</i>)..	1 00	3 60
FUMITORY	(<i>Fumaria officinalis</i>)	1 50	5 10
GARDEN CELANDINE	(<i>Chelidonium majus</i>)	1 00	3 60
GARLIC	(<i>Allium sativum</i>)	1 25	4 35
GELSEMIUM (U. S. P.)	(<i>Gelsemium sempervirens</i>)..	1 25	4 35
Standard 0.35 % Gelsemine (see note 1).			
GELSEMIUM	(Made from fresh root) ...	1 25	4 35
GENTIAN (U. S. P.).....	(<i>Gentiana lutea</i>).....	1 00	3 60
GENTIAN COMP	(For <i>Tincture U. S. P.</i>) ..		
One pint represents about 100 Cc. represent			
{ Gentian, 10 ozs. }	60 Gm. }	1 15	4 05
{ Orange Peel, Bitter, 4 ozs. }	24 Gm. }		
{ Cardamom, 1 oz. }	6 Gm. }		
GENTIAN, Detannated		1 35	4 65
GINGER, African		1 50	5 10
GINGER, (U. S. P.) Jamaica	(<i>Zingiber officinale</i>).....	1 50	5 10
Standard 5 % oleoresin.			
GINGER, Soluble (see note 42)....	(For <i>Syrup</i>)	1 00	3 60
GOLDEN ROD	(<i>Solidago odora</i>)	1 00	3 60
GOLDEN SEAL (U. S. P.).....	(<i>Hydrastis canadensis</i>)....	2 50	8 10
Standard 2 % Hydrastine (see notes 1 and 25).			
GOLDEN SEAL, Colorless.....		1 50	5 10
GOLDEN SEAL, without Alcohol		1 75	5 85
GOLD THREAD	(<i>Coptis trifolia</i>)	2 25	7 35

FLUID EXTRACTS.

Per Pint Bottle.	Pr. Doz. 4 oz. Bottles.
------------------------	-------------------------------

GRATIOLA OFFICINALIS	(See Hedge Hyssop)	\$1 20	\$4 20
GRAVEL PLANT	(<i>Epiyæa repens</i>)	1 00	3 60
GRINDELIA (U. S. P.)	(<i>Grindelia robusta</i>)	1 80	6 00
GRINDELIA, Soluble (see note 42) (For Syrup)		1 80	6 00
GRINDELIA COMP.			
One pint represents			
{ Grindelia, 8 ozs. }		1 80	6 00
{ Yerba Santa, 8 ozs. }			
GRINDELIA SQUARROSA			
(Discontinued).			
GUACO ROOT			
(Discontinued).			
GUAIAIC (see note 39)	(<i>Guaiaci resina</i>)	1 70	5 70
GUAIACUM WOOD	(<i>Guaiacum officinale</i>)	1 00	3 60
GUARANA (U. S. P.)	(<i>Paullinia sorbilis</i>)	5 00	15 60
Standard 4 % Caffeine (see note 1).			
GUARANA and CELERY.			
One pint represents			
{ Guarana, 8 ozs. }		3 50	11 10
{ Celery, 8 ozs. }			
HAIRCAP MOSS			
(Polytrichum juniperinum).			
1 20		4 20	
HAMAMELIS (U. S. P.)			
(See Witch Hazel leaves) ..			
1 00		3 60	
HARDHACK			
(Spiræa tomentosa)			
1 25		4 35	
HEDGE HYSSOP			
(Gratiola officinalis)			
1 20		4 20	
HELLEBORE, American			
(See American Hellebore) ..			
1 50		5 10	
HELLEBORE, Black			
(See Black Hellebore)			
1 20		4 20	
HELLEBORE, False			
(See False Hellebore)			
3 00		9 60	
HELLEBORE, White			
(See White Hellebore)			
1 20		4 20	
HELONIAS			
(Helonias dioica)			
1 80		6 00	
HELONIAS COMP.			
One pint represents			
{ Helonias, 8 ozs. }		1 50	5 10
{ Squaw Vine, 3 ozs. }			
{ Cramp Bark, 2 1-2 ozs. }			
{ Blue Cohosh, 2 1-2 ozs. }			
HEMLOCK, Colorless			
(See Miscellaneous list)			
1 25		4 35	
HEMLOCK SPRUCE BARK			
(Pinus canadensis)			
1 00		3 60	
HENBANE (U. S. P.)			
(Hyoscyamus niger)			
1 25		4 35	
Standard 0.15 % alkaloids (see note 1).			
HOPS			
(Humulus Lupulus)			
1 65		5 55	
HOREHOUND			
(Marrubium vulgare)			
1 00		3 60	
HOREHOUND COMP.			
One pint represents			
{ Horehound, 2 1-2 ozs. }		1 20	4 20
{ Spikenard, 2 1-2 ozs. }			
{ Wild Cherry Bark, 2 1-2 ozs. }			
{ Elecampane, 2 1-2 ozs. }			
{ Red Root, 2 1-2 ozs. }			
{ Comfrey, 2 1-2 ozs. }			
{ Blood Root, 1 oz. }			
HORSE-CHESTNUT BARK			
(Æsculus hippocastanum).			
1 20		4 20	
HORSE NETTLE			
(Solanum carolinense)			
2 00		6 60	
HORSE RADISH			
(Cochlearia Armoracia) ..			
1 20		4 20	
HYDRANGEA			
(Hydrangea arborescens) ..			
1 05		3 75	
HYDRASTIS (U. S. P.)			
(See Golden Seal)			
2 50		8 10	
HYOSCYAMUS (U. S. P.)			
(See Henbane)			
1 25		4 35	
IGNATIA			
(Strychnos Ignatii)			
2 10		6 90	
Standard 2 % alkaloids (see note 1).			
INDIAN HEMP (U. S. P.)			
(Cannabis sativa)			
1 50		5 10	
INDIAN HEMP, Black			
(See Canadian Hemp)			
1 20		4 20	
INDIAN HEMP, White			
(Asclepias incarnata)			
1 05		3 75	
INDIAN PHYSIC			
(Gillenia trifoliata)			
1 00		3 60	
INDIAN TURNIP			
(See Wild Turnip)			
1 20		4 20	
IPECAC (U. S. P.)			
(Cephaelis Ipecacuanha) ..			
7 00		21 60	
Standard 1.75 % Emetine (see note 1).			
IPECAC and OPIUM			
(Liquid Dover's Powder) ..			
3 50		11 10	
(One minim is equivalent to one grain of Dover's Powder.)			

FLUID EXTRACTS.

Per Pint Bottle.	Pr. Doz. 4 oz. Bottles.
------------------------	-------------------------------

IPECAC and SENEGA.

One pint represents

{ Ipecac, 8 ozs. }	\$4 50	\$14 10
{ Senega, 8 ozs. }			

JABORANDI (U. S. P.).....(*Pilocarpus Selloanus*) 1 80 6 00
Standard 0.35 % alkaloids (see note 1).

JALAP.....(*Ipomœa Jalapa*) 2 00 6 60
Standard 12 % resin (see note 1).

JAMAICA DOGWOOD.....(*Piscidia Erythrina*) 2 50 8 10

JUDAS-TREE BARK.....(*Cercis canadensis*) 3 00 9 60

JUNIPER BERRIES.....(*Juniperus communis*) 1 00 3 60

KAMALA.....(*Mallolus philippinensis*) . 3 00 9 60

KAVA KAVA.....(*Piper methysticum*) 2 00 6 60

KINO (for Tincture U. S. P.) { (*Pterocarpus Marsupium*). 3 50 11 10
(See note 39)..... }

KOLA NUT.....(*Cola acuminata*) 2 00 6 60
Standard 1 % Caffeine (see note 1).

KOLA COMP. (for making Elixir Kola Comp.)

One pint represents

{ Kola Nut, 5 ozs. }	2 00	6 60
{ Celery Seed, 5 ozs. }			
{ Coca Leaves, 6 ozs. }			

KOUSSO (U. S. P.).....(*Hagenia abyssinica*) 2 40 7 80

LACTUCARIUM (Best German). { (*Concrete milk of Lactuca*
virosa) 5 00 15 60

LADIES' SLIPPER (U. S. P.).....(*Cypripedium pubescens*).. 2 00 6 60

LAPPA (U. S. P.).....(*See Burdock Root*) 1 00 3 60

LARKSPUR SEED.....(*Delphinium Consolida*) ... 3 50 11 10

LAVENDER COMP (see note 39)..(*For Tincture U. S. P.*).

One pint represents about

1000 Cc. represent

{ Oil Lavender flowers, 1 fl. oz. 64 Cc. }	1 60	5 40
{ Oil Rosemary, 1-4 fl. oz. 16 Cc. }			
{ Cinnamon, 2 1-2 ozs. 160 Gm. }			
{ Cloves, 5-8 oz. 40 Gm. }			
{ Nutmeg, 1 1-4 ozs. 80 Gm. }			
{ Red Saunders, 1 1-4 ozs. 80 Gm. }			

LEMON PEEL.....(*Citrus Limonum*) 1 20 4 20

LEMON, Concentrated, Soluble... (*For Syrup*) (see note 42). 1 20 4 20

LEPTANDRA (U. S. P.).....(*See Culver's Root*) 1 25 4 35

LETTUCE.....(*Lactuca sativa*)..... 1 20 4 20

LIFE EVERLASTING(*Gnaphalium polycephalum*). 1 00 3 60

LIFE ROOT.....(*Senecio aureus*) 1 00 3 60

LILY ROOT, White.....(*Nymphœa odorata*) 1 00 3 60

LILY of the VALLEY, Flowers...(*Convallaria majalis*)..... 2 00 6 60

LILY of the VALLEY, Root (U. S. P.) .(*Convallaria majalis*). 1 25 4 35

LIQUORICE ROOT (U. S. P.).....(*Glycyrrhiza glabra*) 1 00 3 60

LIQUORICE ROOT.....(*For Quinine Mixtures*) .. 1 20 4 20

LIVERWORT.....(*Hepatica triloba*) 1 50 5 10

LOBELIA (U. S. P.).....(*Lobelia inflata*) 1 05 3 75

LOBELIA COMP.

One pint represents

{ Lobelia, 8 ozs. }	1 05	3 75
{ Skunk Cabbage, 4 ozs. }			
{ Blood Root, 4 ozs. }			

LOBELIA SEED.....(*Lobelia inflata*) 2 20 7 20

LOGWOOD.....(*Hæmatoxylon campechianum*). 90 3 30

LOVAGE.....(*Levisticum officinale*) 1 50 5 10

LUNGWORT.....(*Pulmonaria officinalis*) .. 1 10 3 90

LUPULIN (U. S. P.).....(*Humulus Lupulus*) 2 50 8 10

MAGNOLIA BARK.....(*Magnolia glauca*) 1 20 4 20

MALE FERN.....(*Aspidium*; *Filix-mas*) 1 25 4 35
Standard 10 % oleoresin (see note 1).

MANACA (see note 31).....(*Francisca uniflora*) ... 3 20 10 20

MANDRAKE (U. S. P.).....(*Podophyllum peltatum*) .. 1 05 3 75
Standard 4 % Podophyllin (see note 1).

FLUID EXTRACTS.

	Per Pint Bottle.	Pr. Doz. 4 oz. Bottles.
MANDRAKE COMP.		
One pint represents		
{ Mandrake, 8 ozs. }	\$1 05	\$3 75
{ Senna, 4 ozs. }		
{ Jalap, 4 ozs. }		
MANGO BARK (Mangosteen) (Discontinued).		
MANZANITA LEAVES..... (Arctostaphylos glauca) ..	2 25	7 35
MARJORAM, SWEET..... (Origanum Majorana).....	1 50	5 10
MARSHMALLOW ROOT (Althæa officinalis)	1 00	3 60
MARSH ROSEMARY (Statice Limonium)	1 00	3 60
MATICO (U. S. P.) (Piper angustifolium)	1 80	6 00
Standard 10 % oleoresin (see note 1).		
MATICO COMP.		
One pint represents		
{ Matico, 8 ozs. }	1 80	6 00
{ Cubeb, 4 ozs. }		
{ Buchu, 4 ozs. }		
MAYAPPLE (U. S. P.) (See Mandrake)	1 05	3 75
MENISPERMUM (U. S. P.) (See Parilla, Yellow)	1 20	4 20
MEZEREUM (U. S. P.) (Daphne Mezereum)	1 50	5 10
MEZEREON BARK (See Mezereum)	1 50	5 10
MILK WEED (See Silk Weed)	1 20	4 20
MISTLETOE (Phoradendron flavescens).....	1 20	4 20
MOTHERWORT (Leonurus Cardiaca)	1 05	3 75
MOUNTAIN-BALM (U. S. P.) (See Yerba Santa)	2 00	6 60
MOUNTAIN LAUREL (See Sheep Laurel)	1 20	4 20
MUGWORT (Artemisia vulgaris).....	1 00	3 60
MUIRAPUAMA (see note 34)..... (Liriosma ovata).....	4 00	12 60
MULLEIN LEAVES (Verbascum Thapsus)	1 00	3 60
MUSKROOT (See Sumbul)	3 00	9 60
MYRRH (see note 39)..... (Commiphora Myrrha)	2 10	6 90
MYRRH and CAPSICUM. (See note 39.)		
One pint represents		
{ Myrrh, 12 4-5 ozs. }	2 00	6 60
{ Capsicum, 3 1-5 ozs. }		
NETTLE (Urtica dioica)	1 20	4 20
NIGHT BLOOMING CEREUS..... (Cactus grandiflorus).....	3 90	12 30
NUT GALL..... (Quercus lusitanica).....	1 50	5 10
NUTMEG (Myristica fragrans)	3 00	9 60
NUX VOMICA (U. S. P.)..... (Strychnos Nux-vomica) ..	1 25	4 35
Standard 1.5 % alkaloids (see note 1).		
OATS (Avena sativa)	1 50	5 10
OPIUM. For making Tinct. Opii U. S. P. (Laudanum). Four times the strength of the official Tincture of Opium. Assayed to contain in each fluidounce 24 grains of Morphine (alkaloid)—equal to 30 grains of Morphine Sulphate (see note 1).....		
	5 50	17 10
OPIUM, Aqueous, Deodorized. Same as Tinct. Opii Deodorata U. S. P. Assayed to contain in each fluidounce 6 grains of Morphine (alkaloid)—equal to 7 1-2 grains of Morphine Sulphate (see note 1).....		
	1 75	5 85
OPIUM, Camphorated. For making Tinct. Opii Camphorata U. S. P. (Paregoric). Eight times the strength of the official Camphorated Tincture (see note 1).....		
	1 75	5 85
ORANGE PEEL, Aromatic (For Elixir).....	1 50	5 10
ORANGE PEEL, Bitter (U. S. P.).. (Citrus vulgaris).....	1 40	4 80
ORANGE PEEL, Sweet (Citrus Aurantium)	1 25	4 35
ORANGE PEEL, Sweet (For Syrup).....	1 25	4 35
OREGON GRAPE ROOT (See Berberis Aquifolium).....	2 40	7 80
ORRIS ROOT..... (Iris florentina).....	1 50	5 10
PANSY (Viola tricolor)	1 20	4 20
PAREIRA BRAVA (U. S. P.).... (Chondodendron tomentosum)	1 50	5 10

FLUID EXTRACTS.

Per Pint Bottle.	Pr. Doz. 4 oz Bottles.
------------------------	------------------------------

PAREIRA, BUCHU and STONERROOT.

One pint represents

{ Pareira Brava, 5 1-3 ozs. }	\$1 50	\$5 10
{ Buchu, 5 1-3 ozs. }			
{ Stoneroot, 5 1-3 ozs. }			

PARILLA, YELLOW (U. S. P.)....(<i>Menispermum canadense</i>)...	1 20	4 20
PARSLEY ROOT.....(<i>Petroselinum sativum</i>)...	1 20	4 20
PARSLEY SEED.....(<i>Petroselinum sativum</i>)...	1 35	4 65
PASSION FLOWER.....(<i>Passiflora incarnata</i>)....	2 00	6 60
PEACH LEAVES.....(<i>Prunus persica</i>)	1 25	4 35
PELLITORY ROOT.....(<i>Anacyclus Pyrethrum</i>)...	1 40	4 80
PENCIL FLOWER.....(<i>Stylosanthes elatior</i>).....	3 50	11 10
PENNYROYAL.....(<i>Hedeoma pulegioides</i>)....	1 00	3 60
PENTHORUM SEDOIDES.....(<i>See Virginia Stone Crop</i>)...	2 40	7 80
PEPPERMINT.....(<i>Mentha piperita</i>).....	1 25	4 35
PEPPERMINT, Soluble (see note 42).....	1 10	3 90
PERSIMMON BARK.....(<i>Diospyros virginiana</i>)....	1 20	4 20
PHYTOLACCA FRUIT (U. S. P.)..(<i>See Poke Berries</i>).....	1 50	5 10
PHYTOLACCA ROOT (U. S. P.)...(<i>See Poke Root</i>)	1 00	3 60
PICHI.....(<i>Fabiana imbricata</i>)	3 50	11 10
PIMENTA.....(<i>See Allspice</i>)	1 20	4 20
PINK ROOT (U. S. P.).....(<i>Spigelia marilandica</i>)....	1 50	5 10

PINK ROOT and SENNA.

One pint represents

{ Pink Root, 10 ozs. }	1 50	5 10
{ Senna, 6 ozs. }			
{ Potassium Carb., 1-2 oz. }			
{ Oil Anise, 20 min. }			
{ Oil Caraway, 20 min. }			

PINUS CANADENSIS.....(<i>See Hemlock Spruce Bark</i>)...	1 00	3 60
PINUS COMP.(<i>See White Pine Comp.</i>)...	1 50	5 10
PIPSISSEWA (U. S. P.).....(<i>Chimaphila umbellata</i>)...	1 00	3 60
PITCHER PLANT.....(<i>Sarracenia purpurea</i>)....	1 50	5 10
PLANTAIN LEAVES.....(<i>Plantago major</i>)	1 00	3 60
PLEURISY ROOT (U. S. P.).....(<i>Asclepias tuberosa</i>)	1 20	4 20
POISON OAK.....(<i>Rhus Toxicodendron</i>)	1 80	6 00
POKE BERRIES.....(<i>Phytolacca decandra</i>)	1 50	5 10
POKE ROOT.....(<i>Phytolacca decandra</i>)	1 00	3 60
POMEGRANATE, Bark of Root... } (<i>Punica Granatum</i>)....	1 25	4 35
(See note 38)		
POPLAR BARK.....(<i>Populus tremuloides</i>)....	1 00	3 60
POPPY HEADS.....(<i>Papaver somniferum</i>)	1 05	3 75
PRICKLY ASH(U.S.P.), Bark { (<i>Xanthoxylum americanum</i>),	1 10	3 90
{ (<i>Xanthoxylum Clava-Herculis</i>)...		
PRICKLY ASH BERRIES.. { (<i>Xanthoxylum americanum</i>),	2 20	7 20
{ (<i>Xanthoxylum Clava-Herculis</i>)...		
PRINCE'S PINE.....(<i>See Pipsissewa</i>)	1 00	3 60
PTELEA.....(<i>See Wafer Ash</i>)	1 10	3 90
PULSATILLA.....(<i>Anemone Pulsatilla</i>)	1 50	5 10
PUMPKIN SEED.....(<i>Cucurbita Pepo</i>)	1 80	6 00
QUASSIA (U. S. P.).....(<i>Picraena excelsa</i>)	1 10	3 90
QUEBRACHO (U. S. P.)...(<i>Aspidosperma Quebracho-blanco</i>)...	2 40	7 80
QUEEN of the MEADOW.....(<i>Eupatorium purpureum</i>)...	1 00	3 60
QUEEN'S ROOT (U. S. P.).....(<i>See Stillingia</i>).....	1 50	5 10
QUININE FLOWER.....(<i>Discontinued</i>).....		
RASPBERRY LEAVES.....(<i>Rubus strigosus</i>).....	1 00	3 60
RED CLOVER TOPS.....(<i>See Clover Tops, Red</i>) ...	1 20	4 20

RED CLOVER COMP.

One pint represents

{ Red Clover Tops, 4 1-4 ozs. }	2 00	6 60
{ Burdock Root, 2 1-8 ozs. }			
{ Berberis Aquifolium, 2 1-8 ozs. }			
{ Stillingia, 2 1-8 ozs. }			
{ Poke Root, 2 1-8 ozs. }			
{ Cascara Amarga, 2 1-8 ozs. }			
{ Prickly Ash Bark, 256 grs. }			
{ Potassium Iodide, 512 grs. }			

F. E. RHAMNUS PURSHIANA should be

Per Pt.	Per doz.
Bot.	4 oz. Bots.
\$1.50	\$5.10

RED GUM.....	(<i>Eucalyptus rostrata</i>).....	\$2 50	\$8 10
RED ROOT.....	(<i>Ceanothus americanus</i>) ..	1 20	4 20
RED SAUNDERS.....	(<i>Pterocarpus santalinus</i>) .	1 40	4 80
RHAMNUS PURSHIANA (U.S.P.)	(See <i>Cascara Sagrada</i>)	1 25	4 35
RHATANY (U. S. P.).....	(<i>Krameria triandra</i>).....	1 10	3 90

RHUBARB, Aromatic.

One pint represents about

100 Cc. represent

{ Rhubarb,	3 1-4 ozs.	20 Gm.	}	1 20	4 20
{ Cassia Cinnamon,	5-8 oz.	4 Gm.			
{ Cloves,	5-8 oz.	4 Gm.			
{ Nutmeg,	5-16 oz.	2 Gm.			

RHUBARB (U. S. P.).....	(<i>Rheum officinale</i>).....	2 10	6 90
-------------------------	----------------------------------	------	------

RHUBARB, Sweet.....(*For Tincture U. S. P.*)

One pint represents about

100 Cc. represent

{ Rhubarb,	8 ozs.	50 Gm.	}	1 80	6 00
{ Liquorice Root,	3 1-4 ozs.	20 Gm.			
{ Anise Seed,	3 1-4 ozs.	20 Gm.			
{ Cardamom,	3-4 oz.	5 Gm.			

RHUBARB COMP.....(*For Tincture Amer. Disp.*)

One pint represents

{ Rhubarb,	4 ozs.	}	2 00	6 60
{ Bitter Root,	2 ozs.			
{ Golden Seal,	2 ozs.			
{ Gentian,	2 ozs.			
{ Prickly Ash Berries,	2 ozs.			
{ Sassafras,	1 oz.			
{ Cardamom,	1 oz.			

RHUBARB and POTASSIUM.

One pint represents

{ Rhubarb,	4 ozs.	}	1 80	6 00
{ Potassium Carb.,	1 oz.			
{ Cinnamon,	2 ozs.			
{ Golden Seal,	2 ozs.			
{ Oil Peppermint,	30 min.			

RHUBARB and SENNA.

One pint represents

{ Rhubarb,	12 ozs.	}	1 80	6 00
{ Senna,	4 ozs.			

RHUS AROMATICA.....	(See <i>Sweet Sumach</i>).....	2 70	8 70
---------------------	---------------------------------	------	------

RHUS GLABRA (U. S. P.).....	(See <i>Sumach Berries</i>).....	1 00	3 60
-----------------------------	-----------------------------------	------	------

ROSE LEAVES (U. S. P.).....	(<i>Rosa gallica</i>)	2 50	8 10
-----------------------------	-------------------------------	------	------

ROSE LEAVES, Soluble (see note 42).....		3 00	9 60
---	--	------	------

ROSIN WEED.....	(<i>Silphium laciniatum</i>).....	1 75	5 85
-----------------	-------------------------------------	------	------

RUE.....	(<i>Ruta graveolens</i>).....	1 00	3 60
----------	---------------------------------	------	------

SAFFRON, American.....	(<i>Carthamus tinctorius</i>)	2 40	7 80
------------------------	--------------------------------------	------	------

SAFFLOWER.....	(See <i>Saffron, American</i>)...	2 40	7 80
----------------	------------------------------------	------	------

SAGE.....	(<i>Salvia officinalis</i>).....	1 00	3 60
-----------	------------------------------------	------	------

SALIX NIGRA.....	(See <i>Black Willow Buds</i>)..	1 50	5 10
------------------	-----------------------------------	------	------

SANDAL WOOD.....	(<i>Santalum album</i>)	2 70	8 70
------------------	---------------------------------	------	------

SANGUINARIA (U. S. P.).....	(See <i>Blood Root</i>).....	1 05	3 75
-----------------------------	-------------------------------	------	------

Standard 2.5 % Sanguinarine.

SARRACENIA FLAVA.....	(See <i>Trumpet Plant</i>).....	2 40	7 80
-----------------------	----------------------------------	------	------

SARSAPARILLA, American.....	(<i>Aralia nudicaulis</i>).....	1 05	3 75
-----------------------------	-----------------------------------	------	------

SARSAPARILLA (U. S. P.).....	(<i>Smilax officinalis</i>).....	1 50	5 10
------------------------------	------------------------------------	------	------

SARSAPARILLA COMP.....(*For Syrup U. S. P.*)

One pint represents about

1000 Cc. represent

{ Sarsaparilla,	13 1-2 ozs.	800 Gm.	}	1 50	5 10
{ Liquorice Root,	1 oz.	60 Gm.			
{ Senna,	1 oz.	60 Gm.			
{ Oil Sassafras,	3 min.	0.4 Cc.			
{ Oil Anise,	3 min.	0.4 Cc.			
{ Oil Wintergreen,	3 min.	0.4 Cc.			

SARSAPARILLA COMP. (U. S. P.)

One pint represents about

100 Cc. represent

{ Sarsaparilla,	12 ozs.	75 Gm.	}	1 50	5 10
{ Liquorice Root,	2 ozs.	12 Gm.			
{ Sassafras,	1 2-3 ozs.	10 Gm.			
{ Mezereum,	1-2 oz.	3 Gm.			

FLUID EXTRACTS.

Per Pint Bottle.	Pr. Doz. 4 oz. Bottles.
------------------------	-------------------------------

SARSAPARILLA and TARAXACUM.

One pint represents

{ Sarsaparilla, 8 ozs. }	\$1 50	\$5 10
{ Taraxacum, 8 ozs. }		

SASSAFRAS.....(*Sassafras variifolium*).... 1 00 3 60SAVINE (U. S. P.).....(*Juniperus Sabina*)..... 1 25 4 35
Standard 1.5 % Oil Savine.SAW PALMETTO.....(*Sabal serrulata*) 2 00 6 60
Standard 18 % oleoresin (see note 1).

SAW PALMETTO COMP.

Each fluidounce represents

{ Saw Palmetto Berries, 80 grs. }	1 50	5 10
{ Parsley Seed, 12 grs. }		
{ Kola Nut, 24 grs. }		
{ Coca, 12 grs. }		
{ Aromatics, q. s. }		

SAXIFRAGE.....(*Pimpinella Saxifraga*).... 1 50 5 10SCOPARIUS (U. S. P.).....(*See Broomtop*) 1 05 3 75SCOURING RUSH(*Equisetum hyemale*)..... 1 80 6 00SCULLCAP (U. S. P.).....(*Scutellaria lateriflora*) ... 1 50 5 10SENECIO GRACILIS.....(*Female Regulator*)..... 1 50 5 10SENEGA (U. S. P.).....(*Polygala Senega*) 2 40 7 80SENNA (U. S. P.), Alexandria(*Cassia acutifolia*) 1 40 4 80SENNA, Aqueous(*Cassia acutifolia*) 1 50 5 10

SENNA COMP.

One pint represents

{ Senna, 8 ozs. }	1 40	4 80
{ Jalap, 4 ozs. }		
{ Mandrake, 2 ozs. }		
{ Cinnamon, 1 oz. }		
{ Coriander, 1 oz. }		

SENNA and JALAP.

One pint represents

{ Senna, 8 ozs. }	1 50	5 10
{ Jalap, 8 ozs. }		

SERPENTARIA (U. S. P.).....(*See Virginia Snakeroot*).. 1 75 5 85SHEEP LAUREL.....(*Kalmia latifolia*) 1 20 4 20SHEEP SORREL.....(*Rumex Acetosella*) 1 20 4 20SHEPHERD'S PURSE.....(*Capsella Bursa Pastoris*).. 1 20 4 20SILK WEED.....(*Asclepias syriaca*)..... 1 20 4 20SIMARUBA BARK.....(*Simaruba officinalis*) 1 75 5 85SKUNK CABBAGE.....(*Symplocarpus foetidus*)... 1 00 3 60SMART WEED(*See Water Pepper*)..... 1 00 3 60SMUT CORN(*Ustilago Maydis*) 1 65 5 55SOAP TREE BARK(*Quillaja saponaria*)..... 1 20 4 20SOAPWORT.....(*Saponaria officinalis*) 1 00 3 60SOLOMON'S SEAL.....(*Polygonatum officinale*).. 1 00 3 60SOUTHERN WOOD(*Artemisia Abrotanum*)... 1 20 4 20SPIKENARD(*Aralia racemosa*) 1 00 3 60SPINY CLOTBUR(*Xanthium Spinosum*) 1 50 5 10SQUAW VINE(*Mitchella repens*)..... 1 20 4 20

SQUAW VINE COMP.

One pint represents

{ Squaw Vine, 9 1-7 ozs. }	1 50	5 10
{ Helonias, 2 2-7 ozs. }		
{ Cramp Bark, 2 2-7 ozs. }		
{ Blue Cohosh, 2 2-7 ozs. }		

SQUILL (U. S. P.).....(*Urginea maritima*) 1 00 3 60

SQUILL COMP.

One pint represents

{ Squill, 8 ozs. }	1 70	5 70
{ Senega, 8 ozs. }		

FLUID EXTRACTS.

	Per Pint Bottle.	Pr Doz. 4 oz. Bottles.
STARGRASS(See Unicorn Root, True).	\$1 80	\$6 00
STAVESACRE SEED(Delphinium Staphisagria).	2 40	7 80
STILLINGIA (U. S. P.).....(Stillingia sylvatica)	1 50	5 10
STILLINGIA COMP.		
One pint represents		
{ Stillingia, 4 ozs.		
{ Turkey Corn, 4 ozs.		
{ Blue Flag, 2 ozs.		
{ Elder Flowers, 2 ozs.		
{ Pipsissewa Leaves, 2 ozs.	1 50	5 10
{ Coriander, 1 oz.		
{ Prickly Ash Berries, 1 oz.		
STONE ROOT(Collinsonia canadensis) ..	1 05	3 75
STRAMONIUM LEAVES.....(Datura Stramonium)	1 05	3 75
Standard 0.375 % alkaloids (see note 1).		
STRAMONIUM SEED (U. S. P.) ... (Datura Stramonium)	1 05	3 75
Standard 0.375 % alkaloids (see note 1).		
STROPHANTHUS, Tincture (U.S.P.)(Strophanthus hispidus).	1 50	5 10
(See note 43).....		
ST. JOHN'S WORT(Hypericum perforatum) .	1 00	3 60
STYLOSANTHES ELATIOR.....(See Pencil Flower).....	3 50	11 10
SUMACH BARK(Rhus glabra).....	1 00	3 60
SUMACH BERRIES(Rhus glabra).....	1 00	3 60
SUMBUL.....(Ferula Sumbul).....	3 00	9 60
SUNDEW(Drosera rotundifolia)	2 40	7 80
SWEET FERN(See Fern, Sweet).....	1 00	3 60
SWEET GUM BARK(Liquidambar styraciflua).	2 50	8 10
SWEET MARJORAM.....(See Marjoram, Sweet)	1 50	5 10
SWEET SUMACH(Rhus aromatica).....	2 70	8 70
TAG ALDER(Alnus rubra).....	1 00	3 60
TAMARAC BARK(Larix americana)	1 20	4 20
TANSY, Double(Tanacetum vulgare).....	1 00	3 60
TAR, Soluble (see note 42).....(For Syrup).....	1 50	5 10
TARAXACUM (U. S. P.)(See Dandelion).....	1 25	4 35
THYME.....(Thymus vulgaris).....	1 00	3 60
TOLU (see note 39).....(For Tincture).....	2 10	6 90
TOLU, Soluble (see note 42).....(For Syrup).....	1 00	3 60
TONGA.....(Raphidophora vitiensis)..	5 00	15 60
TONKA BEAN(Dipteryx odorata).....	4 00	12 60
TREE of HEAVEN(Ailanthus Glandulosa)...	1 80	6 00
TRIFOLIUM COMP.....(See Red Clover Comp.) ..	2 00	6 60
TRIFOLII FIBRINI.....(See Buckbean).....	1 20	4 20
TRITICUM (U. S. P.)(See Couch Grass).....	1 05	3 75
TRUMPET PLANT.....(Sarracenia flava).....	2 40	7 80
TURKEY CORN(Dicentra canadensis), (Corydalis).	1 65	5 55
TURMERIC(Curcuma longa).....	1 15	4 05
TWIN LEAF(Jeffersonia diphylla)	1 35	4 65
UNICORN ROOT, False(See Helonias).....	1 80	6 00
UNICORN ROOT, True.....(Alettris farinosa).....	1 80	6 00
URTICA DIOICA(See Nettle).....	1 20	4 20
USTILAGO MAYDIS.....(See Smut Corn).....	1 65	5 55
UVA URSI (U. S. P.).....(Arctostaphylos Uva-ursi).	1 00	3 60
VALERIAN (U. S. P.)(Valeriana officinalis)	1 10	3 90
VERATRUM VIRIDE (U. S. P.)...(See American Hellebore).	1 50	5 10
Standard 1 % alkaloids.		
VERVAIN.....(Verbena hastata).....	1 00	3 60
VIBURNUM COMP.....(See Cramp Bark Comp.)..	1 40	4 80
VIBURNUM OPULUS (U. S. P.) ..(See Cramp Bark).....	1 00	3 60
VIBURNUM PRUNIFOLIUM (U. S. P.) (See Black Haw)	1 20	4 20
VIRGINIA SNAKEROOT (U.S.P.)(Aristolochia Serpentaria).	1 75	5 85
VIRGINIA STONECROP(Penthorum sedoides).....	2 40	7 80
WAFER ASH(Ptelea trifoliata).....	1 10	3 90
WAHOO, Bark of Root(Euonymus atropurpureus).	1 50	5 10

FLUID EXTRACTS.

Per Pint Bottle.	Pr. Doz. 4 oz. Bottles.
------------------------	-------------------------------

WALNUT LEAVES, Black	(<i>Juglans nigra</i>)	\$1 50	\$5 10
WALNUT LEAVES, English.....	(<i>Juglans regia</i>)	1 20	4 20
WATER ERYNGO	(<i>Eryngium yuccæfolium</i>)..	1 05	3 75
WATER FENNEL SEED	(<i>Enanthe Phellandrium</i>)..	1 80	6 00
WATER HEMLOCK	(<i>Cicuta maculata</i>)	1 35	4 65
WATERMELON SEED	(<i>Citrullus vulgaris</i>).....	1 80	6 00
WATER PEPPER	(<i>Polygonum Punctatum</i>)..	1 00	3 60
WHITE HELLEBORE	(<i>Veratrum Album</i>).....	1 20	4 20
WHITE OAK BARK	(<i>Quercus alba</i>)	1 00	3 60
WHITE PINE BARK	(<i>Pinus Strobis</i>)	1 00	3 60
WHITE PINE COMP	(For Syrup).		

One pint represents

White Pine Bark,	4 ozs.	}	1 75	5 85
Wild Cherry Bark,	4 ozs.			
Sassafras Bark,	128 grs.			
Blood Root,	224 grs.			
Balm Gilead Buds,	256 grs.			
Spikenard,	256 grs.			
Chloroform,	256 min.			
Morphine Acetate,	12 grs.			

WHITE WILLOW BARK	(<i>Salix alba</i>)	1 00	3 60
WHITE WOOD BARK	(<i>Liriodendron Tulipifera</i>)..	1 00	3 60
WILD CHERRY BARK (U. S. P.)..	(<i>Prunus virginiana</i>).....	1 00	3 60
WILD CHERRY BARK, Detannated.....		1 40	4 80
WILD CHERRY BARK.	{ Procter's formula modified, }	1 00	3 60
	{ for Syrup.		
WILD CHERRY BARK COMP.			

One pint represents

Wild Cherry Bark,	8 ozs.	}	1 00	3 60
Horehound,	3 1-2 ozs.			
Lettuce,	3 ozs.			
Blood Root,	1 oz.			
Veratrum Viride,	1-2 oz.			

WILD GINGER	(See Canada Snakeroot)...	1 05	3 75
WILD INDIGO	(<i>Baptisia Tinctoria</i>).....	1 00	3 60
WILD TURNIP	(<i>Arum triphyllum</i>)	1 20	4 20
WILD YAM	(<i>Dioscorea villosa</i>)	1 00	3 60
WINTERGREEN	(<i>Gaultheria procumbens</i>)..	1 00	3 60
WITCH HAZEL, Bark.....	(<i>Hamamelis virginica</i>) ...	1 00	3 60
WITCH HAZEL, Leaves (U. S. P.)..	(<i>Hamamelis virginica</i>)...	1 00	3 60
WOOD BETONY	(<i>Betonica officinalis</i>).....	2 00	6 60
WORMSEED	(<i>Chenopodium anthelminticum</i>)..	1 00	3 60
WORMSEED, Levant.....	(<i>Semen santonici</i>).....	1 20	4 20
WORMWOOD	(<i>Artemisia Absinthium</i>)..	1 00	3 60
XANTHIUM SPINOSUM.....	(See Spiny Clothur).....	1 50	5 10
XANTHOXYLUM (U. S. P.)	(See Prickly Ash Bark) ...	1 10	3 90
YARROW	(<i>Achillea Millefolium</i>).....	1 00	3 60
YELLOW DOCK (U. S. P.).....	(<i>Rumex crispus</i>)	1 10	3 90
YELLOW DOCK COMP.....	(For Syrup).		

One pint represents

Yellow Dock,	8 ozs.	}	1 50	5 10
False Bittersweet,	4 ozs.			
American Ivy,	2 ozs.			
Figwort,	2 ozs.			

YELLOW JASMINE (U. S. P.)	(See Gelsemium).....	1 25	4 35
YERBA BUENA.....	(<i>Micromeria Douglassii</i>) ..	2 40	7 80
YERBA REUMA	(<i>Frankenia grandifolia</i>) ..	2 40	7 80
YERBA SANTA.....	(<i>Eriodictyon glutinosum</i>)..	2 00	6 60
YERBA SANTA, Aromatic	(For Aromatic Syrup).....	1 75	5 85
YERBA SANTA, Soluble	(For Syrup) (see note 42)..	1 60	5 40
ZEA	(See Corn Silk)	1 50	5 10

FLUID EXTRACTS

FOR MAKING

Tinctures, Syrups, Etc.

Especially prepared for the convenience of Pharmacists.

FOR PRICES, SEE LIST OF FLUID EXTRACTS.

Aloes	1 pt.	makes 5 pints	Tincture, U. S. P.
Aloes and Myrrh	1 pt.	" 4 "	Tincture, U. S. P.
Anise Seed, Soluble	1 pt.	" 42 "	Anise Water.
Aromatic, for Wine	1 pt.	" 16 "	Wine.
Asafetida	1 pt.	" 2½ "	Tincture, U. S. P.
Bay Laurel	1 pt.	" 64 "	Bay Rum.
Benzoin	1 pt.	" 4 "	Tincture, U. S. P.
Benzoin Comp	1 pt.	" 3 "	Tincture, U. S. P.
Caraway, Soluble	1 pt.	" 42 "	Caraway Water.
Cardamom Comp	1 pt.	" 8 "	Tincture, U. S. P.
Catechu Comp	1 pt.	" 3 "	Tincture, U. S. P.
Cinchona Comp.	1 pt.	" 4 "	Huxham's Tinct., Br. P.
Cinchona, Red, Comp	1 pt.	" 4 "	Tincture, U. S. P.
Cinnamon Bark, Soluble ..	1 pt.	" 42 "	Cinnamon Water, U. S. P.
Coca Leaves, Soluble.....	1 pt.	" 16 "	Wine.
Coca Leaves, Soluble.....	1 pt.	" 8 "	Syrup.
Coffee, for Syrup	1 pt.	" 8 "	Syrup, Amer. Disp.
Fennel Seed, Soluble.....	1 pt.	" 42 "	Fennel Water, U. S. P.
Ginger, Soluble.....	1 pt.	" 16 "	Syrup, U. S. P.
Grindelia, Soluble.....	1 pt.	" 16 "	Syrup.
Guaiac.....	1 pt.	" 4 "	Tincture, U. S. P.
Hops	1 pt.	" 5 "	Tincture, U. S. P.
Kino.....	1 pt.	" 5 "	Tincture, U. S. P.
Kola Comp	1 pt.	" 3 "	Elixir.
Lactucarium	1 pt.	" 16 "	Syrup, U. S. P.
Lavender Comp.....	1 pt.	" 8 "	Tincture, U. S. P.
Lemon, Concentrated.....	1 pt.	" 16 "	Syrup.
Myrrh	1 pt.	" 5 "	Tincture, U. S. P.
Myrrh and Capsicum.....	1 pt.	" 10 "	Hot Drops or No. 6, Amer. Disp.
Opium, for Laudanum	1 pt.	" 4 "	Tincture, U. S. P.
Opium, Camphorated	1 pt.	" 8 "	Tincture, U. S. P.
Orange Peel, Aromatic ...	1 pt.	" 16 "	Elixir.
Orange Peel, Sweet, for } Syrup,	1 pt.	" 20 "	Syrup, U. S. P.
Peppermint, Soluble.....	1 pt.	" 64 "	Peppermint Water, U. S. P.
Red Clover Comp.....	1 pt.	" 4 "	Syrup.
Rhubarb, Aromatic	1 pt.	" 6 "	Syrup, U. S. P.
Rhubarb, Sweet	1 pt.	" 5 "	Tincture, U. S. P.
Rose Leaves, Soluble.....	1 pt.	" 32 "	Rose Water.
Sarsaparilla Comp., for } Syrup,	1 pt.	" 4 "	Syrup, U. S. P.
Squill Comp	1 pt.	" 6 "	Syrup, U. S. P.
Stillingia Comp.....	1 pt.	" 4 "	Syrup, Amer. Disp.
Tar, Soluble.....	1 pt.	" 8 "	Syrup, U. S. P.
Tar, Soluble.....	1 pt.	" 8 "	Wine, Nat'l Formulary.
Tolu	1 pt.	" 5 "	Tincture, U. S. P.
Tolu, Soluble	1 pt.	" 10 "	Syrup, U. S. P.
White Pine Comp	1 pt.	" 4 "	Syrup.
Wild Cherry Bark, Proc- ter's formula modified, } for Syrup,	1 pt.	" 3 "	Syrup, U. S. P.
Yerba Santa, Aromatic ...	1 pt.	" 8 "	Syrup, Aromatic.
Yerba Santa, Soluble.....	1 pt.	" 16 "	Syrup.

For miscellaneous Soluble Extracts, see pages 100 and 101.

Solid Extracts.

(EVAPORATED IN VACUO.)

The evaporation and concentration of the various fluid extracts from which these solid extracts are made is carried on in vacuo. The result is that, at the very low temperature at which evaporation progresses, all the active principles, coloring matter and other substances extracted by the menstruum from the drug are preserved unaltered just as they existed in the drug. Consequently our solid extracts fully represent the drug in color as well as constituents.

Extracts made from assayable drugs are always thus standardized, the standard we have adopted being given in each case in the following list.

SOLID EXTRACTS.

	Per lb. Jar.	Per 8 oz. Jar.	Per 4 oz. Jar.	Per 1 oz. Jar.
ACONITE LEAVES, 2 % alkaloids	\$4 00	\$2 10	\$1 10	\$ 33
ACONITE ROOT (U. S. P.), 2 % alkaloids ...	4 00	2 10	1 10	33
ALOES (U. S. P.)	2 70	1 45	75	25
ALTERATIVE COMP.	3 00	1 60	85	27
ANGELICA ROOT	3 60	1 90	1 00	31
APOCYNUM. (See Canadian Hemp.)	4 00	2 10	1 10	33
ARNICA FLOWERS	3 00	1 60	85	27
ARNICA ROOT (U. S. P.)	3 60	1 90	1 00	31
BALMONY	2 40	1 30	70	23
BARBERRY	2 70	1 45	75	25
BAYBERRY	2 70	1 45	75	25
BELLADONNA LEAVES (U. S. P.), 1.4 % alkaloids	3 60	1 90	1 00	31
BELLADONNA ROOT, 2 % alkaloids	4 00	2 10	1 10	33
BERBERIS AQUIFOLIUM	5 00	2 60	1 35	40
BITTER SWEET	2 70	1 45	75	25
BLACK COHOSH (U. S. P.)	3 00	1 60	85	27
BLACK HAW (U. S. P.)	3 60	1 90	1 00	31
BLACK HELLEBORE	3 00	1 60	85	27
BLADDER WRACK	3 00	1 60	85	27
BLESSED THISTLE	3 00	1 60	85	27
BLOOD ROOT, 10 % Sanguinarine	3 60	1 90	1 00	31
BLUE COHOSH	2 10	1 15	60	21
BONESET	2 40	1 30	70	23
BROOMTOP	3 60	1 90	1 00	31
BRYONY	3 60	1 90	1 00	31
BUCHU	4 50	2 35	1 20	36
BUCKBEAN	2 70	1 45	75	25
BUCKTHORN BARK	3 00	1 60	85	27
BUGLEWEED	3 00	1 60	85	27
BURDOCK	2 40	1 30	70	23
BUTTERNUT (U. S. P.)	2 40	1 30	70	23
CALABAR BEAN (U. S. P.), 5 % Eserine	1 30
CALENDULA	5 00	2 60	1 35	40
CALUMBA. (See Columbo)	3 50	1 85	95	30
CANADIAN HEMP (Black Indian Hemp) ..	4 00	2 10	1 10	33
CANNABIS INDICA (See Indian Cannabis).	9 60	4 90	2 50	68
CARDUUS BENEDICTUS. (See Blessed Thistle)	3 00	1 60	85	27
CASCARA SAGRADA	4 00	2 10	1 10	33
CASCARILLA	4 00	2 10	1 10	33
CENTAURY, RED	3 60	1 90	1 00	31
CHAMOMILE FLOWERS	5 50	2 85	1 45	43
CHICORY	1 35	75	40	17
CHIRATA	9 60	4 90	2 50	68
CIMICIFUGA (U. S. P.). (See Black Cohosh.)	3 00	1 60	85	27
CINCHONA (U. S. P.), Calisaya, 7.5 % Quinine	8 00	4 10	2 10	58
CINCHONA, Pale, 15 % total alkaloids	5 00	2 60	1 35	40
CINCHONA, Red, 17 % total alkaloids	8 00	4 10	2 10	58
CINCHONA COMP. (Squibb's Formula)	4 00	2 10	1 10	33
CLOVER TOPS	3 00	1 60	85	27
COCA LEAVES, 2 % Cocaine	8 20	4 20	2 15	60
COLCHICUM ROOT, Acet. (U. S. P.), 2.5 % Colchicine	3 60	1 90	1 00	31

SOLID EXTRACTS.

	Per lb. Jar.	Per 8 oz. Jar.	Per 4 oz. Jar.	Per 1 oz. Jar.
COLCHICUM SEED, Alcoholic, 2.75 % Colchicine	\$9 60	\$4 90	\$2 50	58
COLOCYNTH (U. S. P.).....	7 00	3 60	1 85	52
COLOCYNTH COMP. (U. S. P.).....	3 50	1 85	95	30
COLUMBO.....	3 50	1 85	95	30
CONIUM FRUIT (U. S. P.), 2.5 % Coniine...	3 00	1 60	85	27
CONIUM LEAVES	2 50	1 35	70	24
COTTON ROOT BARK.....	4 00	2 10	1 10	33
CRAMP BARK.....	3 60	1 90	1 00	31
CRANESBILL	3 00	1 60	85	27
CUBEB. Oleoresin.....	5 50	2 85	1 45	42
CULVER'S ROOT (U. S. P.)	4 50	2 35	1 20	36
DAMIANA	5 20	2 70	1 40	41
DANDELION (U. S. P.)	1 35	75	40	17
DIGITALIS. (See Foxglove), 1 % Digitoxin	2 40	1 30	70	23
DOG GRASS (Couch Grass).....	2 40	1 30	70	23
ELDER FLOWERS.....	2 40	1 30	70	23
ELECAMPANE	1 80	1 00	55	20
ERGOT (U. S. P.), Soluble in water, 1.25 % Cornutine	8 00	4 10	2 10	58
EUCALYPTUS	3 60	1 90	1 00	31
EUONYMUS (U. S. P.). (See Wahoo.)	3 60	1 90	1 00	31
FERRI POMATI.....	1 80	1 00	55	20
FOXGLOVE (U. S. P.).....	2 40	1 30	70	23
FRINGE TREE BARK.....	3 00	1 60	85	27
GARDEN CELANDINE.....	3 00	1 60	85	27
GELSEMIUM, 2.5 % Gelsemine.....	3 60	1 90	1 00	31
GENTIAN (U. S. P.).....	1 20	70	40	16
GOLDEN SEAL, 10 % Hydrastine	9 00	4 60	2 35	65
GRAMINIS	2 40	1 30	70	23
GRINDELIA	3 60	1 90	1 00	31
GUARANA	1 00
HÆMATOXYLON (U.S.P.). (See Logwood.)	2 00	1 10	60	21
HELONIAS	5 00	2 60	1 35	40
HENBANE (U. S. P.), 0.6 % alkaloids.....	3 60	1 90	1 00	31
HOPS	4 80	2 50	1 30	38
HOREHOUND	2 70	1 45	75	25
HYDRANGÆA	3 60	1 90	1 00	31
HYOSCYAMUS (U. S. P.). (See Henbane.)	3 60	1 90	1 00	31
IGNATIA BEAN, 10 % alkaloids.....	10 80	5 50	2 80	75
INDIAN CANNABIS (U. S. P.).....	9 60	4 90	2 50	68
IPECAC, 10 % alkaloids	2 25
JABORANDI, 2.5 % Pilocarpine.....	8 00	4 10	2 10	58
JALAP (U. S. P.), 40 % resin.....	4 80	2 50	1 30	38
JAMAICA DOGWOOD.....	10 40	5 30	2 70	72
JUGLANS (U. S. P.). (See Butternut.) ...	2 40	1 30	70	23
JUNIPER BERRIES.....	2 00	1 10	60	21
KAVA KAVA.....	6 00	3 10	1 60	46
KOLA NUT, 5 % Caffeine	6 00	3 10	1 60	46
KRAMERIA (U. S. P.). (See Rhatany.)....	2 70	1 45	75	25
LADIES' SLIPPER.....	6 00	3 10	1 60	46
LEPTANDRA (U.S.P.). (See Culver's Root.)	4 50	2 35	1 20	36
LETTUCE	2 70	1 45	75	25
LILY of the VALLEY.....	7 00	3 60	1 85	52
LIQUORICE, Purified.....	1 35	75	40	17
LIVERWORT	3 60	1 90	1 00	31
LOGWOOD (U. S. P.)	2 00	1 10	60	21
LUPULIN	5 00	2 60	1 35	40
MALE FERN	3 60	1 90	1 00	31
MANDRAKE (U. S. P.), 15 % resin.....	3 50	1 85	95	30
MATICO.....	6 00	3 10	1 60	46
MEZEREON, Ethereal (Br. P.).....	18 00	9 10	4 60	1 20


SOLID EXTRACTS.

	Per lb. Jar.	Per 8 oz. Jar.	Per 4 oz. Jar.	Per 1 oz. Jar.
MEZEREUM	\$ 4 50	\$ 2 35	\$ 1 20	\$ 36
MUSK ROOT.....	10 00	5 10	2 60	70
NUX VOMICA (U. S. P.), 15 % total alkaloids	3 60	1 90	1 00	31
OPIUM, Alcoholic	1 40
OPIUM, Aqueous (U. S. P.), 18 % Morphine alkaloid.	1 40
OX GALL, Inspissated.....	2 70	1 45	75	25
PAREIRA BRAVA.....	6 00	3 10	1 60	46
PASSION FLOWER.....	4 00	2 10	1 10	33
PHYSOSTIGMA (U.S.P.). (See Calabar Bean.)	1 30
PICHI	10 00	5 10	2 60	70
PINKROOT	5 00	2 60	1 35	40
PIPSISSEWA	2 40	1 30	70	23
PODOPHYLLUM (U. S. P.). (See Mandrake.)	3 50	1 85	95	30
POKE ROOT.....	3 20	1 70	90	28
POPPY HEADS.....	4 00	2 10	1 10	33
PRICKLY ASH BARK.....	3 60	1 90	1 00	31
PULSATILLA	4 00	2 10	1 10	33
QUASSIA (U. S. P.).....	4 80	2 50	1 30	38
QUEEN of the MEADOW.....	3 00	1 60	85	27
RHATANY (U. S. P.).....	2 70	1 45	75	25
RHUBARB (U. S. P.).....	4 80	2 50	1 30	38
RHUBARB COMP. (Germ. Pharm.).....	4 80	2 50	1 30	38
RUE	3 00	1 60	85	27
SARSAPARILLA	4 00	2 10	1 10	33
SARSAPARILLA COMP.....	3 00	1 60	85	27
SAVINE	2 40	1 30	70	23
SAW PALMETTO.....	4 00	2 10	1 10	33
SCULLCAP	4 00	2 10	1 10	33
SENEGA	4 80	2 50	1 30	38
SENNA, Alexandria.....	3 50	1 85	95	30
SHEEP SORREL.....	3 50	1 85	95	30
SKUNK CABBAGE.....	3 00	1 60	85	27
SQUAW VINE.....	3 60	1 90	1 00	31
SQUILL	2 40	1 30	70	23
STARGRASS.....	5 00	2 60	1 35	40
STILLINGIA	3 00	1 60	85	27
STILLINGIA COMP.....	3 60	1 90	1 00	31
STRAMONIUM LEAVES, 1.5 % alkaloids...	2 40	1 30	70	23
STRAMONIUM SEED (U.S.P.), 3 % alkaloids.	4 50	2 35	1 20	36
SUMBUL. (See Musk Root.)	10 00	5 10	2 60	70
TAG ALDER.....	3 00	1 60	85	27
TARAXACUM (U. S. P.). (See Dandelion.)	1 35	75	40	17
TOBACCO	6 00	3 10	1 60	46
TRIFOLI FIBRINI.....	2 70	1 45	75	25
UNICORN ROOT. (See Stargrass.).....	5 00	2 60	1 35	40
UVA URSI (U. S. P.).....	2 40	1 30	70	23
VALERIAN	3 00	1 60	85	27
VERATRUM VIRIDE, 5 % alkaloids	3 60	1 90	1 00	31
VIBURNUM. (See Black Haw.).....	3 60	1 90	1 00	31
WAHOO (U. S. P.). Bark of Root.....	3 60	1 90	1 00	31
WARBURG'S TINCTURE.....	75
WARBURG'S TINCTURE without Aloes..	85
WATER PEPPER.....	3 00	1 60	85	27
WHITE HELLEBORE.....	2 40	1 30	70	23
WHITE OAK BARK.....	2 10	1 15	60	21
WILD YAM.....	3 00	1 60	85	27
WITCH HAZEL.....	2 10	1 15	60	21
WORMWOOD	2 70	1 45	75	25
YARROW	2 40	1 30	70	23
YELLOW DOCK.....	2 70	1 45	75	25
YELLOW JASMINE. (See Gelsemium.)...	3 60	1 90	1 00	31
YERBA SANTA.....	3 60	1 90	1 00	31

Powdered Extracts.

(EVAPORATED IN VACUO.)

These Extracts are fully equal in strength to the Solid (pilular) Extracts, and are prepared by carefully drying the latter in vacuo and compensating for the loss in weight caused by the evaporation of moisture with the respective powdered drugs and in some instances with powdered Sugar of Milk or other inert dry substances, thus bringing the Powdered Extract again up to the original weight of the Solid Extract. Being evaporated at a low temperature they exhibit the constituents of the drug just as they occur in the natural state. Our Powdered Extracts are all standardized, the amount of the drug each Extract represents being indicated on the label. Those that depend for their therapeutic value upon alkaloids, glucosides, etc., such as Opium, Nux Vomica, Cinchona, Belladonna, etc., we carefully assay to their official or other standard strength.

 As Powdered Extracts readily absorb moisture, they should invariably be kept securely corked.

Per
oz.
Bottle.

ACONITE LEAVES, 2 % alkaloids.....	\$ 40
ACONITE ROOT, 2 % alkaloids.....	40
ALOE.....	35
BELLADONNA LEAVES, 1.4 % alkaloids..... Per lb. \$5.00	40
BERBERIS AQUIFOLIUM.....	50
BITTER ROOT.....	40
BLACK COHOSH.....	40
BLACK HAW.....	50
BLACK HELLEBORE.....	40
BLADDER WRACK.....	40
BLOOD ROOT, 10 % Sanguinarine.....	40
BLUE COHOSH.....	35
BLUE FLAG.....	40
BUCHU.....	40
BURDOCK ROOT.....	40
BUTTERNUT.....	35
CALABAR BEAN, 5 % Eserine.....	1 60
CALUMBA.....	40
CANNABIS INDICA.....	75
CASCARA SAGRADA.....	50
CHIRATA.....	75
CINCHONA CALISAYA, 7.5 % Quinine alkaloid.....	75
COCA LEAVES, 2 % Cocaine.....	75
COLCHICUM ROOT, Acetic, 2.5 % Colchicine.....	40
COLOCYNTH (U. S. P.).....	60
COLOCYNTH COMP. (U. S. P.)..... Per lb. \$3.65	30
COLUMBO. (See Calumba.).....	40
CONIUM LEAVES.....	40
CORN SILK.....	40
COTTON ROOT BARK.....	40
COUCH GRASS (Dog Grass).....	40
CRAMP BARK.....	50
CULVER'S ROOT.....	40
DAMIANA.....	60
DANDELION.....	35
DIGITALIS, 1 % Digitoxin.....	40
ERGOT, 1.25 % Cornutine.....	75
EUCALYPTUS.....	50

POWDERED EXTRACTS

POWDERED EXTRACTS.

As Powdered Extracts readily absorb moisture, they should invariably be kept securely corked.

Per
oz.
Bottle.

EUPHORBIA PILULIFERA.....	\$ 60
FOXGLOVE. (See Digitalis)	40
GELSEMIUM, 2.5 % Gelsemine	50
GENTIAN	35
GOLDEN SEAL, 10 % Hydrastine.....	70
GUARANA	1 40
HENBANE, 0.6 % alkaloids.....	40
HYDRANGEA	40
HYOSCYAMUS. (See Henbane).....	40
IGNATIA BEAN, 10 % alkaloids	90
IPECAC, 10 % alkaloids.....	2 50
JABORANDI, 2.5 % Pilocarpine.....	80
JALAP, 40 % resin.....	45
JAMAICA DOGWOOD.....	1 20
KAVA KAVA.....	55
KOLA NUT, 5 % Caffeine	50
LADIES' SLIPPER.....	60
LETTUCE, Wild.....	45
LOBELIA	40
MANDRAKE, 15 % resin.....	40
MUSK ROOT.....	1 00
NUX VOMICA (U. S. P.), 15 % total alkaloids.....	40
OPIUM, Aqueous (U. S. P.), 18 % Morphine alkaloid.....	1 45
OX GALL, Inspissated.....	30
PAREIRA BRAVA	50
PICHI	75
POKE ROOT.....	40
PRICKLY ASH BARK.....	40
PULSATILLA	50
QUASSIA	50
RED CLOVER.....	40
RHATANY	35
RHUBARB	45
RHUBARB COMP.....	40
SARSAPARILLA	50
SAW PALMETTO	45
SCULLCAP	50
SENNA, Alexandria.....	40
SQUAW VINE.....	30
STILLINGIA	40
STRAMONIUM LEAVES, 1.5 % alkaloids....	40
TRIFOLIUM FIBRINI.....	35
UNICORN ROOT	60
UVA URSI.	40
VALERIAN	40
WALLOO	45
WARBURG'S TINCTURE.....	90
WARBURG'S TINCTURE, without Aloes.....	90
WILD YAM	40
WITCH HAZEL.....	40
YELLOW DOCK.....	40
YELLOW JASMINE. (See Gelsemium)	50

Resinoids-Concentrations.

The following comprises a list of the proximate medicinal principles commonly known as Resinoids or Concentrations. While some of these represent a pure resin and others an impure alkaloid, by far the greater number are a combination of the various active proximate principles contained in the drug which they represent.

Owing to the liability of these preparations to absorb moisture, they should be kept securely closed and in a cool place.

In drachm vials a uniform advance of 25 cts. per ounce is made to the list price. Special prices in bulk.

RESINOIDS-CONCENTRATIONS.

	Per oz. Bottle.
ALETRIN(Unicorn Root)	\$ 50
ALNUIN.....(Tag Alder)	60
APOCYNIN.....(Bitter Root)	1 20
ASCLEPIDIN.....(Pleurisy Root)	75
BAPTISIN.....(Wild Indigo)	60
CAULOPHYLLIN.....(Blue Cohosh)	50
CIMICIFUGIN.....(Black Cohosh)	45
COLLINSONIN.....(Stone Root)	1 20
CYPRIPEDIN.....(Ladies' Slipper).....	1 25
DIOSCOREIN.....(Wild Yam)	1 00
EUONYMIN, Brown.....(Wahoo, Bark of Root)	1 00
EUONYMIN, Green.....(Wahoo, Bark of Twigs).....	1 00
EUPURPURIN.....(Queen of the Meadow)	1 00
GELSEMIN.....(Yellow Jasmine) (Gelsemium).....	1 50
GERANIIN.....(Cranesbill)	50
GOSSYPIIN.....(Cotton Root Bark)	1 50
HAMAMELIN, Brown.....(Witch Hazel Bark)	60
HAMAMELIN, Green.....(Witch Hazel Leaves)	60
HELONIN.....(False Unicorn)	1 35
HYDRASTIN.....(Golden Seal).....	1 50
HYDRASTIN MURIATE (see note 8). (Berberine Muriate).....	2 00
HYDRASTIN NITRATE.....(Berberine Nitrate).....	4 00
HYDRASTIN PHOSPHATE.....(Berberine Phosphate)	4 00
HYDRASTIN SULPHATE.....(Berberine Sulphate)	4 00
IRISIN.....(Blue Flag)	60
JALAPIN.....(Res. Jalapoe, U. S. P.)	90
JUGLANDIN.....(Butternut)	60
LEPTANDRIN.....(Culver's Root).....	40
LOBELIN.....(Lobelia)	1 20
LYCOPIN.....(Bugleweed).....	60
MACROTIN.....(See Cimicifugin)	45
MENISPERMIN.....(Yellow Parilla)	65
MYRICIN.....(Bayberry)	50
PHYTOLACCIN.....(Garget or Poke)	75
PODOPHYLLIN (see note 37).....(Res. Podophylli, U. S. P.)	45
PRUNIN.....(Wild Cherry Bark)	50
PTELEIN.....(Wafer Ash).....	1 20
RUMICIN.....(Yellow Dock).....	60
SANGUINARIN.....(Blood Root)	65
SCUTELLARIN.....(Sculleap)	1 00
SENECIN.....(Life Root).....	85
STILLINGIN.....(Stillingia)	1 00
TRILLIIN.....(Beth Root)	60
VIBURNIN.....(Cramp Bark).....	1 00
XANTHOXYLLIN.....(Prickly Ash)	85

SOLUBLE GELATIN-COATED AND SUGAR-COATED PILLS and GRANULES.

Comprising all the official and other well-known favorite formulæ.

These PILLS and GRANULES are prepared with the utmost care under our immediate supervision.

The DRUGS entering into their composition are of the BEST QUALITY.

The QUANTITIES AND PROPORTIONS ARE INVARIABLY AS REPRESENTED on the labels.

The EXCIPIENTS are CAREFULLY CHOSEN in each case so as to make the Pill perfectly soluble and as small as possible.

The SUGAR-COATING and GELATIN-COATING will be found to be VERY SOLUBLE, and not excelled by any other in point of beauty or finish.

SUGAR-COATED Pills are furnished ROUND ONLY.

GELATIN-COATED Pills are invariably furnished OVAL unless round pills are distinctly specified.

In ordering, please specify **Gelatin-Coated** (G. C.) or **Sugar-Coated** (S. C.), and whether in bottles of 100 or 500 each.

Whenever pills of the same composition but differing in the proportions of the several ingredients used are listed as No. 1, No. 2, etc., please indicate definitely the *number* of the formula desired. In the absence of such definite specification we shall use our own judgment and send that formula which is the most generally used.

Special Recipes. SUGAR-COATED PILLS are made and coated to order when NOT LESS THAN 3,000 PILLS ARE ORDERED AT ONE TIME. GELATIN-COATED PILLS can be prepared in lots of 1,000 OR MORE. (See pg. 183.)

G. C. and S. C. Pills and Granules.

	Per Bottle of 100.	Per Bottle of 500.
ACETANILID	\$ 20	\$ 85
ACETANILID	25	1 10
ACETANILID	30	1 35
ACETANILID	35	1 60
ACETANILID COMP., No. 1. (See Migraine Comp., No. 2.)		
{ Acetanilid, 2 grs. }		
{ Sodii Bicarb., 1-2 gr. }	35	1 60
{ Caffeinæ Citratæ, 1-2 gr. }		
ACETANILID COMP., No. 2.		
{ Acetanilid, 4 grs. }		
{ Sodii Bicarb., 3-4 gr. }	40	1 85
{ Caffeinæ Citratæ, 1-4 gr. }		
ACID, ARSENOUS (Arsenious).....	20	85
ACID, ARSENOUS	20	85
ACID, ARSENOUS	20	85
ACID, ARSENOUS	20	85
ACID, ARSENOUS	20	85

G. C. and S. C. Pills and Granules.

	Per Bottle of 100.	Per Bottle of 500.
ACID, ARSENOUS1-30 gr.	\$ 20	\$ 85
ACID, ARSENOUS1-20 gr.	20	85
ACID, ARSENOUS1-16 gr.	20	85
ACID, ARSENOUS1-12 gr.	20	85
ACID, ARSENOUS and STRYCHNINE.		
{ Acidi Arsenosi, 1-40 gr. }	25	1 10
{ Strychninae, 1-60 gr. }		
ACID, SALICYLIC1 gr.	25	1 10
ACID, SALICYLIC2 1-2 grs.	35	1 60
ACID, SALICYLIC5 grs.	60	2 85
ACID, SALICYLIC and MORPHINE, No. 1.		
{ Acidi Salicylici, 2 1-2 grs. }	60	2 85
{ Morphinae Sulph., 1-12 gr. }		
ACID, SALICYLIC and MORPHINE, No. 2.		
{ Acidi Salicylici, 5 grs. }	85	4 10
{ Morphinae Sulph., 1-8 gr. }		
ACONITINE, Pure, Crystallized (see note 2)1-480 gr.	25	1 10
ACONITINE, Pure, Crystallized1-200 gr.	25	1 10
AGUE.		
{ Chinoidini, 2 grs. }	40	1 85
{ Extr. Colocynth. Comp., 1-3 gr. }		
{ Oleores. Piper. Nig., 1-6 gr. }		
{ Ferri Sulph. Exsic., 1-2 gr. }		
ALOE (U. S. P.)		
{ Aloes Purif., Gm. 0.13 about 2 grs. }	25	1 10
{ Saponis, Gm. 0.13 " 2 grs. }		
ALOE COMP. (See Gentian Comp.)	25	1 10
ALOE and ASAFETIDA (U. S. P.)		
{ Aloes Purif., Gm. 0.09 about 1 1-3 grs. }	25	1 10
{ Asafetidae, Gm. 0.09 " 1 1-3 grs. }		
{ Saponis, Gm. 0.09 " 1 1-3 grs. }		
ALOE and IRON (U. S. P.)		
{ Aloes Purif., Gm. 0.07 about 1 gr. }	25	1 10
{ Ferri Sulph. Exsic., Gm. 0.07 " 1 gr. }		
{ Pulv. Aromat., Gm. 0.07 " 1 gr. }		
{ Confection. Rosae, q. s. }		
ALOE and IRON.		
{ Aloes Purif., 1-2 gr. }	25	1 10
{ Ferri Sulph. Exsic., 1 gr. }		
{ Pulv. Zingiber. Jam., 1 gr. }		
{ Extr. Conii, 1-2 gr. }		
ALOE and MASTIC (U. S. P.) (Lady Webster.)		
{ Aloes Purif., Gm. 0.13 about 2 grs. }	25	1 10
{ Res. Mastich., Gm. 0.04 " 3-5 gr. }		
{ Flor. Rosae, Gm. 0.03 " 1-2 gr. }		
ALOE and MYRRH (U. S. P.)		
{ Aloes Purif., Gm. 0.13 about 2 grs. }	25	1 10
{ Pulv. Myrrhae, Gm. 0.06 " 1 gr. }		
{ Pulv. Aromat., Gm. 0.04 " 3-5 gr. }		
ALOE, MYRRH and IRON.		
{ Aloes Purif., 2 grs. }	25	1 10
{ Pulv. Myrrhae, 1 gr. }		
{ Ferri Sulph. Exsic., 1 gr. }		
ALOE and NUX VOMICA.		
{ Aloes Purif., 1 1-2 grs. }	30	1 35
{ Extr. Nucis Vomicae, 1-2 gr. }		
ALOE, NUX VOMICA and BELLADONNA.		
{ Aloes Purif., 1 1-2 grs. }	30	1 35
{ Extr. Nucis Vomicae, 1-2 gr. }		
{ Extr. Belladonnae, 1-4 gr. }		
ALOE, NUX VOMICA, HYOSCYAMUS and IPECAC.		
{ Aloes Purif., 2 grs. }	40	1 85
{ Extr. Nucis Vomicae, 4-15 gr. }		
{ Extr. Hyoscyami, 1 gr. }		
{ Pulv. Ipecacuanhae, 1-6 gr. }		
ALOIN1-20 gr.	20	85
ALOIN1-10 gr.	20	85
ALOIN1-8 gr.	20	85
ALOIN1-5 gr.	25	1 10
ALOIN1-4 gr.	25	1 10
ALOIN1-2 gr.	35	1 60

G. C. and S. C. Pills and Granules.

		Per Bottle of 100.	Per Bottle of 500.
ALLOIN	1 gr.	\$ 60	\$2 85
ALLOIN COMP.			
{ Aloin,	1-8 gr. }		
{ Res. Podophylli,	1-8 gr. }	25	1 10
{ Extr. Belladonnæ,	1-4 gr. }		
ALLOIN COMP. with STRYCHNINE.			
{ Aloin,	1-8 gr. }		
{ Res. Podophylli,	1-8 gr. }		
{ Extr. Belladonnæ,	1-8 gr. }	35	1 60
{ Strychninæ,	1-80 gr. }		
{ Oleores. Capsici,	1-10 gr. }		
ALLOIN and ERGOTIN. (See Ergotin and Aloin.).....		60	2 85
ALLOIN and PODOPHYLLIN.			
{ Aloin,	1-8 gr. }		
{ Res. Podophylli,	1-8 gr. }	25	1 10
ALLOIN and STRYCHNINE.			
{ Aloin,	1-5 gr. }		
{ Strychninæ,	1-60 gr. }	25	1 10
ALLOIN, STRYCHNINE and BELLADONNA, No. 1.			
{ Aloin,	1-5 gr. }		
{ Strychninæ,	1-60 gr. }	30	1 35
{ Extr. Belladonnæ,	1-8 gr. }		
ALLOIN, STRYCHNINE and BELLADONNA, No. 2.			
{ Aloin,	1-10 gr. }		
{ Strychninæ,	1-50 gr. }	30	1 35
{ Extr. Belladonnæ,	1-6 gr. }		
ALLOIN, STRYCHNINE and BELLADONNA, No. 3.			
{ Aloin,	1-5 gr. }		
{ Strychninæ,	1-120 gr. }	30	1 35
{ Extr. Belladonnæ,	1-8 gr. }		
ALLOIN, STRYCHNINE and BELLADONNA COMP.			
{ Aloin,	1-5 gr. }		
{ Strychninæ,	1-60 gr. }	40	1 85
{ Extr. Belladonnæ,	1-8 gr. }		
{ Extr. Cascaræ Sagradæ,	1-2 gr. }		
ALLOIN, STRYCHNINE, BELLADONNA and PODOPHYLLIN.			
{ Aloin,	1-5 gr. }		
{ Strychninæ,	1-60 gr. }	30	1 35
{ Extr. Belladonnæ,	1-8 gr. }		
{ Res. Podophylli,	1-8 gr. }		
ALTERATIVE.			
{ Mass. Hydrargyri,	1 gr. }		
{ Pulv. Opii,	1-8 gr. }	25	1 10
{ Pulv. Ipecacuanhæ,	1-8 gr. }		
ALTERATIVE (Cox).			
{ Mass. Hydrargyri,	1 gr. }		
{ Pulv. Rhei,	1 gr. }	30	1 35
{ Sodii Bicarb.,	1 gr. }		
AMMONIUM BROMIDE (sugar-coated only)	1 gr.	30	1 35
AMMONIUM PICRATE	1-2 gr.	30	1 35
AMMONIUM VALERIANATE (sugar-coated only)	1 gr.	40	1 85
ANALEPTIC.			
{ Pulv. Antimonialis,	3-4 gr. }		
{ Res. Guaiaci,	1 gr. }	35	1 60
{ Aloes Purif.,	3-4 gr. }		
{ Pulv. Myrrhæ,	1-2 gr. }		
ANDERSON'S SCOTS.			
{ Aloes Purif.,	1 3-5 grs. }		
{ Pulv. Saponis,	1-15 gr. }	25	1 10
{ Pulv. Colocynth.,	4-15 gr. }		
{ Pulv. Gambogiæ,	1-15 gr. }		
{ Ol. Anisi,	1-30 gr. }		
ANODYNE.			
{ Pulv. Camphoræ,	1 gr. }		
{ Morphinæ Acetatis,	1-20 gr. }	40	1 85
{ Extr. Hyoscyami,	1 gr. }		
{ Oleores. Capsici,	1-20 gr. }		
ANODYNE COMP.			
{ Acetanilid,	3 1-2 grs. }		
{ Caffeinæ,	1-2 gr. }	40	1 85
{ Sodii Bicarb.,	1 gr. }		

G. C. and S. C. Pills and Granules.		Per Bottle of 100.	Per Bottle of 500.
ANTHELMINTIC.			
{ Santonini,	1 gr. }	\$ 50	\$2 35
{ Hydrarg. Chlor. Mit.,	1 gr. }		
ANTI-BILIOUS, Vegetable.			
{ Pulv. Extr. Colocynth. Comp.,	2 1-2 grs. }	40	1 85
{ Res. Podophylli,	1-4 gr. }		
ANTI-CHILL.			
{ Chinoidini,	1 gr. }	40	1 85
{ Ferri Ferrocyanid.,	1 gr. }		
{ Oleores. Piper. Nig.,	1 gr. }		
{ Acidi Arsenosi,	1-20 gr. }		
ANTI-CHOROMANIA.			
{ Zinci Valerianatis,	2 grs. }	45	2 10
{ Ferri Valerianatis,	1-4 gr. }		
{ Extr. Sumbul,	1-2 gr. }		
ANTI-CONSTIPATION (Brundage).			
{ Res. Podophylli,	1-10 gr. }	40	1 85
{ Extr. Nucis Vomicae,	1-4 gr. }		
{ Pulv. Capsici,	1-4 gr. }		
{ Extr. Belladonnae,	1-10 gr. }		
{ Extr. Hyoscyami,	1-4 gr. }		
ANTI-CONSTIPATION (Carson).			
{ Extr. Cascarae Sagradae,	1 gr. }	50	2 35
{ Extr. Rhei,	1 gr. }		
{ Extr. Nucis Vomicae,	1-4 gr. }		
{ Aloin,	1-3 gr. }		
ANTI-CONSTIPATION (Goss).			
{ Res. Podophylli,	1-4 gr. }	40	1 85
{ Extr. Colocynthidis,	1-4 gr. }		
{ Extr. Juglandis,	1-2 gr. }		
{ Extr. Nucis Vomicae,	1-8 gr. }		
{ Extr. Hyoscyami,	1-8 gr. }		
{ Extr. Gentianae,	1-4 gr. }		
{ Extr. Cascarae Sagradae,	1-4 gr. }		
{ Pulv. Cannabis Indicae,	1-2 gr. }		
ANTI-CONSTIPATION (Palmer).			
{ Aloes Purif.,	1 gr. }	35	1 60
{ Extr. Hyoscyami,	1 gr. }		
{ Extr. Nucis Vomicae,	1-3 gr. }		
{ Pulv. Ipecacuanhae,	1-10 gr. }		
ANTI-DYSPEPTIC.			
{ Strychninae,	1-40 gr. }	35	1 60
{ Extr. Belladonnae,	1-10 gr. }		
{ Pulv. Ipecacuanhae,	1-10 gr. }		
{ Mass. Hydrargyri,	2 grs. }		
{ Extr. Colocynth. Comp.,	2 grs. }		
ANTI-DYSPEPTIC (Fothergill).			
{ Strychninae,	1-20 gr. }	45	2 10
{ Pulv. Ipecacuanhae,	2-3 gr. }		
{ Pulv. Piper. Nig.,	1 1-2 grs. }		
{ Extr. Gentianae,	1 gr. }		
ANTIFEBRIN 3 grs.		40	1 85
ANTIFEBRIN 5 grs.		55	2 60
ANTI-MALARIAL.			
{ Quininae Sulph.,	2 grs. }	90	4 35
{ Cinchonidinae Sulph.,	1 gr. }		
{ Ferri Sulph. Exsic.,	1-2 gr. }		
{ Acidi Arsenosi,	1-20 gr. }		
ANTI-MALARIAL (Harper).			
{ Quininae Sulph.,	1 1-2 grs. }	90	4 35
{ Ferri Reducti,	2-3 gr. }		
{ Acidi Arsenosi,	1-30 gr. }		
{ Strychninae,	1-50 gr. }		
{ Ammon. Picrat.,	1-5 gr. }		
{ Extr. Colocynth. Comp.,	1-4 gr. }		
ANTI-MALARIAL (McCaw).			
{ Quininae Sulph.,	1 gr. }	65	3 10
{ Ferri Sulph. Exsic.,	1-4 gr. }		
{ Gelsemin,	1-4 gr. }		
{ Acidi Arsenosi,	1-80 gr. }		
{ Res. Podophylli,	1-8 gr. }		
{ Oleores. Piper. Nig.,	1-16 gr. }		

G. C. and S. C. Pills and Granules.

	Per Bottle of 100.	Per Bottle of 500.
ANTI-MALARIAL (Maddin), mild.		
<div> <div> Strychninæ, 1-40 gr. Acidi Arsenosi, 1-24 gr. Ferri Reducti, 1 gr. Quininæ Sulph., 1 gr. Aloes Purif., 1-6 gr. </div> <div>.....</div> </div>	\$ 50	\$2 35
ANTI-MALARIAL (Maddin), strong.		
<div> <div> Strychninæ, 3-100 gr. Acidi Arsenosi, 1-20 gr. Ferri Reducti, 1 1-5 grs. Quininæ Sulph., 1 1-5 grs. Aloes Purif., 1-5 gr. </div> <div>.....</div> </div>	55	2 60
ANTI-MALARIAL (Maddin), mild, with Phosphorus.		
<div> <div> Strychninæ, 1-40 gr. Acidi Arsenosi, 1-24 gr. Ferri Reducti, 1 gr. Quininæ Sulph., 1 gr. Aloes Purif., 1-6 gr. Phosphori, 1-120 gr. </div> <div>.....</div> </div>	60	2 85
ANTI-MALARIAL (Maddin), strong, with Phosphorus.		
<div> <div> Strychninæ, 3-100 gr. Acidi Arsenosi, 1-20 gr. Ferri Reducti, 1 1-2 grs. Quininæ Sulph., 1 1-2 grs. Aloes Purif., 1-5 gr. Phosphori, 1-100 gr. </div> <div>.....</div> </div>	70	3 35
ANTIMONY COMP. (U. S. P.)		
<div> <div> Antimonii Sulphurat., Gm. 0.04 about 3-5 gr. Hydrarg. Chlor. Mit., Gm. 0.04 " 3-5 gr. Pulv. Res. Guaiaci, Gm. 0.08 " 1 1-5 grs. </div> <div>} ..</div> </div>	25	1 10
ANTI-PERIODIC.		
<div> <div> Cinchonidinæ Sulph., 1 gr. Res. Podophylli, 1-20 gr. Strychninæ Sulph., 1-33 gr. Gelsemin, 1-20 gr. Ferri Sulph. Exsic., 1-2 gr. Oleores. Capsici, 1-10 gr. </div> <div>.....</div> </div>	40	1 85
ANTIPYRINE 5 grs.	3 00	14 85
ANTISEPTIC, Intestinal.		
<div> <div> Hydrarg. Iodidi Flavi, 1-8 gr. Res. Podophylli, 1-16 gr. Aloin, 1-16 gr. Extr. Nucis Vomicae, 1-16 gr. Extr. Hyoscyami, 1-16 gr. </div> <div>.....</div> </div>	25	1 10
ANTISEPTIC COMP.		
<div> <div> Sodii Sulphitis, 1 gr. Acidi Salicylici, 1 gr. Extr. Nucis Vomicae, 1-8 gr. Pulv. Capsici, 1-10 gr. Pepsini, 1 gr. </div> <div>.....</div> </div>	50	2 35
ANTI-SPASMODIC.		
<div> <div> Extr. Hyoscyami, 1-2 gr. Morphinæ Acetatis, 1-10 gr. Camphoræ Bromid., 1-2 gr. Pulv. Capsici, 1-2 gr. </div> <div>.....</div> </div>	45	2 10
ANTI-SPLENETIC.		
<div> <div> Aloes Purif., 1 gr. Pulv. Ammoniaci, 1-2 gr. Pulv. Myrrhæ, 1-2 gr. Extr. Bryoniæ, 1 gr. </div> <div>.....</div> </div>	35	1 60
APERIENT.		
<div> <div> Extr. Nucis Vomicae, 1-3 gr. Extr. Hyoscyami, 1-2 gr. Extr. Colocynth. Comp., 2 grs. </div> <div>.....</div> </div>	40	1 85
APERIENT (Drysdale).		
<div> <div> Pulv. Rhei, 1 1-4 grs. Pulv. Ipecacuanhæ, 5-12 gr. Aloes Purif., 1 1-4 grs. Pulv. Nucis Vomicae, 1-2 gr. </div> <div>.....</div> </div>	35	1 60

An ordering our Preparations through dealers, please specify SHARP & DOHME'S.

G. C. and S. C. Pills and Granules.

	Per Bottle of 100.	Per Bottle of 500.
APERIENT, Improved.		
<div> <div> Aloin, 1-8 gr. Irisin, 1-8 gr. Res. Podophylli, 1-8 gr. Extr. Belladonnæ, 1-8 gr. Extr. Nucis Vomicae, 1-8 gr. Oleores. Capsici, 1-8 gr. </div> } </div>	\$ 50	\$2 35
APERIENT (Fordyce Barker).		
<div> <div> Extr. Colocynth. Comp., 1 2-3 grs. Extr. Nucis Vomicae, 1-2 gr. Extr. Hyoscyami, 1 1-4 grs. Pulv. Ipecacuanhæ, 1-12 gr. Aloes Purif., 5-12 gr. Res. Podophylli, 1-12 gr. </div> } </div>	50	2 35
APERIENT (Scott).		
<div> <div> Aloin, 1-8 gr. Irisin, 1-8 gr. Res. Podophylli, 1-8 gr. Extr. Belladonnæ, 1-8 gr. Extr. Nucis Vomicae, 1-8 gr. Oleores. Capsici, 1-16 gr. </div> } </div>	50	2 35
APHRODISIAC. (See Phosphorus, Nux Vomica and Damiana.)		
<div> <div> Phosphori, 1-100 gr. Extr. Nucis Vomicae, 1-8 gr. Extr. Damianæ, 2 grs. </div> } </div>	60	2 85
APHRODISIAC, MODIFIED.		
<div> <div> Phosphori, 1-100 gr. Extr. Nucis Vomicae, 1-10 gr. Extr. Damianæ, 2 grs. Muirapuama, 1-2 gr. </div> } </div>	60	2 85
APHRODISIAC, IMPROVED.		
<div> <div> Extr. Coea, 1 gr. Cinchonidinæ Sulph., 1-2 gr. Phosphori, 1-100 gr. Extr. Nucis Vomicae, 1-8 gr. Ferri Bromid., 1 gr. </div> } </div>	75	3 60
APHROLISIAC and TONIC.		
<div> <div> Ferri Carb. Sacch., 3 grs. Zinci Phosphidi, 1-10 gr. Aloin, 1-8 gr. Extr. Sabal Serrulatae, 1 gr. Extr. Damianæ, 1 gr. </div> } </div>	75	3 60
ARSENIC IODIDE1-200 gr.	20	85
ARSENIC IODIDE1-100 gr.	20	85
ARSENIC IODIDE1-50 gr.	20	85
ARSENIC IODIDE1-20 gr.	25	1 10
ARSENIC SULPHIDE1-100 gr.	20	85
ARSENIC SULPHIDE1-60 gr.	20	85
ARSENIC SULPHIDE1-50 gr.	20	85
ARSENIC SULPHIDE1-30 gr.	25	1 10
ARSENIC SULPHIDE1-20 gr.	25	1 10
ASAFETIDA, (U. S. P.)		
<div> <div> Asafoetidæ, Gm. 0.02 about 3 grs. } Saponis, Gm. 0.06 " 1 gr. } </div> </div>	25	1 10
ASAFETIDA1 gr.	20	85
ASAFETIDA2 grs.	20	85
ASAFETIDA3 grs.	25	1 10
ASAFETIDA4 grs.	30	1 35
ASAFETIDA5 grs.	35	1 60
ASAFETIDA COMP.		
<div> <div> Asafoetidæ, 2 grs. } Ferri Sulph. Exsic., 1 gr. } </div> </div>	25	1 10
ASAFETIDA and NUX VOMICA.		
<div> <div> Asafoetidæ, 3 grs. } Extr. Nucis Vomicae, 1-4 gr. } </div> </div>	35	1 60
ASAFETIDA and RHUBARB.		
<div> <div> Asafoetidæ, 1 gr. } Pulv. Rhei, 1 gr. } Ferri Reducti, 1 gr. } </div> </div>	40	1 85
ASTRINGENT.		
<div> <div> Extr. Geranii, 2 grs. } Pulv. Opii, 1-4 gr. Ol. Menth. Piper., 1-20 gr. Oleores. Zingiber., 1-20 gr. </div> } </div>	35	1 60

G. C. and S. C. Pills and Granules.

G. C. and S. C. Pills and Granules.	Per Bottle of 100.	Per Bottle of 500.
ATROPINE1-300 gr.	\$ 20	\$ 85
ATROPINE1-200 gr.	20	85
ATROPINE1-150 gr.	25	1 10
ATROPINE1-120 gr.	25	1 10
ATROPINE1-100 gr.	25	1 10
ATROPINE1-60 gr.	30	1 35
ATROPINE SULPHATE1-300 gr.	20	85
ATROPINE SULPHATE1-150 gr.	25	1 10
ATROPINE SULPHATE1-120 gr.	25	1 10
ATROPINE SULPHATE1-100 gr.	25	1 10
ATROPINE SULPHATE1-60 gr.	30	1 35
BELLADONNA EXTR1-8 gr.	20	85
BELLADONNA EXTR1-4 gr.	25	1 10
BELLADONNA EXTR1-2 gr.	30	1 35
BERBERIS AQUIFOLIUM EXTR.3 grs.	45	2 10
BISMUTH SUBCARBONATE3 grs.	40	1 85
BISMUTH SUBNITRATE.....3 grs.	30	1 35
BISMUTH and IGNATIA.		
{ Bismuthi Subcarb., 4 grs. }		
{ Extr. Ignatiæ Amaræ, 1-4 gr. }	60	2 85
BISMUTH, IRON and STRYCHNINE.		
{ Bismuthi Subnitr., 3 grs. }		
{ Ferri Reducti, 1 gr. }		
{ Strychninæ Sulph., 1-40 gr. }	50	2 35
BISMUTH and NUX VOMICA.		
{ Bismuthi Subcarb., 4 grs. }		
{ Extr. Nucis Vomicae, 1-4 gr. }	60	2 85
BLACK HAW EXTR.....3 grs.	35	1 60
BLAUD'S FERRUGINOUS.		
{ Ferri Sulph. Exsic., 1 gr. }		
{ Potass. Carb., 1 gr. }	20	85
BLAUD'S FERRUGINOUS.		
{ Ferri Sulph. Exsic., 1 1-2 grs. }		
{ Potass. Carb., 1 1-2 grs. }	25	1 10
BLAUD'S FERRUGINOUS (U. S. P.)		
{ Ferri Sulph. Exsic., 2 1-2 grs. }		
{ Potass. Carb., 2 1-2 grs. }	30	1 35
BLAUD'S FERRUGINOUS (silver-coated)3 grs.	25	1 10
BLAUD'S FERRUGINOUS (silver-coated)5 grs.	30	1 35
BLAUD'S FERRUGINOUS with ARSENOUS ACID.		
{ Ferri Sulph. Exsic., 2 1-2 grs. }		
{ Potass. Carb., 2 1-2 grs. }		
{ Acidi Arsenosi, 1-40 gr. }	30	1 35
BLAUD'S FERRUGINOUS with ARSENOUS ACID and STRYCHNINE.		
{ Ferri Sulph. Exsic., 2 1-2 grs. }		
{ Potass. Carb., 2 1-2 grs. }		
{ Acidi Arsenosi, 1-40 gr. }		
{ Strychninæ, 1-60 gr. }	35	1 60
BLAUD'S FERRUGINOUS with CASCARA and NUX VOMICA.		
{ Ferri Sulph. Exsic., 2 1-2 grs. }		
{ Potass. Carb., 2 1-2 grs. }		
{ Extr. Cascarae Sagradae, 1 gr. }		
{ Extr. Nucis Vomicae, 1-4 gr. }	40	1 85
BLAUD'S FERRUGINOUS COMP.		
{ Ferri Sulph. Exsic., 2 1-2 grs. }		
{ Potass. Carb., 2 1-2 grs. }		
{ Acidi Arsenosi, 1-50 gr. }		
{ Extr. Nucis Vomicae, 1-10 gr. }	35	1 60
BLAUD'S FERRUGINOUS, Improved.		
{ Ferri Sulph. Exsic., 1 1-2 grs. }		
{ Potass. Carb., 1 1-2 grs. }		
{ Acidi Arsenosi, 1-60 gr. }	25	1 10
BLAUD'S FERRUGINOUS with NUX VOMICA.		
{ Ferri Sulph. Exsic., 1 1-2 grs. }		
{ Potass. Carb., 1 1-2 grs. }		
{ Extr. Nucis Vomicae, 1-10 gr. }	25	1 10

G. C. and S. C. Pills and Granules.

	Per Bottle of 100.	Per Bottle of 500.
BLAUD'S FERRUGINOUS with STRYCHNINE, No. 1.		
{ Ferri Sulph. Exsic., 1 1-2 grs. }		
{ Potass. Carb., 1 1-2 grs. }	\$ 30	\$1 35
{ Strychninæ, 1-60 gr. }		
BLAUD'S FERRUGINOUS with STRYCHNINE, No. 2.		
{ Ferri Sulph. Exsic., 2 1-2 grs. }		
{ Potass. Carb., 2 1-2 grs. }	30	1 35
{ Strychninæ, 1-60 gr. }		
BLENNORRHAGIC (Bond).		
{ Terebinth Alb., 2 grs. }		
{ Extr. Humuli, 1 gr. }		
{ Camphoræ Monobrom., 1 gr. }	65	3 10
{ Res. Podophylli, 1-8 gr. }		
BLUE MASS.....1-4 gr.	20	85
BLUE MASS.....1-2 gr.	20	85
BLUE MASS.....1 gr.	20	85
BLUE MASS.....2 grs.	20	85
BLUE MASS.....3 grs.	20	85
BLUE MASS.....5 grs.	25	1 10
BLUE MASS. COLOCYNTH and HYOSCYAMUS. (Browne).		
{ Mass. Hydrargyri, 3 grs. }		
{ Extr. Colocynth. Comp., 2 grs. }	45	2 10
{ Extr. Hyoscyami, 1 gr. }		
BLUE MASS COMP.		
{ Mass. Hydrargyri, 1 gr. }		
{ Pulv. Opii, 1-2 gr. }	45	2 10
{ Pulv. Ipecacuanhæ, 1-4 gr. }		
BLUE MASS COMP. (McGuire).		
{ Mass. Hydrargyri, 1 gr. }		
{ Pulv. Rhei, Opt., 1 gr. }		
{ Pulv. Extr. Colocynth. Comp., 1 gr. }	40	1 85
{ Aloes Purif., 1 gr. }		
BLUE MASS and IRON.		
{ Mass. Hydrargyri, 2 grs. }		
{ Ferri Sulph. Exsic., 1 gr. }	30	1 35
BLUE MASS and MERCURY.		
{ Mass. Hydrargyri, 1-2 gr. }		
{ Hydrarg. Iodidi Flavi, 1-8 gr. }	30	1 35
CAFFEINE CITRATED.....1 gr.	40	1 85
CALCIUM SULPHIDE.....1-20 gr.	25	1 10
CALCIUM SULPHIDE.....1-10 gr.	25	1 10
CALCIUM SULPHIDE.....1-8 gr.	25	1 10
CALCIUM SULPHIDE.....1-6 gr.	25	1 10
CALCIUM SULPHIDE.....1-5 gr.	25	1 10
CALCIUM SULPHIDE.....1-4 gr.	25	1 10
CALCIUM SULPHIDE.....1-2 gr.	30	1 35
CALCIUM SULPHIDE.....1 gr.	35	1 60
CALCIUM SULPHIDE.....2 grs.	40	1 85
CALCIUM SULPHIDE.....3 grs.	45	2 10
CALISAYA ALKALOIDS.		
{ Quinina Sulph., 1-2 gr. }		
{ Quinidina Sulph., 1-2 gr. }		
{ Cinchonina Sulph., 1-2 gr. }		
{ Cinchonidina Sulph., 1-2 gr. }	45	2 10
CALOMEL.....1-50 gr.	20	85
CALOMEL.....1-20 gr.	20	85
CALOMEL.....1-10 gr.	20	85
CALOMEL.....1-8 gr.	20	85
CALOMEL.....1-6 gr.	20	85
CALOMEL.....1-5 gr.	20	85
CALOMEL.....1-4 gr.	20	85
CALOMEL.....1-3 gr.	20	85
CALOMEL.....1-2 gr.	20	85
CALOMEL.....1 gr.	20	85

G. C. and S. C. Pills and Granules.

	Per Bottle of 100.	Per Bottle of 500.
CALOMEL2 grs.	\$ 25	\$1 10
CALOMEL3 grs.	25	1 10
CALOMEL4 grs.	30	1 35
CALOMEL5 grs.	35	1 60
CALOMEL and OPIUM.		
{ Hydrarg. Chlor. Mit., 2 grs. }		
{ Pulv. Opii, 1 gr. }	40	1 85
CALOMEL and RHUBARB.		
{ Hydrarg. Chlor. Mit., 1-3 gr. }		
{ Extr. Rhei, 1-2 gr. }		
{ Extr. Colocynth. Comp., 1-2 gr. }	40.	1 85
{ Extr. Hyoscyami, 1-6 gr. }		
CALOMEL, SODIUM and PODOPHYLLIN.		
{ Hydrarg. Chlor. Mit., 1-4 gr. }		
{ Sodii Bicarb., 1-2 gr. }	25	1 10
{ Res. Podophylli, 1-12 gr. }		
CAMPHOR MONOBROMATED1 gr.	30	1 35
CAMPHOR MONOBROMATED2 grs.	50	2 35
CAMPHOR MONOBROMATED3 grs.	75	3 60
CAMPHOR MONOBROMATED (gelatin coated only)...5 grs.	1 00	4 85
CAMPHOR and HYOSCYAMUS.		
{ Camphoræ, 1 gr. }		
{ Extr. Hyoscyami, 1 gr. }	30	1 35
CAMPHOR, HYOSCYAMUS and VALERIAN.		
{ Camphoræ, 1 gr. }		
{ Extr. Hyoscyami, 1 gr. }		
{ Extr. Valerianæ, 1-2 gr. }	35	1 60
CAMPHOR and LUPULIN.		
{ Camphoræ, 1 1-2 grs. }		
{ Lupulinæ, 1 gr. }	40	1 85
CAMPHOR, OPIUM and HYOSCYAMUS.		
{ Camphoræ, 1 gr. }		
{ Pulv. Opii, 1-2 gr. }		
{ Extr. Hyoscyami, 1 gr. }	40	1 85
CAMPHOR, OPIUM and LEAD ACETATE.		
{ Camphoræ, 1 gr. }		
{ Pulv. Opii, 1 gr. }		
{ Plumbi Acetatis, 1 gr. }	45	2 10
CANNABIS INDICA EXTR1-10 gr.	20	85
CANNABIS INDICA EXTR1-4 gr.	35	1 60
CANNABIS INDICA EXTR1-2 gr.	55	2 60
CARMINATIVE. (See Anti-Dyspeptic, Fothergill.).....	45	2 10
CASCARA SAGRADA EXTR1 gr.	30	1 35
CASCARA SAGRADA EXTR2 grs.	35	1 60
CASCARA SAGRADA EXTR3 grs.	40	1 85
CASCARA SAGRADA EXTR. (gelatin coated only)...5 grs.	60	2 85
CASCARA COMP. (D'Ary).		
{ Extr. Cascaræ Sagradæ, 4-15 gr. }		
{ Extr. Nucis Vomicae, 1-30 gr. }		
{ Extr. Belladonnæ, 1-60 gr. }		
{ Euonymin, 1-5 gr. }		
{ Xanthoxyllin, 4-15 gr. }		
{ Oleores. Capsici, 1-20 gr. }	60	2 85
CASCARA SAGRADA and NUX VOMICA.		
{ Extr. Cascaræ Sagradæ, 2 grs. }		
{ Extr. Nucis Vomicae, 1-5 gr. }	40	1 85
CASCARA SAGRADA, NUX VOMICA and BELLA- DONNA.		
{ Extr. Cascaræ Sagradæ, 2 grs. }		
{ Extr. Nucis Vomicae, 1-8 gr. }		
{ Extr. Belladonnæ, 1-16 gr. }	50	2 35
CASCARIN COMP.		
{ Cascarin, 1-4 gr. }		
{ Aloin, 1-4 gr. }		
{ Res. Podophylli, 1-6 gr. }		
{ Extr. Belladonnæ, 1-8 gr. }		
{ Strychninæ, 1-60 gr. }		
{ Gingerine, 1-8 gr. }	50	2 35

G. C. and S. C. Pills and Granules.		Per Bottle of 100.	Per Bottle of 500.
CATHARTIC COMP., Cholagogue.			
<div> <div> Res. Podophylli, Mass. Hydrargyri, Extr. Hyoscyami, Extr. Nucis Vomicae, Oleores. Capsici, </div> <div> 1-2 gr. 1-4 gr. 1-8 gr. 1-16 gr. 1-8 gr. </div> </div>	\$ 30	\$1 35
*CATHARTIC COMP., Improved.			
<div> <div> Extr. Colocynth. Comp., Extr. Jalapae, Res. Podophylli, Res. Leptandrae, Extr. Hyoscyami, Extr. Gentianae, Ol. Menth. Piper., </div> <div> 1 gr. 1-2 gr. 1-4 gr. 1-2 gr. 1-4 gr. 1-2 gr. q. s. </div> </div>	25	1 10
CATHARTIC COMP., Improved Mass. 1-2 gr.		20	85
CATHARTIC COMP., Mild Vegetable.			
<div> <div> Res. Jalapae, Res. Leptandrae, Res. Podophylli, Aloin, Pulv. Gambogiae, Pulv. Capsici, Extr. Hyoscyami, </div> <div> 1-16 gr. 1-16 gr. 1-4 gr. 1-8 gr. 1-32 gr. 1-64 gr. 1-8 gr. </div> </div>	20	85
CATHARTIC COMP., Special.			
<div> <div> Aloes Purif., Pulv. Gambogiae, Res. Podophylli, Pulv. Capsici, Ol. Tiglii, </div> <div> 1 1-8 grs. 3-16 gr. 1-8 gr. 1-2 gr. 1-50 gr. </div> </div>	25	1 10
*CATHARTIC COMP. (U. S. P.)			
<div> <div> Extr. Colocynth. Comp., Hydrarg. Chlor. Mit., Extr. Jalapae, Pulv. Gambogiae, </div> <div> Gm. 0.08 about 1 1-4 grs. Gm. 0.06 " 1 gr. Gm. 0.03 " 1-2 gr. Gm. 0.015 " 1-4 gr. </div> </div>	25	1 10
CATHARTIC COMP., U. S. P. Mass. 1-2 gr.		20	85
CATHARTIC COMP., Vegetable, No. 1.			
<div> <div> Res. Podophylli, Res. Scammonii, Extr. Colocynthidis, Aloes Purif., Pulv. Saponis, Pulv. Cardamomi, </div> <div> 1-4 gr. 1-3 gr. 1-3 gr. 1 1-4 grs. 1-3 gr. 1-9 gr. </div> </div>	30	1 35
CATHARTIC COMP., Vegetable, No. 2.			
<div> <div> Res. Podophylli, Pulv. Extr. Colocynth. Comp., Res. Leptandrae, Pulv. Jalapae, Aloes Purif., Extr. Hyoscyami, Ol. Menth. Piper., </div> <div> 3-8 gr. 1 1-2 grs. 1-8 gr. 1-4 gr. 1-2 gr. 1-4 gr. q. s. </div> </div>	30	1 35
CATHARTIC COMP., Vegetable, (U. S. P.)			
<div> <div> Extr. Colocynth. Comp., Extr. Hyoscyami, Extr. Jalapae, Extr. Leptandrae, Res. Podophylli, Ol. Menth. Piper., </div> <div> Gm. 0.06 about 1 gr. Gm. 0.03 " 1-2 gr. Gm. 0.03 " 1-2 gr. Gm. 0.015 " 1-4 gr. Gm. 0.015 " 1-4 gr. Gm. 0.008 " 1-8 gr. </div> </div>	30	1 35
CAULOPHYLLIN, Resinoid. 1-10 gr.		25	1 10
CERIUM OXALATE 1 gr.		30	1 35
CERIUM OXALATE 2 grs.		50	2 35
CERIUM OXALATE 3 grs.		75	3 60
CHAPMAN'S DINNER. (See Dinner, Chapman.)		30	1 35
CHAPARRO AMARGOSO EXTR. 4 grs.		50	2 35
CHINOIDIN 1 gr.		20	85
CHINOIDIN 2 grs.		25	1 10

* For prices per pound and in packages of 25, wood or glass, see page 106.

G. C. and S. C. Pills and Granules.

	Per Bottle of 100.	Per Bottle of 500.
CHINOIDIN	3 grs.	\$ 35 \$1 60
CHINOIDIN COMP.		
{ Chinoidini, 2 grs. Ferri Sulph. Exsic., 1 gr. Piperinæ, 1-2 gr. }	45	2 10
CIMICIFUGIN, Resinoid.....	1-10 gr.	20 85
CIMICIFUGIN, Resinoid.....	1 gr.	30 1 85
CINCHONINE SULPHATE	1 1-2 grs.	30 1 35
CINCHONIDINE SALICYLATE.....	1 gr.	30 1 35
CINCHONIDINE SALICYLATE.....	2 grs.	45 2 10
CINCHONIDINE SALICYLATE.....	2 1-2 grs.	50 2 35
CINCHONIDINE SALICYLATE.....	3 grs.	65 3 10
CINCHONIDINE SALICYLATE.....	4 grs.	85 4 10
CINCHONIDINE SALICYLATE.....	5 grs.	1 05 5 10
CINCHONIDINE SULPHATE	1 gr.	25 1 10
CINCHONIDINE SULPHATE.....	2 grs.	35 1 60
CINCHONIDINE SULPHATE.....	3 grs.	40 1 85
CINCHONIDINE SULPHATE (gelatin coated only).....	4 grs.	45 2 10
CINCHONIDINE SULPHATE (gelatin coated only).....	5 grs.	50 2 35
CINCHO-QUININE	1 gr.	30 1 35
CINCHO-QUININE	2 grs.	40 1 85
CINCHONA ALKALOIDS. (See Calisaya Alkaloids.)		45 2 10
COCA EXTR	2 grs.	50 2 35
COCA EXTR.....	3 grs.	60 2 85
COCAINE, HYDROCHLORATE.....	1-20 gr.	40 1 85
COCAINE, HYDROCHLORATE.....	1-10 gr.	50 2 35
COCCIA.		
{ Res. Scammonii, 1 gr. Aloes Purif., 1 1-4 grs. Pulv. Colocynth., 1-3 gr. Potass. Sulph., 1-8 gr. Ol. Caryophylli, 1-8 gr. }	50	2 35
CODEINE	1-16 gr.	45 2 10
CODEINE	1-8 gr.	60 2 85
CODEINE	1-6 gr.	75 3 60
CODEINE	1-4 gr.	90 4 35
CODEINE	1-2 gr.	1 50 7 35
CODEINE	1 gr.	2 70 13 35
COLE'S DINNER. (See Dinner, Cole.).....		40 1 85
COLOCYNTH COMP. EXTR.....	3 grs.	40 1 85
COLOCYNTH COMP. and BLUE MASS.		
{ Extr. Colocynth. Comp., 3 grs. Mass. Hydrargyri, 2 grs. }	50	2 35
COLOCYNTH COMP., BLUE MASS and IPECAC.		
{ Extr. Colocynth. Comp., 2 grs. Mass. Hydrargyri, 2 grs. Pulv. Ipecacuanhæ, 1-8 gr. }	45	2 10
COLOCYNTH COMP. and HYOSCYAMUS.		
{ Extr. Colocynth. Comp., 2 1-3 grs. Extr. Hyoscyami, 1 1-3 grs. }	45	2 10
COLOCYNTH, NUX VOMICA and BELLADONNA.		
{ Extr. Colocynth. Comp., 2 grs. Extr. Nucis Vomiceæ, 1-2 gr. Extr. Belladonnæ, 1-2 gr. }	50	2 35
CONIUM EXTR.....	1 gr.	35 1 60
COOK'S.		
{ Aloes Purif., 1 gr. Pulv. Rhei, 1 gr. Hydrarg. Chlor. Mit., 1-2 gr. Saponis Hispan., 1-2 gr. }	25	1 10
COPAIBA	4 grs.	35 1 60
COPAIBA COMP.		
{ Pil. Copaibæ, 1 1-2 grs. Res. Guaiaci, 3-8 gr. Ferri Citratis, 3-8 gr. Oreores. Cubebæ, 5-8 gr. }	45	2 10

In ordering our Preparations through dealers, please specify SHARP & DOHME'S.

G. C. and S. C. Pills and Granules.

	Per Bottle of 100.	Per Bottle of 500.
COPAIBA and OLEORESIN CUBEB.		
{ Pil. Copaibae, 3 grs. }		
{ Oleores. Cubebae, 1 gr. }	\$ 50	\$2 35
COPPER ARSENITE1-5000 gr.	25	1 10
COPPER ARSENITE1-3000 gr.	25	1 10
COPPER ARSENITE1-100 gr.	30	1 35
CORROSIVE SUBLIMATE1-100 gr.	20	85
CORROSIVE SUBLIMATE1-60 gr.	20	85
CORROSIVE SUBLIMATE1-50 gr.	20	85
CORROSIVE SUBLIMATE1-40 gr.	20	85
CORROSIVE SUBLIMATE1-30 gr.	20	85
CORROSIVE SUBLIMATE1-20 gr.	20	85
CORROSIVE SUBLIMATE1-16 gr.	20	85
CORROSIVE SUBLIMATE1-12 gr.	20	85
CORROSIVE SUBLIMATE1-8 gr.	20	85
*CREOSOTE. (From Pure Beech Tar.)1-2 gr.	40	1 85
CREOSOTE. (From Pure Beech Tar.)1 gr.	50	2 35
CREOSOTE. (From Pure Beech Tar.) .. 2 grs.	60	2 85
CREOSOTE. (From Pure Beech Tar.).....3 grs.	70	3 35
CUBEB and SODIUM.		
{ Oleores. Cubebae, 1 gr. }		
{ Sodii Bicarb., 1-8 gr. }	50	2 35
DAMIANA EXTR3 grs.	55	2 60
DIAPHORETIC.		
{ Morphinae Acetatis, 1-25 gr. }		
{ Pulv. Ipecacuanhae, 1-4 gr. }		
{ Potass. Nitratis, 1 gr. }	45	2 10
{ Pulv. Camphorae, 1-4 gr. }		
DIARRHEA.		
{ Hydrarg. Chlor. Mit., 1-8 gr. }		
{ Morphinae Sulph., 1-16 gr. }		
{ Pulv. Capsici, 1-16 gr. }	25	1 10
{ Pulv. Ipecacuanhae, 1-32 gr. }		
{ Camphorae, 1-16 gr. }		
DIGITALIN, Pure1-100 gr.	25	1 10
DIGITALIN, Pure1-60 gr.	30	1 35
DIGITALIN, Pure1-50 gr.	30	1 35
DIGITALIN and NITROGLYCERIN.		
{ Digitalin, 1-60 gr. }		
{ Nitroglycerin, 1-100 gr. }	40	1 85
DIGITALIS EXTR1-2 gr.	35	1 60
DIGITALIS COMP.		
{ Pulv. Digitalis, 1 gr. }		
{ Pulv. Scillae, 1 gr. }	30	1 35
{ Potass. Nitratis, 2 grs. }		
DINNER (Chapman).		
{ Aloes Purif., 1 gr. }		
{ Pulv. Rhei, Opt., 1 gr. }	30	1 35
{ Res. Mastich., 1 gr. }		
DINNER (Cole).		
{ Mass. Hydrargyri, 1 1-5 grs. }		
{ Aloes Purif., 1 1-5 grs. }		
{ Pulv. Jalapae, 1 1-5 grs. }	40	1 85
{ Antimon. et Potass. Tart., 1-50 gr. }		
DINNER (Fothergill).		
{ Pulv. Ipecacuanhae, 1 gr. }		
{ Strychninae, 1-20 gr. }		
{ Ol. Piper. Nig., 2 grs. }	45	2 10
{ Pil. Aloes et Myrrhae, 2 1-2 grs. }		
DINNER (Lady Webster). (See Aloes and Mastic, U. S. P.).	25	1 10
DIURETIC, No. 1.		
{ Pulv. Sapo. Hispan., 2 grs. }		
{ Sodii Carb. Exsic., 2 grs. }	30	1 35
{ Ol. Baccae Juniper., 1 gr. }		
DIURETIC, No. 2.		
{ Extr. Buchu, 1 gr. }		
{ Potass. Nitratis, 1 gr. }	35	1 60
{ Pulv. Scillae, 1-2 gr. }		

* See also list of Enteric Pills, page 54.

G. C. and S. C. Pills and Granules.

	Per Bottle of 100.	Per Bottle of 500.
DUPUYTREN.		
{ Pulv. Guaiaci, 3 grs. Hydrarg. Chlor. Corros., 1-10 gr. Pulv. Opii, 1-8 gr. }	\$ 30	\$1 35
ECCOPROTIC.		
{ Extr. Aloes Purif., 2 grs. Extr. Nucis Vomicae, 1-5 gr. Res. Podophylli, 3-10 gr. Ol. Caryophylli, 1-10 gr. }	40	1 85
ELATERIN, Crystallized.....	80	3 85
ELATERIUM (Clutterbuck).....	40	1 85
ELATERIUM (Clutterbuck).....	45	2 10
ELATERIUM (Clutterbuck).....	55	2 60
EMMENAGOGUE, No. 1.		
{ Ergotin, 1 gr. Extr. Hellebor. Nig., 1 gr. Aloes Purif., 1 gr. Ferri Sulph. Exsic., 1 gr. Ol. Sabinæ, 1-2 gr. }	70	3 35
EMMENAGOGUE, No. 2.		
{ Ergotin, 1 gr. Extr. Gossypii Cort., 1 gr. Aloes Purif., 1 gr. Ferri Sulph. Exsic., 1 gr. Ol. Sabinæ, 1-2 gr. }	70	3 35
EMMENAGOGUE, Improved.		
{ Extr. Gossypii Cort., 1 gr. Ergotin, 1 gr. Ferri Sulph. Exsic., 1 gr. Extr. Hellebor. Nig., 1 gr. Aloes Purif., 1 gr. Ol. Sabinæ, 1-4 gr. }	70	3 35
EMMENAGOGUE (Mutter).		
{ Ferri Sulph. Exsic., 1 1-2 grs. Aloes Purif., 1-2 gr. Terebinth. Venet., 1 1-2 grs. }	25	1 10
EMMENAGOGUE (Otto).		
{ Ferri Sulph. Exsic., 1 3-5 grs. Aloes Purif., 2-5 gr. Terebinthinae, 1 gr. Ol. Terebinth., 1-3 gr. }	25	1 10
ERGOTIN, Purified	25	1 10
ERGOTIN, Purified	35	1 60
ERGOTIN, Purified	50	2 35
ERGOTIN, Purified	75	3 60
ERGOTIN, Purified	1 00	4 85
ERGOTIN, Purified (gelatin-coated only).....	1 40	6 85
ERGOTIN and ALOIN.		
{ Ergotin, 1 gr. Aloin, 1-5 gr. }	60	2 85
ERGOTIN and CANNABIS INDICA.		
{ Ergotin, 1-2 gr. Extr. Cannabis Indicae, 1-4 gr. }	50	2 35
ERGOTIN COMP.		
{ Ergotin, 3 grs. Extr. Cannabis Indicae, 1-6 gr. Strychninae, 1-60 gr. }	1 10	5 35
EUCALYPTUS EXTR	40	1 85
EUMENIC.		
{ Extr. Sumbul, 1-4 gr. Extr. Belladonnae, 1-8 gr. Camphoræ Monobrom., 1 gr. Extr. Cannabis Indicae, 1-4 gr. }	50	2 35
EUONYMIN, Resinoid.....	50	2 35

*EXTRACTS.

*Pills and Granules made from the various Extracts were formerly grouped alphabetically under the prefix "Extract," but are now listed under their respective drug names. See Belladonna Extr., etc.

G. C. and S. C. Pills and Granules.

	Per Bottle of 100.	Per Bottle of 500.
FEMALE, Amenorrhœa.		
{ Extr. Cimicifugæ, 1 gr. } { Ferri Sulph. Exsic., 1 gr. } { Extr. Gossypii Cort., 1 gr. } { Aloes Purif., 1 gr. }	\$ 50	\$2 35
FEMALE (Hooper). (See Hooper's Female.)	20	85
FERROUS IODIDE (U. S. P.). (See Iron Iodide.)1 gr.	35	1 60
FERRUGINOUS. (See Bland's Ferruginous.)		
GALBANUM COMP.		
{ Galbani, 1 1-2 grs. } { Pulv. Myrrhæ, 1 1-2 grs. } { Asafœtidæ, 1-2 gr. }	30	1 35
GAMBOGE COMP.		
{ Pulv. Gambogiæ, 1-2 gr. } { Aloes Purif., 3-4 gr. } { Pulv. Zingiber. Jam., 1-4 gr. } { Pulv. Saponis, 1 gr. }	25	1 10
GELSEMIN, Resinoid1-16 gr.	20	85
GELSEMIN, Resinoid1-8 gr.	25	1 10
GELSEMIN, Resinoid1-4 gr.	35	1 60
GENTIAN, EXTR.2 grs.	30	1 85
GENTIAN COMP.		
{ Extr. Gentianæ, 2-3 gr. } { Aloes Purif., 2 grs. } { Ol. Carui, 1-5 gr. }	25	1 10
GLONIN. (See Nitroglycerin.)		
GOLD CHLORIDE1-30 gr.	75	3 60
GOLD and SODIUM CHLORIDE1-40 gr.	60	2 85
GOLD and SODIUM CHLORIDE1-30 gr.	65	3 10
GOLD and SODIUM CHLORIDE1-20 gr.	75	3 60
GOLD and SODIUM CHLORIDE1-15 gr.	80	3 85
GONORRHEA, No. 1.		
{ Pulv. Cubebæ, 2 grs. } { Pil. Copaibæ, 1 gr. } { Ferri Sulph. Exsic., 1-2 gr. } { Terebinth. Venet., 1 1-2 grs. }	35	1 60
GONORRHEA, No. 2.		
{ Pulv. Cubebæ, 1 1-4 grs. } { Pil. Copaibæ, 1 1-4 grs. } { Ferri Sulph. Exsic., 1-4 gr. } { Terebinth. Venet., 1-4 gr. }	30	1 35
GRINDELIA, EXTR.3 grs.	45	2 10
GUARANA, EXTR.3 grs.	1 50	7 35
HEADACHE.		
{ Pepsini Lacticat., 1 gr. } { Guarana, 1-2 gr. } { Sodii Bicarb., 1 gr. } { Cypripedin, 1-2 gr. }	45	2 10
HELONIN, Resinoid1-10 gr.	25	1 10
HEPATICA.		
{ Mass. Hydrargyri, 3 grs. } { Extr. Colocynth. Comp., 1 gr. } { Extr. Hyoscyami, 1 gr. }	45	2 10
HOOPER'S FEMALE.		
{ Aloes Purif., 1 gr. } { Extr. Hellebor. Nig., 1-4 gr. } { Ferri Sulph. Exsic., 1-2 gr. } { Res. Myrrhæ, 1-4 gr. } { Pulv. Zingiber. Jam., 1-8 gr. } { Pulv. Canellæ, 1-8 gr. } { Pulv. Saponis, 1-8 gr. }	20	85
HYDRASTIN, Resinoid1-2 gr.	40	1 85
HYOSCINE HYDROBROMATE1-200 gr.	40	1 85
HYOSCINE HYDROBROMATE1-100 gr.	50	2 35
HYOSCYAMINE, Pure Crystallized Alkaloid1-200 gr.	35	1 60
HYOSCYAMINE, Pure Crystallized Alkaloid1-100 gr.	45	2 10
HYOSCYAMINE, Pure Crystallized Alkaloid1-50 gr.	50	2 35

G. C. and S. C. Pills and Granules.

	Per Bottle of 100.	Per Bottle of 500.
HYOSCYAMUS EXTR.....1-4 gr.	\$ 25	\$1 10
HYOSCYAMUS EXTR.....1-2 gr.	30	1 35
HYOSCYAMUS EXTR.....1 gr.	30	1 35
HYPOPHOSPHITES COMP.		
{ Calcii Hypophos., 1 gr. }		
{ Sodii Hypophos., 3-4 gr. }		
{ Potassii Hypophos., 1-2 gr. }	60	2 85
{ Ferri Hypophos., 1-4 gr. }		
ICHTHYOL.....1 gr.	50	2 35
ICHTHYOL.....1 1-2 grs.	65	3 10
ICHTHYOL.....2 grs.	75	3 60
ICHTHYOL.....3 grs.	90	4 35
ICHTHYOL.....5 grs.	1 25	6 10
IGNATIA AMARA EXTR.....1-4 gr.	30	1 35
ODOFORM.....1 gr.	50	2 35
ODOFORM.....2 grs.	70	3 35
ODOFORM and IRON.		
{ Iodoformi, 1 gr. }		
{ Ferri Reducti, 1 gr. }	60	2 85
ODOFORM, IRON and NUX VOMICA.		
{ Iodoformi, 1 gr. }		
{ Ferri Reducti, 1 gr. }	65	3 10
{ Extr. Nucis Vomicae, 1-4 gr. }		
IPECAC, powd.....1-8 gr.	25	1 10
IPECAC, powd.....1-4 gr.	25	1 10
IPECAC, powd.....1-2 gr.	25	1 10
IPECAC, powd.....1 gr.	30	1 35
IPECAC, powd.....2 grs.	35	1 60
IPECAC and OPIUM, No. 1.		
{ Pulv. Ipecacuanhae, 1-4 gr. }		
{ Pulv. Opii, 1-4 gr. }	30	1 35
{ Equal to 2 1-2 grs. Dover's Powder... }		
IPECAC and OPIUM, No. 2.		
{ Pulv. Ipecacuanhae, 1-2 gr. }		
{ Pulv. Opii, 1-2 gr. }	50	2 35
{ Equal to 5 grs. Dover's Powder... }		
IPECAC and OPIUM, No. 3.		
{ Pulv. Ipecacuanhae, 1 gr. }		
{ Pulv. Opii, 1 gr. }	90	4 35
{ Equal to 10 grs. Dover's Powder... }		
IPECAC and SQUILL (Br. P.)		
{ Pulv. Ipecacuanhae, 3 grs. }		
{ Pulv. Scillae, 1 gr. }		
{ Pulv. Ammoniaci, 1 gr. }	45	2 10
{ Theriacae, q. s. }		
IRISIN COMP.		
{ Irisin, 1-4 gr. }		
{ Res. Podophylli, 1-10 gr. }	30	1 35
{ Strychninae, 1-40 gr. }		
IRON and ALOES.		
{ Ferri Sulph. Exsic., 1 gr. }		
{ Aloes Purif., 2 grs. }	30	1 35
IRON ARSENATE.....1-60 gr.	20	85
IRON ARSENATE.....1-30 gr.	25	1 10
IRON ARSENATE.....1-20 gr.	35	1 60
IRON ARSENATE.....1-8 gr.	35	1 60
IRON ARSENATE.....1-4 gr.	35	1 60
IRON, ARSENIC and STRYCHNINE.		
{ Ferri Reducti, 1 gr. }		
{ Acidi Arsenosi, 1-50 gr. }	30	1 35
{ Strychninae Sulph., 1-60 gr. }		
IRON CARBONATE (Vallet's).....2 grs.	25	1 10
IRON CARBONATE (Vallet's).....3 grs.	25	1 10
IRON CARBONATE (Vallet's).....5 grs.	30	1 35
IRON CITRATE.....2 grs.	25	1 10
IRON COMP.		
{ Ferri Sulph. Exsic., 3-4 gr. }		
{ Pulv. Myrrhae, 1 1-2 grs. }	25	1 10
{ Sodii Carb., 3-4 gr. }		

G. C. and S. C. Pills and Granules.

	Per Bottle of 100.	Per Bottle of 500.
IRON FERROCYANIDE	30	\$1 35
IRON FERROCYANIDE (gelatin-coated only).....	40	1 85
IRON IODIDE (U. S. P.) (Gm. 0.065).....	35	1 60
IRON IODIDE	65	3 10
IRON LACTATE	25	1 10
IRON PYROPHOSPHATE	25	1 10
IRON, QUASSIA and NUX VOMICA.		
{ Ferri Reducti, 1 1-2 grs. }		
{ Extr. Quassiae, 1 gr. }		
{ Extr. Nucis Vomicae, 1-4 gr. }	40	1 85
{ Pulv. Saponis, 1-2 gr. }		
IRON and QUININE CITRATE. (See Quinine and Iron Citrate.)		
IRON REDUCED (Quevenne's)	25	1 10
IRON REDUCED (Quevenne's)	40	1 85
IRON REDUCED (Quevenne's)	50	2 35
IRON REDUCED (Quevenne's) (gelatin-coated only) ..	60	2 85
IRON and STRYCHNINE.		
{ Ferri Reducti, 2 grs. }		
{ Strychninae, 1-60 gr. }	45	2 10
IRON and STRYCHNINE CITRATES.		
{ Ferri Citratis, 1 gr. }		
{ Strychninae Citratis, 1-50 gr. }	35	1 60
IRON SULPHATE, dried.....	25	1 10
IRON VALERIANATE	40	1 85
JABORANDI EXTR	50	2 35
LADY WEBSTER'S DINNER. (See Aloes and Mastic, U. S. P.).....	25	1 10
LAPACTIC S. & D. (Pil. Lapacticae, S. & D.)		
For description and prices, see page 113.		
LAXATIVE.		
{ Aloes Purif., 1 gr. }		
{ Sulphuris, 1-5 gr. }		
{ Res. Podophylli, 1-5 gr. }	35	1 60
{ Res. Guaiaci, 1-2 gr. }		
{ Syrup. Rhamni, q. s. }		
LAXATIVE (Cole).		
{ Res. Podophylli, 1-10 gr. }		
{ Hydrarg. Chlor. Mit., 1 gr. }	40	1 85
{ Extr. Colocynth. Comp., 3 grs. }		
LAXATIVE (Janeway).		
{ Res. Podophylli, 1-3 gr. }		
{ Aloes Purif., 1 gr. }	40	1 85
{ Extr. Belladonnae, 1-4 gr. }		
LAXATIVE, Special. (Fordyce Barker.)		
{ Pulv. Extr. Colocynth. Comp., 1 2-3 grs. }		
{ Extr. Hyoscyami, 1 1-4 grs. }		
{ Aloes Purif., 5-6 gr. }	40	1 85
{ Extr. Nucis Vomicae, 5-12 gr. }		
{ Res. Podophylli, 1-12 gr. }		
{ Pulv. Ipecacuanhae, 1-12 gr. }		
LEPTANDRIN, Resinoid.....	20	85
LEPTANDRIN, Resinoid.....	20	85
LEPTANDRIN, Resinoid.....	25	1 10
LEPTANDRIN, Resinoid.....	40	1 85
LEPTANDRIN COMP.		
{ Res. Leptandrae, 1 gr. }		
{ Irisin, 1-4 gr. }	55	2 60
{ Res. Podophylli, 1-8 gr. }		
LIVER GRANULES.		
{ Aloin, 1-10 gr. }		
{ Res. Jalapae, 1-10 gr. }		
{ Res. Podophylli, 1-10 gr. }	20	85
{ Extr. Hyoscyami, 1-20 gr. }		
{ Extr. Nucis Vomicae, 1-20 gr. }		
{ Oleores. Capsici, 1-25 gr. }		

G. C. and S. C. Pills and Granules.

LIVER GRANULES, Active, No. 1.

Res. Leptandræ,	1-32 gr.	\$ 20	\$ 85
Aloin,	1-16 gr.			
Res. Podophylli,	1-6 gr.			
Pulv. Gambogiæ,	1-64 gr.			
Extr. Hyoscyami,	1-16 gr.			
Oleores. Capsici,	1-128 gr.			
Ol. Ment. Piper.,	1-128 gr.			

LIVER GRANULES, Active, No. 2.

Aloin,	1-10 gr.	20	85
Extr. Colocyath. Comp.,	1-10 gr.			
Extr. Nucis Vomicae,	1-10 gr.			
Res. Podophylli,	1-5 gr.			
Ol. Tiglii,	1-15 gr.			
Oleores. Capsici,	1-128 gr.			

LIVER GRANULES, Special.

Aloin,	1-10 gr.	20	85
Res. Podophylli,	1-5 gr.			
Extr. Hyoscyami,	1-20 gr.			
Res. Jalapæ,	1-10 gr.			
Extr. Nucis Vomicae,	1-20 gr.			
Oleores. Capsici,	1-20 gr.			

LIVER, Vegetable.

Aloes Purif.,	1 gr.	30	1 35
Res. Podophylli,	1-4 gr.			
Res. Jalapæ,	1-4 gr.			
Pulv. Gambogiæ,	1-4 gr.			
Pulv. Extr. Nucis Vomicae,	1-16 gr.			
Extr. Taraxaci,	1-8 gr.			
Pulv. Saponis,	1-8 gr.			
Pulv. Capsici,	1-8 gr.			
Extr. Hyoscyami,	1-8 gr.			

LIVER, Vegetable, Improved.

Aloes Purif.,	1 gr.	25	1 10
Pulv. Jalapæ,	1 gr.			
Pulv. Gambogiæ,	1-8 gr.			
Res. Leptandræ,	1-8 gr.			
Res. Podophylli,	1-8 gr.			
Oleores. Capsici,	1-48 gr.			
Tinct. Veratr. Virid.,	1-4 gr.			

LUPULIN 3 grs. 35 1 60

MANGANESE DIOXIDE (Binocide)..... 1-2 gr. 20 85

MANGANESE DIOXIDE..... 1 gr. 25 1 10

MANGANESE DIOXIDE..... 2 grs. 40 1 85

MANGANESE DIOXIDE..... 3 grs. 50 2 35

MANGANESE DIOXIDE..... 5 grs. 60 2 85

MERCURIC CHLORIDE CORROSIVE. (See Corrosive Sublimate.)

MERCURIC IODIDE RED. (See Mercury, Red Iodide.)

MERCUROUS CHLORIDE MILD. (See Calomel.)

MERCUROUS IODIDE YELLOW. (See Mercury Yellow Iodide.)

*MERCURY YELLOW IODIDE (Proto-Iodide).... 1-25 gr. 20 85

MERCURY YELLOW IODIDE 1-16 gr. 20 85

MERCURY YELLOW IODIDE 1-12 gr. 20 85

MERCURY YELLOW IODIDE 1-10 gr. 20 85

MERCURY YELLOW IODIDE 1-8 gr. 20 85

MERCURY YELLOW IODIDE 1-6 gr. 20 85

MERCURY YELLOW IODIDE 1-5 gr. 20 85

MERCURY YELLOW IODIDE 1-4 gr. 20 85

MERCURY YELLOW IODIDE 1-3 gr. 25 1 10

MERCURY YELLOW IODIDE 1-2 gr. 25 1 10

MERCURY YELLOW IODIDE 1 gr. 35 1 60

*Although the green and yellow iodides of mercury are identical, yet, since the yellow is officially recognized in the U. S. P., we have adopted it in our laboratories and list it in this edition of our catalogue. Unspecified orders for mercurous iodide pills and tablets will be filled with the yellow iodide; the green iodide will be supplied only upon specification.

G. C. and S. C. Pills and Granules.

	Per Bottle of 100.	Per Bottle of 500.
MERCURY YELLOW IODIDE and OPIUM.		
{ Hydrargyri Iodidi Flavi, 1-6 gr. }	\$ 30	\$ 1 35
{ Pulv. Opii, 1-6 gr. }		
MERCURY IODIDE and OPIUM (Ricord).		
{ Hydrargyri Iodidi Flavi, 1 gr. }	45	2 10
{ Pulv. Opii, 1-3 gr. }		
MERCURY MASS. (See Blue Mass.)		
MERCURY RED IODIDE (Bin-Iodide).....	1-100 gr.	20 85
MERCURY RED IODIDE	1-60 gr.	20 85
MERCURY RED IODIDE	1-50 gr.	20 85
MERCURY RED IODIDE	1-40 gr.	20 85
MERCURY RED IODIDE	1-30 gr.	20 85
MERCURY RED IODIDE	1-25 gr.	20 85
MERCURY RED IODIDE	1-20 gr.	20 85
MERCURY RED IODIDE	1-16 gr.	20 85
MERCURY RED IODIDE	1-12 gr.	20 85
MERCURY RED IODIDE	1-10 gr.	20 85
MERCURY RED IODIDE	1-8 gr.	20 85
MERCURY RED IODIDE	1-6 gr.	20 85
MERCURY RED IODIDE	1-5 gr.	20 85
MERCURY RED IODIDE	1-4 gr.	20 85
MERCURY SALICYLATE.....	1-4 gr.	50 2 35
MERCURY SALICYLATE.....	1-2 gr.	60 2 85
MERCURY TANNATE (Mercurous Tannate).....	1-2 gr.	40 1 85
MERCURY TANNATE	1 gr.	60 2 85
MERCURY TANNATE	2 grs.	90 4 35
MERCURY with CHALK, No. 1.		
{ Hydrargyri cum Creta, 1 gr. }	30	1 35
{ Confection. Rosæ, q. s. }		
MERCURY with CHALK, No. 2.		
{ Hydrargyri cum Creta, 1 gr. }	45	2 10
{ Pulv. Ipecacuanhæ et Opii, 1 gr. }		
{ Extr. Gentianæ, q. s. }		
MERCURY with CHALK, No. 3.		
{ Hydrargyri cum Creta, 1 gr. }	50	2 35
{ Ferri Reducti, 2 grs. }		
{ Extr. Nucis Vomicae, 1-4 gr. }		
{ Extr. Gentianæ, q. s. }		
METALLIC and BITTER.		
{ Quininae Sulph., 2 grs. }	60	2 85
{ Ferri Reducti, 1 2-3 grs. }		
{ Strychninae, 1-48 gr. }		
{ Acidi Arsenosi, 1-12 gr. }		
MIASMATIC (Boldt), No. 1.		
{ Res. Podophylli, 1-40 gr. }	1 00	4 85
{ Extr. Nucis Vomicae, 1-8 gr. }		
{ Extr. Aconiti, 1-8 gr. }		
{ Piperinae, 1 gr. }		
{ Acidi Arsenosi, 1-30 gr. }		
{ Quininae Sulph., 2 grs. }		
MIASMATIC (Boldt), No. 2.		
{ Extr. Nucis Vomicae, 1-8 gr. }	1 00	4 85
{ Extr. Aconiti, 1-8 gr. }		
{ Piperinae, 1 gr. }		
{ Acidi Arsenosi, 1-30 gr. }		
{ Quininae Sulph., 2 grs. }		
MIGRAINE.		
{ Acetanilid, 2 grs. }	40	1 85
{ Camphoræ Monobrom., 1-2 gr. }		
MIGRAINE COMP., No. 1.		
{ Acetanilid, 1-2 gr. }	30	1 35
{ Camphoræ Monobrom., 1-2 gr. }		
{ Caffeinae, 1-2 gr. }		
MIGRAINE COMP., No. 2.		
{ Acetanilid, 2 grs. }	35	1 60
{ Camphoræ Monobrom., 1-2 gr. }		
{ Caffeinae, Citratiss, 1-2 gr. }		
MORPHINE ACETATE	1-8 gr.	35 1 60

G. C. and S. C. Pills and Granules.

	Per Bottle of 100.	Per Bottle of 500.
MORPHINE ACETATE	1-4 gr. \$ 50	\$2 35
MORPHINE HYDROCHLORATE	1-8 gr. 35	1 60
MORPHINE SULPHATE	1-20 gr. 20	85
MORPHINE SULPHATE	1-16 gr. 20	85
MORPHINE SULPHATE	1-10 gr. 25	1 10
MORPHINE SULPHATE	1-8 gr. 25	1 10
MORPHINE SULPHATE	1-6 gr. 30	1 35
MORPHINE SULPHATE	1-4 gr. 35	1 60
MORPHINE SULPHATE	1-3 gr. 50	2 35
MORPHINE SULPHATE	1-2 gr. 65	3 10
MORPHINE VALERIANATE	1-8 gr. 50	2 35
MORPHINE VALERIANATE	1-4 gr. 90	4 35
MORPHINE and ATROPINE, No. 1.		
{ Morphinae Sulph., 1-8 gr. }		
{ Atropinae, 1-100 gr. }	50	2 35
MORPHINE and ATROPINE, No. 2.		
{ Morphinae Sulph., 1-8 gr. }		
{ Atropinae, 1-60 gr. }	55	2 60
MORPHINE and ATROPINE, No. 3.		
{ Morphinae Sulph., 1-8 gr. }		
{ Atropinae, 1-30 gr. }	65	3 10
MORPHINE and BELLADONNA, No. 1.		
{ Morphinae Sulph., 1-6 gr. }		
{ Extr. Belladonnæ, 1-8 gr. }	55	2 60
MORPHINE and BELLADONNA, No. 2.		
{ Morphinae Sulph., 1-4 gr. }		
{ Extr. Belladonnæ, 1-4 gr. }	70	3 35
MORPHINE COMP.		
{ Morphinae Sulph., 1-4 gr. }		
{ Antimon. et Potass. Tart., 1-4 gr. }		
{ Hydrarg. Chlor. Mit., 1-4 gr. }	70	3 35
NAPHTHALIN	3 grs. 50	2 35
NAPHTHALIN	5 grs. 75	3 60
NEURALGIC (Gross).		
{ Quininae Sulph., 2 grs. }		
{ Morphinae Sulph., 1-20 gr. }		
{ Strychninae, 1-30 gr. }		
{ Acidi Arsenosi, 1-20 gr. }		
{ Extr. Aconiti Fol., 1-2 gr. }	1 00	4 85
NEURALGIC (Gross), half strength.....	60	2 85
NEURALGIC (Gross), without Morphine.....	90	4 35
NEURALGIC, Idiopathic, (Brown-Sequard).		
{ Extr. Hyoscyami, 2-3 gr. }		
{ Extr. Conii, 2-3 gr. }		
{ Extr. Ignatiæ Amaræ, 1-2 gr. }		
{ Extr. Opii, 1-2 gr. }		
{ Extr. Aconiti, 1-3 gr. }		
{ Extr. Cannabis Indicæ, 1-4 gr. }		
{ Extr. Stramonii, 1-5 gr. }		
{ Extr. Belladonnæ, 1-6 gr. }	90	4 35
NEURALGIC, Idiopathic, (Brown-Sequard), half strength.	55	2 60
NIGHT SWEAT.		
{ Zinci Oxidi, 1-2 gr. }		
{ Salicini, 1 gr. }		
{ Extr. Belladonnæ, 1-25 gr. }		
{ Hydrastin, 1 gr. }		
{ Pepsini Lacticat., 1-2 gr. }	50	2 35
NITROGLYCERIN	1-200 gr. 30	1 35
NITROGLYCERIN	1-150 gr. 30	1 35
NITROGLYCERIN	1-100 gr. 30	1 35
NITROGLYCERIN	1-50 gr. 30	1 35
NITROGLYCERIN.. ..	1-25 gr. 35	1 60
NUX VOMICA EXTR.....	1-8 gr. 20	85
NUX VOMICA EXTR	1-4 gr. 20	85
NUX VOMICA EXTR.....	1-2 gr. 25	1 10
OPIUM EXTR	1-8 gr. 35	1 60

G. C. and S. C. Pills and Granules.		Per Bottle of 100.	Per Bottle of 500.
OPIUM EXTR.....	1-4 gr.	\$ 45	\$2 10
OPIUM EXTR....	1-2 gr.	60	2 85
OPIUM EXTR.....	1 gr.	80	3 85
OPIUM, powd.	1-4 gr.	25	1 10
OPIUM, powd.	1-2 gr.	25	1 10
OPIUM, powd. (U. S. P.)			
{ Pulv. Opii, Gm. 0.065 about 1 gr. }			
{ Saponis, Gm. 0.02 " 3-10 gr. }		40	1 85
OPIUM and BISMUTH.			
{ Pulv. Opii, 1-2 gr. }			
{ Bismuthi Subnitr., 2 grs. }		40	1 85
OPIUM and CAMPHOR, No. 1.			
{ Pulv. Opii, 1 gr. }			
{ Camphoræ, 2 grs. }		50	2 35
OPIUM and CAMPHOR, No. 2.			
{ Pulv. Opii, 1-2 gr. }			
{ Camphoræ, 2 grs. }		35	1 60
OPIUM, CAMPHOR and TANNIC ACID.			
{ Pulv. Opii, 1-4 gr. }			
{ Camphoræ, 1 gr. }		35	1 60
{ Acidi Tannici, 2 grs. }			
OPIUM and LEAD ACETATE, No. 1.			
{ Pulv. Opii, 1-2 gr. }			
{ Plumbi Acetatis, 1 1-2 grs. }		35	1 60
OPIUM and LEAD ACETATE, No. 2.			
{ Pulv. Opii, 1 gr. }			
{ Plumbi Acetatis, 1 gr. }		40	1 85
OPIUM, TANNIN and LEAD.			
{ Pulv. Opii, 1-2 gr. }			
{ Acidi Tannici, 3 grs. }		35	1 60
{ Plumbi Acetatis, 1-2 gr. }			
OX GALL.			
{ Fel. Bovini, 2 grs. }			
{ Pulv. Zingiberis Jam., 1 gr. }		30	1 35
PARALOIN COMP.			
{ Paraloin, 1-4 gr. }			
{ Strychninæ Sulph., 1-60 gr. }			
{ Atropinæ Sulph., 1-400 gr. }		40	1 85
{ Ipecacuanhæ, 1-15 gr. }			
{ Hydrastin, 1-40 gr. }			
PEPSIN SACCHARATED (U. S. P.).....	5 grs.	40	1 85
PEPSIN and BISMUTH.			
{ Pepsini Sacch. (U. S. P.), 2 grs. }			
{ Bismuthi Subnitr., 3 grs. }		60	2 85
PEPSIN, BISMUTH and STRYCHNINE.			
{ Pepsini Sacch. (U. S. P.), 2 1-2 grs. }			
{ Bismuthi Subnitr., 2 1-2 grs. }		70	3 35
{ Strychninæ, 1-60 gr. }			
PETROLEUM	2 grs.	40	1 85
PHENACETINE (Bayer).....	2 grs.	90	4 35
PHENACETINE (Bayer).....	4 grs.	1 70	8 35
PHENACETINE (Bayer).....	5 grs.	2 00	9 85
PHENACETINE and CAFFEINE CITRATED.			
{ Phenacetine (Bayer), 3 grs. }			
{ Caffeinæ Citratis, 1 1-2 grs. }		1 45	7 10
PHENACETINE and QUININE COMP.			
{ Phenacetine (Bayer), 3 grs. }			
{ Quininæ Sulph., 2 grs. }			
{ Pulv. Ipecacuanhæ et Opii, 1-2 gr. }		2 00	9 85
{ Extr. Aconiti Radicis, 1-12 gr. }			
PHENACETINE and SALOL.			
{ Phenacetine (Bayer), 2 1-2 grs. }			
{ Salol, 2 1-2 grs. }		1 75	8 60
PHENACETINE and SALOL, half strength.....		95	4 60
PHOSPHORUS	1-150 gr.	20	85
PHOSPHORUS (U. S. P.) Gm. 0.0006.....	1-100 gr.	20	85

G. C. and S. C. Pills and Granules.

	Per Bottle of 100.	Per Bottle of 500.
PHOSPHORUS.....1-50 gr.	\$ 20	\$ 85
PHOSPHORUS1-25 gr.	20	85
PHOSPHORUS and ACONITE.		
{ Phosphori, 1-50 gr. }	25	1 10
{ Extr. Aconiti, 1-16 gr. }		
PHOSPHORUS, ALOES and NUX VOMICA.		
{ Phosphori, 1-50 gr. }	30	1 35
{ Extr. Aloes Aquosi, 1-2 gr. }		
{ Extr. Nucis Vomicae, 1-4 gr. }		
PHOSPHORUS and BELLADONNA.		
{ Phosphori, 1-100 gr. }	25	1 10
{ Extr. Belladonnae, 1-8 gr. }		
PHOSPHORUS and CANNABIS INDICA.		
{ Phosphori, 1-50 gr. }	40	1 85
{ Extr. Cannabis Indicae, 1-4 gr. }		
PHOSPHORUS and CANTHARIDES COMP.		
{ Phosphori, 1-50 gr. }	45	2 10
{ Sol. Cantharidis Con., 1 gr. }		
{ Pulv. Nucis Vomicae, 1 gr. }		
PHOSPHORUS COMP., No. 1.		
{ Phosphori, 1-100 gr. }	25	1 10
{ Extr. Nucis Vomicae, 1-4 gr. }		
PHOSPHORUS COMP., No. 2.		
{ Phosphori, 1-50 gr. }	25	1 10
{ Extr. Nucis Vomicae, 1-4 gr. }		
PHOSPHORUS COMP., No. 3.		
{ Phosphori, 1-50 gr. }	25	1 10
{ Extr. Nucis Vomicae, 1-8 gr. }		
PHOSPHORUS COMP. and IRON.		
{ Phosphori, 1-100 gr. }	35	1 60
{ Extr. Nucis Vomicae, 1-8 gr. }		
{ Ferri Pyrophos., 1-2 gr. }		
PHOSPHORUS and DIGITALIS COMP.		
{ Phosphori, 1-50 gr. }	45	2 10
{ Pulv. Digitalis, 1 gr. }		
{ Extr. Hyoscyami, 1 gr. }		
PHOSPHORUS, DIGITALIS and IRON.		
{ Phosphori, 1-50 gr. }	45	2 10
{ Pulv. Digitalis, 1 gr. }		
{ Ferri Reducti, 1 gr. }		
PHOSPHORUS and IRON, No. 1.		
{ Phosphori, 1-50 gr. }	35	1 60
{ Ferri Reducti, 1 gr. }		
PHOSPHORUS and IRON, No. 2.		
{ Phosphori, 1-100 gr. }	35	1 60
{ Ferri Reducti, 1 gr. }		
PHOSPHORUS and IRON, No. 3.		
{ Phosphori, 1-50 gr. }	40	1 85
{ Ferri Reducti, 2 grs. }		
PHOSPHORUS and IRON, No. 4.		
{ Phosphori, 1-100 gr. }	30	1 35
{ Ferri Carb., 1 gr. }		
PHOSPHORUS, IRON and NUX VOMICA, No. 1.		
{ Phosphori, 1-100 gr. }	35	1 60
{ Ferri Carb. (Vallet's), 1 gr. }		
{ Extr. Nucis Vomicae, 1-4 gr. }		
PHOSPHORUS, IRON and NUX VOMICA, No. 2.		
{ Phosphori, 1-50 gr. }	35	1 60
{ Ferri Carb. (Vallet's), 1 gr. }		
{ Extr. Nucis Vomicae, 1-4 gr. }		
PHOSPHORUS, IRON and QUININE.		
{ Phosphori, 1-100 gr. }	55	2 60
{ Ferri Carb. (Vallet's), 1 gr. }		
{ Quininae Sulph., 1 gr. }		
PHOSPHORUS, IRON, QUININE and NUX VOMICA.		
{ Phosphori, 1-100 gr. }	55	2 60
{ Ferri Carb. (Vallet's), 1 gr. }		
{ Quininae Sulph., 1 gr. }		
{ Extr. Nucis Vomicae, 1-8 gr. }		
PHOSPHORUS, IRON, QUININE and STRYCHNINE.		
{ Phosphori, 1-100 gr. }	55	2 60
{ Ferri Reducti, 1 gr. }		
{ Quininae Sulph., 1 gr. }		
{ Strychninae, 1-60 gr. }		

G. C. and S. C. Pills and Granules.

	Per Bottle of 100.	Per Bottle of 500.
PHOSPHORUS, IRON and STRYCHNINE.		
{ Phosphori, 1-100 gr. }		
{ Ferri Carb. (Vallet's), 1 gr. }	\$ 35	\$1 60
{ Strychninae, 1-60 gr. }		
PHOSPHORUS, MORPHINE and ZINC VALERIANATE.		
{ Phosphori, 1-50 gr. }		
{ Morphinae Sulph., 1-12 gr. }	85	4 10
{ Zinci Valerianatis, 1 gr. }		
PHOSPHORUS and NUX VOMICA. (See Phosphorus Comp., No. 3.)	25	1 10
PHOSPHORUS, NUX VOMICA and DAMIANA. (See Aphrodisiac).		
{ Phosphori, 1-100 gr. }		
{ Extr. Nucis Vomicae, 1-8 gr. }	60	2 85
{ Extr. Damianae, 2 grs. }		
PHOSPHORUS, OPIUM and DIGITALIS.		
{ Phosphori, 1-50 gr. }		
{ Pulv. Opii, 1-4 gr. }	50	2 35
{ Pulv. Digitalis, 1-2 gr. }		
{ Pulv. Ipecacuanhae, 1-4 gr. }		
PHOSPHORUS and QUININE.		
{ Phosphori, 1-50 gr. }	55	2 60
{ Quininae Sulph., 1 gr. }		
PHOSPHORUS and QUININE COMP.		
{ Phosphori, 1-50 gr. }		
{ Quininae Sulph., 1-2 gr. }	40	1 85
{ Ferri Reducti, 1 gr. }		
{ Strychninae, 1-60 gr. }		
PHOSPHORUS, QUININE and DIGITALIS COMP.		
{ Phosphori, 1-50 gr. }		
{ Quininae Sulph., 1-2 gr. }	55	2 60
{ Pulv. Digitalis, 1-2 gr. }		
{ Pulv. Opii, 1-4 gr. }		
{ Pulv. Ipecacuanhae, 1-4 gr. }		
PHOSPHORUS, QUININE and NUX VOMICA.		
{ Phosphori, 1-50 gr. }	55	2 60
{ Quininae Sulph., 1 gr. }		
{ Extr. Nucis Vomicae, 1-4 gr. }		
PHOSPHORUS, QUININE and STRYCHNINE.		
{ Phosphori, 1-50 gr. }	55	2 60
{ Quininae Sulph., 1 gr. }		
{ Strychninae, 1-60 gr. }		
PHOSPHORUS and STRYCHNINE, No. 1.		
{ Phosphori, 1-50 gr. }	35	1 60
{ Strychninae, 1-60 gr. }		
PHOSPHORUS and STRYCHNINE, No. 2.		
{ Phosphori, 1-100 gr. }	35	1 60
{ Strychninae, 1-60 gr. }		
PHOSPHORUS and ZINC COMP.		
{ Phosphori, 1-50 gr. }	45	2 10
{ Zinci Sulph., 1 gr. }		
{ Lupulinae, 1 gr. }		
PHOSPHORUS, ZINC and VALERIAN.		
{ Phosphori, 1-40 gr. }	45	2 10
{ Zinci Sulph., 1 gr. }		
{ Extr. Valerianae, 2 grs. }		
PICROTOXIN1-80 gr.	30	1 35
PICROTOXIN1-60 gr.	35	1 60
PILOCARPINE HYDROCHLORATE1-8 gr.	1 20	5 85
PLUMMER'S. (See Antimony Comp., U. S. P.)	25	1 10
PODOPHYLLIN (Res. Podophylli, U. S. P.)1-20 gr.	20	85
PODOPHYLLIN1-16 gr.	20	85
PODOPHYLLIN1-10 gr.	20	85
PODOPHYLLIN1-8 gr.	20	85
PODOPHYLLIN1-6 gr.	20	85
PODOPHYLLIN1-5 gr.	20	85
PODOPHYLLIN1-4 gr.	20	85
PODOPHYLLIN1-2 gr.	25	1 10
PODOPHYLLIN1 gr.	40	1 85
PODOPHYLLIN and BELLADONNA.		
{ Res. Podophylli, 1-4 gr. }		
{ Extr. Belladonnae, 1-8 gr. }	45	2 10
{ Oleores. Capsici, 1-4 gr. }		
{ Sacchari Lactis, 1 gr. }		

G. C. and S. C. Pills and Granules.

	Per Bottle of 100.	Per Bottle of 500.
PODOPHYLLIN and BLUE MASS, No. 1.		
{ Res. Podophylli, 1-4 gr. }		
{ Mass. Hydrargyri, 2 grs. }	\$ 30	\$1 35
PODOPHYLLIN and BLUE MASS, No. 2.		
{ Res. Podophylli, 1-2 gr. }		
{ Mass. Hydrargyri, 2 1-2 grs. }	40	1 85
PODOPHYLLIN COMP., No. 1.		
{ Res. Podophylli, 1-2 gr. }		
{ Extr. Hyoseyami, 1-8 gr. }	40	1 85
{ Extr. Nucis Vomicae, 1-16 gr. }		
PODOPHYLLIN COMP., No. 2.		
{ Res. Podophylli, 1-4 gr. }		
{ Extr. Hyoseyami, 1-4 gr. }		
{ Extr. Colocynth. Comp., 1 gr. }	35	1 60
{ Hydrarg. Chlor. Mit., 1 gr. }		
PODOPHYLLIN COMP., Eclectic.		
{ Podophyllin, 1-8 gr. }		
{ Leptandrin, 1-16 gr. }		
{ Juglandin, 1-16 gr. }	35	1 60
{ Macrotin, 1-32 gr. }		
{ Oleores. Capsicum, 1-32 gr. }		
PODOPHYLLIN COMP. (Janeway).		
{ Res. Podophylli, 1-2 gr. }		
{ Aloes Purif., 1 gr. }	45	2 10
{ Extr. Belladonnae Fol., 1-4 gr. }		
{ Extr. Nucis Vomicae, 1-4 gr. }		
PODOPHYLLIN and HYOSCYAMUS.		
{ Res. Podophylli, 1-2 gr. }	35	1 60
{ Extr. Hyoseyami, 1-2 gr. }		
PODOPHYLLIN and LEPTANDRIN.		
{ Res. Podophylli, 1-2 gr. }	45	2 10
{ Res. Leptandrae, 1 gr. }		
POST-PARTUM (Fordyce Barker).		
{ Extr. Colocynth. Comp., 1 1-2 grs. }		
{ Hydrarg. Chlor. Mit., 1 1-2 grs. }		
{ Extr. Hyoseyami, 1-3 gr. }		
{ Extr. Nucis Vomicae, 1-6 gr. }	50	2 35
{ Aloes Purif., 1-6 gr. }		
{ Pulv. Ipecacuanhae, 1-6 gr. }		
POTASSIUM BROMIDE1 gr.	25	1 10
POTASSIUM BROMIDE5 grs.	35	1 60
POTASSIUM IODIDE (sugar-coated only)2 grs.	55	2 60
POTASSIUM IODIDE (sugar-coated only) 5 grs.	85	4 10
POTASSIUM PERMANGANATE1-8 gr.	20	85
POTASSIUM PERMANGANATE1-4 gr.	20	85
POTASSIUM PERMANGANATE1-2 gr.	25	1 10
POTASSIUM PERMANGANATE1 gr.	30	1 35
POTASSIUM PERMANGANATE2 grs.	40	1 85
POTASSIUM PERMANGANATE3 grs.	35	1 60
POTASSIUM PERMANGANATE5 grs.	40	1 85
QUINIDINE SULPHATE1 gr.	30	1 35
QUINIDINE SULPHATE2 grs.	40	1 85
QUINIDINE SULPHATE3 grs.	50	2 35
QUININE and ACETANILID.		
{ Quininæ Sulph., 2 1-2 grs. }		
{ Acetanilid, 2 1-2 grs. }	60	2 85
QUININE and ACONITE.		
{ Quininæ Sulph., 2 grs. }		
{ Tinct. Aconiti (Fleming), 1 gr. }	60	2 85
QUININE, ALOES and STRYCHNINE COMP., mild. (Hubbard.)		
{ Quininæ Sulph., 1 gr. }		
{ Aloes Purif., 1-2 gr. }		
{ Piperinæ, 1-2 gr. }	1 00	4 85
{ Strychninæ Sulph., 1-50 gr. }		
QUININE, ALOES and STRYCHNINE COMP., strong. (Hubbard.)		
{ Quininæ Sulph., 1 1-2 grs. }		
{ Aloes Purif., 2-3 gr. }		
{ Piperinæ, 2-3 gr. }	1 00	4 85
{ Strychninæ Sulph., 1-40 gr. }		

G. C. and S. C. Pills and Granules.

	Per Bottle of 100.	Per Bottle of 500.
QUININE and ANTIPYRINE (Simms).		
{ Quininæ Sulph., 1 1-2 grs. }	\$2 25	\$11 10
{ Antipyrine, 2 1-2 grs. }		
QUININE and ARSENOUS ACID.		
{ Quininæ Sulph., 1 gr. }	50	2 35
{ Acidi Arsenosi, 1-30 gr. }		
QUININE and BELLADONNA.		
{ Quininæ Sulph., 1 gr. }	50	2 35
{ Extr. Belladonnæ, 1-2 gr. }		
QUININE BI-SULPHATE1-2 gr.		
QUININE BI-SULPHATE1 gr.		
QUININE BI-SULPHATE2 grs.		
QUININE BI-SULPHATE3 grs.		
QUININE BI-SULPHATE4 grs.		
QUININE BI-SULPHATE (gelatin-coated only)5 grs.		
QUININE and BLUE MASS.		
{ Quininæ Sulph., 1 gr. }		
{ Mass. Hydrargyri, 2 grs. }	50	2 35
{ Oleores. Piper. Nig., 1-4 gr. }		
QUININE BROMIDE. (See Quinine Hydrobromate.)		
QUININE and CAPSICUM, No. 1.		
{ Quininæ Sulph., 1 gr. }	40	1 85
{ Pulv. Capsici, 1-4 gr. }		
QUININE and CAPSICUM, No. 2.		
{ Quininæ Sulph., 2 grs. }	45	2 10
{ Pulv. Capsici, 1-2 gr. }		
QUININE and CAPSICUM, No. 3.		
{ Quininæ Sulph., 1 gr. }	40	1 85
{ Pulv. Capsici, 1 gr. }		
QUININE COMP., No. 1.		
{ Quininæ Sulph., 1 gr. }		
{ Ferri Carb. (Vallet's), 2 grs. }	50	2 35
{ Acidi Arsenosi, 1-60 gr. }		
QUININE COMP., No. 2.		
{ Quininæ Sulph., 1 gr. }		
{ Ferri Reducti, 1 gr. }	50	2 35
{ Acidi Arsenosi, 1-32 gr. }		
QUININE COMP., No. 3.		
{ Quininæ Sulph., 1 gr. }		
{ Ferri Reducti, 1 gr. }	50	2 35
{ Acidi Arsenosi, 1-60 gr. }		
QUININE COMP. and TARAXACUM.		
{ Quininæ Bi-Sulph., 1 1-4 grs. }		
{ Ferri Sulph. Exsic., 2 grs. }		
{ Acidi Arsenosi, 1-24 gr. }	60	2 85
{ Extr. Taraxaci, 1 1-4 grs. }		
QUININE and DOVER'S POWDER.		
{ Quininæ Sulph., 5 grs. }	1 10	5 35
{ Pulv. Ipecacuanhæ et Opii, 2 grs. }		
QUININE HYDROBROMATE1 gr.	50	2 35
QUININE HYDROBROMATE2 grs.	75	3 60
QUININE HYDROBROMATE3 grs.	1 10	5 35
QUININE HYDROCHLORATE1 gr.	45	2 10
QUININE HYDROCHLORATE2 grs.	65	3 10
QUININE HYDROCHLORATE3 grs.	90	4 35
QUININE HYDROCHLORATE COMP. (Hann).		
{ Quininæ Hydrochlor., 5 grs. }		
{ Ferri Sulph. Exsic., 2 grs. }		
{ Extr. Digitalis, 1-4 gr. }	2 00	9 85
{ Acidi Arsenosi, 1-50 gr. }		
QUININE HYDROCHLORATE COMP. (Hann), half strength.....	1 25	6 10
QUININE, IODOFORM and IRON.		
{ Quininæ Sulph., 1-2 gr. }		
{ Iodoformi, 1 gr. }	60	2 85
{ Ferri Carb. (Vallet's), 2 grs. }		
QUININE and IRON.		
{ Quininæ Sulph., 1 gr. }	50	2 35
{ Ferri Reducti, 1 gr. }		

G. C. and S. C. Pills and Granules.

	Per Bottle of 100.	Per Bottle of 500.
QUININE and IRON CARBONATE.		
{ Quininae Sulph., 1 gr. }		
{ Ferri Carb. (Vallet's), 2 grs. }	\$ 45	\$2 10
QUININE and IRON CITRATE1 gr.	20	85
QUININE and IRON CITRATE2 grs.	30	1 35
QUININE and IRON CITRATE3 grs.	40	1 85
QUININE and IRON CITRATE5 grs.	60	2 85
QUININE and IRON CITRATE with STRYCHNINE.		
{ Quininae et Ferri Citratis, 2 grs. }		
{ Strychninae, 1-60 gr. }	55	2 60
QUININE, IRON and NUX VOMICA.		
{ Quininae Sulph., 1 gr. }		
{ Ferri Carb. (Vallet's), 2 grs. }	50	2 35
{ Extr. Nucis Vomicae, 1-4 gr. }		
QUININE, IRON and STRYCHNINE, No. 1.		
{ Quininae Sulph., 1 gr. }		
{ Ferri Carb. (Vallet's), 2 grs. }	50	2 35
{ Strychninae Sulph., 1-60 gr. }		
QUININE, IRON and STRYCHNINE, No. 2.		
{ Quininae Sulph., 1 gr. }		
{ Ferri Reducti, 1 gr. }	50	2 35
{ Strychninae, 1-60 gr. }		
QUININE, IRON and STRYCHNINE PHOSPHATES,		
No. 1.		
{ Quininae Phosphatis, 1 gr. }		
{ Ferri Phosphatis, 1 gr. }	65	3 10
{ Strychninae Phosphatis, 1-60 gr. }		
QUININE, IRON and STRYCHNINE PHOSPHATES,		
No. 2.		
{ Quininae Phosphatis, 2 grs. }		
{ Ferri Phosphatis, 1 gr. }	1 00	4 85
{ Strychninae Phosphatis, 1-60 gr. }		
QUININE and IRON VALERIANATE.		
{ Quininae Sulph., 1 1-2 grs. }		
{ Ferri Valerianatis, 1-2 gr. }	80	3 85
QUININE, IRON and STRYCHNINE VALERIANATES.		
{ Quininae Valerianatis, 1 gr. }		
{ Ferri Valerianatis, 1 gr. }	1 00	4 85
{ Strychninae Valerianatis, 1-60 gr. }		
QUININE, IRON and ZINC VALERIANATES.		
{ Quininae Valerianatis, 1 gr. }		
{ Ferri Valerianatis, 1 gr. }	95	4 60
{ Zinci Valerianatis, 1 gr. }		
QUININE, IRON and ZINC VALERIANATES (½ strength)		
	50	2 35
QUININE, IRON and ZINC VALERIANATES with		
CANNABIS INDICA.		
{ Quininae Valerianatis, 1 gr. }		
{ Ferri Valerianatis, 1 gr. }	1 00	4 85
{ Zinci Valerianatis, 1 gr. }		
{ Extr. Cannabis Indicae, 1-4 gr. }		
QUININE and PHENACETINE. (Gelatin-coated only.)		
{ Quininae Sulph., 2 1-2 grs. }	1 75	8 60
{ Phenacetine, (Bayer), 2 1-2 grs. }		
QUININE SALICYLATE1 gr.	40	1 85
QUININE SALICYLATE2 grs.	70	3 35
QUININE SALICYLATE2 1-2 grs.	85	4 10
QUININE SALICYLATE3 grs.	1 00	4 85
QUININE SALICYLATE4 grs.	1 30	6 35
QUININE SALICYLATE5 grs.	1 60	7 85
QUININE and SALOL. (See Salol and Quinine).....	90	4 35
QUININE and STRYCHNINE.		
{ Quininae Sulph., 1 gr. }		
{ Strychninae, 1-60 gr. }	50	2 35
QUININE and STRYCHNINE COMP.		
{ Quininae Sulph., 1 gr. }		
{ Strychninae, 1-20 gr. }		
{ Ferri Reducti, 1 1-2 grs. }	60	2 85
{ Acidi Arsenosi, 1-20 gr. }		

In ordering our Preparations through dealers, please specify SHARP & DOHME'S.

G. C. and S. C. Pills and Granules.

	Per Bottle of 100.	Per Bottle of 500.
QUININE SULPHATE	1-4 gr.	
QUININE SULPHATE	1-2 gr.	
QUININE SULPHATE	1 gr.	
QUININE SULPHATE	2 grs.	
QUININE SULPHATE	2 1-2 grs.	
QUININE SULPHATE	3 grs.	
QUININE SULPHATE	4 grs.	
QUININE SULPHATE	5 grs.	
QUININE VALERIANATE	1-2 gr.	\$ 35
QUININE VALERIANATE	1 gr.	60
QUININE VALERIANATE	2 grs.	80
QUINQUINIA COMP. (Hann).		
{ Quinquinæ, 8 grs. }		
{ Ferri Sulph. Exsic., 1 1-5 grs. }		
{ Acidi Arsenosi, 1-60 gr. }	2 85	14 10
{ Extr. Digitalis, 1-4 gr. }		
QUINQUINIA COMP. (Hann), half strength.....	1 50	7 35
RHEUMATIC.		
{ Extr. Colocynth. Comp., 1 1-2 grs. }		
{ Extr. Colchici Acet., 1 gr. }		
{ Extr. Hyoscyami, 1-3 gr. }	50	2 35
{ Hydrarg. Chlor. Mit., 1-3 gr. }		
RHEUMATIC (Lösch).		
{ Sodii Salicylatis, 3 grs. }		
{ Extr. Colchici Sem., 1-2 gr. }	75	3 60
{ Extr. Phytolacæ, 1-2 gr. }		
RHUBARB (U. S. P.)		
{ Pulv. Rhei, Gm. 0.2 about 3 grs. }		
{ Pulv. Saponis, Gm. 0.06 " 1 gr. }	40	1 85
RHUBARB and BLUE MASS.		
{ Pulv. Rhei, 1 gr. }		
{ Mass. Hydrargyri, 2 grs. }	40	1 85
{ Sodii Carb. Exsic., 1-2 gr. }		
RHUBARB COMP. (U. S. P.)		
{ Pulv. Rhei, Gm. 0.13 about 2 grs. }		
{ Aloes Purif., Gm. 0.1 " 1 1-2 grs. }		
{ Myrrhæ, Gm. 0.06 " 1 gr. }	40	1 85
{ Ol. Ment. Piper., Gm. 0.005 " 1-13 gr. }		
RHUBARB and IRON.		
{ Pulv. Rhei, 2 grs. }		
{ Ferri Sulph. Exsic., 1 gr. }	40	1 85
SACCHARIN	1 gr.	75 3 60
SALICIN	2 grs.	50 2 35
SALICIN	2 1-2 grs.	55 2 60
SALICIN	3 grs.	60 2 85
SALICIN (gelatin-coated only).....	5 grs.	90 4 35
SALINE and CHALYBEATE TONIC (Flint).		
{ Sodii Chlorid., 3 grs. }		
{ Potass. Chlorid., 3-20 gr. }		
{ Potass. Sulph., 1-10 gr. }		
{ Potass. Carb., 1-20 gr. }		
{ Sodii Carb., 3-5 gr. }		
{ Magnes. Carb., 1-20 gr. }	30	1 35
{ Calcii Phos. precip., 1-2 gr. }		
{ Calcii Carb. precip., 1-20 gr. }		
{ Ferri Reducti, 9-20 gr. }		
{ Ferri Carb. (Vallet's), 1-20 gr. }		
SALOL	2 1-2 grs.	70 3 35
SALOL	3 grs.	80 3 85
SALOL (gelatin-coated only)	5 grs.	1 00 4 85
SALOL and PHENACETINE. (See Phenacetine and Salol.)		
SALOL and QUININE. (Gelatin-coated only.)		
{ Salol, 2 1-2 grs. }		
{ Quinina Sulph. 2 1-2 grs. }	90	4 35
SALUTIS (Thomas).		
{ Aloin, 1-2 gr. }		
{ Extr. Hyoscyami, 1-2 gr. }		
{ Extr. Nucis Vomicae, 1-8 gr. }	40	1 85
{ Extr. Belladonnae, 1-16 gr. }		
SANDAL WOOD COMP.		
{ Ol. Santali, 1 gr. }		
{ Copaibæ, 1 gr. }	65	3 10
{ Extr. Cubebæ, 1 gr. }		

G. C. and S. C. Pills and Granules.

	Per Bottle of 100.	Per Bottle of 500.
SANTONIN.....1 gr.	\$ 40	\$1 85
SANTONIN and CALOMEL.		
{ Santonini, 1-2 gr. }	35	1 60
{ Hydrarg. Chlor. Mit., 1-2 gr. }		
SEDATIVE.		
{ Extr. Sumbul, 1-2 gr. }	45	2 10
{ Extr. Valerianæ, 1-2 gr. }		
{ Extr. Hyoscyami, 1-2 gr. }		
{ Extr. Cannabis Indicæ, 1-10 gr. }		
SENECIN1-8 gr.	30	1 35
SILVER CYANIDE.....1-30 gr.	25	1 10
SILVER IODIDE1-4 gr.	45	2 10
SILVER NITRATE (gelatin-coated only).....1-8 gr.	35	1 60
SILVER NITRATE (gelatin-coated only).....1-4 gr.	40	1 85
SILVER NITRATE and OPIUM, No. 1 (gelatin-coated only).		
{ Argent. Nitratis, 1-4 gr. }	60	2 85
{ Pulv. Opii, 1 gr. }		
SILVER NITRATE and OPIUM, No. 2 (gelatin-coated only).		
{ Argent. Nitratis, 1-2 gr. }	70	3 35
{ Pulv. Opii, 1 gr. }		
SILVER OXIDE.....1-4 gr.	75	3 60
SODIUM ARSENATE1-10 gr.	20	85
SODIUM CHOLEATE5 grs.	60	2 85
SQUILL COMP.		
{ Pulv. Scillæ, 1-2 gr. }	30	1 35
{ Pulv. Zingiber. Jam., 1 gr. }		
{ Ammoniaci, 1 gr. }		
{ Pulv. Saponis, 1 1-2 grs. }		
STOMACHIC. (See Aloes and Mastic, U. S. P.).....	25	1 10
STROPHANTHUS SEED (equal to 1 min. Tinct.).1-20 gr.	35	1 60
STROPHANTHUS SEED (equal to 5 min. Tinct.).1-4 gr.	60	2 85
STRYCHNINE1-200 gr.	20	85
STRYCHNINE1-100 gr.	20	85
STRYCHNINE1-80 gr.	20	85
STRYCHNINE1-60 gr.	20	85
STRYCHNINE1-50 gr.	20	85
STRYCHNINE1-48 gr.	20	85
STRYCHNINE1-40 gr.	20	85
STRYCHNINE1-32 gr.	20	85
STRYCHNINE1-30 gr.	20	85
STRYCHNINE1-25 gr.	20	85
STRYCHNINE1-20 gr.	20	85
STRYCHNINE1-16 gr.	20	85
STRYCHNINE1-10 gr.	20	85
STRYCHNINE ARSENITE.....1-100 gr.	20	85
STRYCHNINE ARSENITE.....1-60 gr.	30	1 35
STRYCHNINE ARSENITE1-50 gr.	30	1 35
STRYCHNINE ARSENITE1-30 gr.	30	1 35
STRYCHNINE COMP.		
{ Strychninæ, 1-100 gr. }	45	2 10
{ Phosphori, 1-100 gr. }		
{ Extr. Cannabis Indicæ, 1-16 gr. }		
{ Panacis, 1 gr. }		
{ Ferri Carb., 1 gr. }		
STRYCHNINE NITRATE.....1-100 gr.	20	85
STRYCHNINE NITRATE.....1-60 gr.	25	1 10
STRYCHNINE NITRATE.....1-50 gr.	25	1 10
STRYCHNINE NITRATE.....1-40 gr.	25	1 10
STRYCHNINE NITRATE.....1-30 gr.	25	1 10
STRYCHNINE NITRATE.....1-20 gr.	25	1 10
STRYCHNINE SULPHATE.		
Sizes and prices same as Strychnine.		
SUMBUL COMP. (Goodell.)		
{ Extr. Sumbul, 1 gr. }	50	2 35
{ Ferri Sulph. Exsic., 1 gr. }		
{ Asafoetidæ, 2 grs. }		
{ Acidi Arsenosi, 1-40 gr. }		

G. C. and S. C. Pills and Granules.		Per Bottle of 100.	Per Bottle of 500.
SUMBUL APERIENT (Shoemaker).			
{ Extr. Sumbul,	1 gr. }		
{ Asafoetida,	1 gr. }		
{ Extr. Nucis Vomicae,	1-8 gr. }		
{ Extr. Cascaræ Sagradae,	1-2 gr. }	\$ 75	\$3 60
{ Aloin,	1-4 gr. }		
{ Gingerine,	1-4 gr. }		
SYPHILITIC (sugar-coated only).			
{ Potass. Iodidi,	2 1-2 grs. }	60	2 85
{ Hydrarg. Chlor. Corros.,	1-40 gr. }		
TARAXACUM EXTR	3 grs.	25	1 10
TERPIN HYDRATE	2 grs.	40	1 85
TERPIN HYDRATE	5 grs.	75	3 60
THREE VALERIANATES and GOLD.			
{ Quininæ Valerianatis,	1-2 gr. }		
{ Ferri Valerianatis,	1-2 gr. }		
{ Zinci Valerianatis,	1 gr. }	1 00	4 85
{ Auri et Sodii Chloridi,	1-40 gr. }		
THREE VALERIANATES and SUMBUL. (Manton.)			
{ Quininæ Valerianatis,	1 gr. }		
{ Ferri Valerianatis,	1-2 gr. }	1 40	6 85
{ Zinci Valerianatis,	1 gr. }		
{ Extr. Sumbul,	2 grs. }		
TONIC.			
{ Extr. Gentianæ,	1 gr. }		
{ Extr. Humuli,	1-2 gr. }		
{ Ferri Carb. Sacch.,	1-4 gr. }		
{ Extr. Nucis Vomicae,	1-20 gr. }	30	1 35
{ Res. Podophylli,	1-25 gr. }		
{ Oleores. Zingiberis,	1-10 gr. }		
TONIC (Aiken).			
{ Quininæ Sulph.,	1 gr. }		
{ Acidi Arsenosi,	1-50 gr. }	55	2 60
{ Strychninæ,	1-50 gr. }		
{ Ferri Reducti,	2-3 gr. }		
TONIC (Andrew).			
{ Quininæ Sulph.,	1 gr. }		
{ Ferri Reducti,	1 1-2 grs. }		
{ Acidi Arsenosi,	1-40 gr. }	75	3 60
{ Pulv. Ipecacuanhæ,	1-8 gr. }		
{ Strychninæ Sulph.,	1-40 gr. }		
TONIC (Hooper).			
{ Quininæ Sulph.,	1 gr. }		
{ Ferri Carb.,	1 gr. }	55	2 60
{ Strychninæ Sulph.,	1-30 gr. }		
{ Acidi Arsenosi,	1-30 gr. }		
TRIPLEX.			
{ Aloes Purif.,	2 grs. }		
{ Mass. Hydrargyri,	1 gr. }	30	1 35
{ Res. Podophylli,	1-4 gr. }		
TRIPLEX (Francis).			
{ Aloes Purif.,	1 1-5 grs. }		
{ Scammonii,	1 1-5 grs. }		
{ Mass. Hydrargyri,	1 1-5 grs. }	40	1 85
{ Ol. Tiglii,	1-20 gr. }		
{ Ol. Carui,	1-5 gr. }		
{ Tinct. Aloes et Myrrhæ,	1-4 gr. }		
TRIPLE VALERIANATES. (See Quinine, Iron and Zinc Valerianates.)			
VALERIAN EXTR	1 gr.	30	1 35
VALERIAN EXTR	2 grs.	40	1 85
VALERIAN EXTR	3 grs.	50	2 35
VERATRINE SULPH	1-12 gr.	30	1 35
WARBURG'S TINCTURE (rep. one-half drachm each)		50	2 35
WARBURG'S TINCTURE (rep. one drachm each)		60	2 85
WARBURG'S TINCTURE (rep. two drachms each)		1 10	5 35
WARBURG'S TINCTURE (rep. one drachm each without Aloes).....		60	2 85

G. C. and S. C. Pills and Granules.

	Per Bottle of 100.	Per Bottle of 500.
ZINC PHOSPHIDE.....1-10 gr.	\$ 25	\$1 10
ZINC PHOSPHIDE.....1-8 gr.	25	1 10
ZINC PHOSPHIDE.....1-6 gr.	30	1 35
ZINC PHOSPHIDE.....1-4 gr.	35	1 60
ZINC PHOSPHIDE.....1-2 gr.	40	1 85
ZINC PHOSPHIDE COMP. { Zinci Phosphidi, 1-10 gr. } { Ferri Reducti, 1 gr. } { Extr. Nucis Vomicae, 1-4 gr. } { Cannabis Indicae, 1-4 gr. }	50	2 35
ZINC PHOSPHIDE and NUX VOMICA. (Hammond.) { Zinci Phosphidi, 1-8 gr. } { Extr. Nucis Vomicae, 1-4 gr. }	35	1 60
ZINC SULPHOCARBOLATE. (Discontinued.)		
ZINC VALERIANATE.....1-2 gr.	30	1 35
ZINC VALERIANATE.....1 gr.	30	1 35
ZINC VALERIANATE.....2 grs.	45	2 10
ZINC VALERIANATE.....3 grs.	60	2 85
ZINC VALERIANATE (gelatin-coated only).....5 grs.	90	4 35

Enteric Pills.

This coating is especially recommended as a covering for pill masses composed of drugs that are liable to produce gastric irritation or of such remedies as are intended to act in the intestines and which may be modified by contact with the gastric juice, as pills thus coated pass through the stomach intact and are dissolved in the intestinal tract.

ENTERIC PILLS.

	Per Bottle of 100.	Per Bottle of 500.
CALCIUM SULPHIDE.....1-4 gr.	\$ 40	\$1 85
CALOMEL.....1-4 gr.	40	1 85
CALOMEL.....1-2 gr.	40	1 85
CALOMEL.....1 gr.	50	2 35
CALOMEL.....2 grs.	50	2 35
CALOMEL.....3 grs.	50	2 35
CORROSIVE SUBLIMATE.....1-100 gr.	40	1 85
CORROSIVE SUBLIMATE.....1-50 gr.	40	1 85
CORROSIVE SUBLIMATE.....1-20 gr.	40	1 85
CORROSIVE SUBLIMATE.....1-16 gr.	40	1 85
CORROSIVE SUBLIMATE.....1-8 gr.	50	2 35
CREOSOTE.....1-2 gr.	50	2 35
CREOSOTE.....1 gr.	50	2 35
CREOSOTE.....2 grs.	60	2 85
CREOSOTE.....3 grs.	70	3 35
MERCURIC CHLORIDE CORROSIVE. (See Corrosive Sub- limate.)		
MERCURIC IODIDE, RED.....1-4 gr.	40	1 85
MERCUROUS CHLORIDE, MILD. (See Calomel.)		
MERCUROUS IODIDE, YELLOW.....1-4 gr.	40	1 85
MERCURY, YELLOW IODIDE. (See Mercurous Iodide, Yellow.)		
MERCURY, RED IODIDE. (See Mercuric Iodide, Red.)		
PANCREATIN.....1 gr.	50	2 35
PODOPHYLLIN.....1-4 gr.	40	1 85
PODOPHYLLIN.....1-2 gr.	50	2 35
SILVER NITRATE.....1-4 gr.	60	2 85

PINK GRANULES,

SUGAR-COATED.

Designed for the administration of medicines in doses for children, and for frequent repetition in case of adults.

PINK GRANULES.

	Per Bottle of 100.	Per Bottle of 500.
ACID, ARSENOUS (Arsenious)	1-100 gr.	\$ 20 \$ 85
ACID, SALICYLIC	1-10 gr.	20 85
ACID, TANNIC	1-20 gr.	20 85
ACONITE ROOT	1-20 gr.	20 85
ALOIN	1-10 gr.	20 85
ALUM	1-10 gr.	20 85
AMMONIUM CHLORIDE	1-10 gr.	20 85
ANODYNE.		
{ Camphoræ, 1-8 gr. }		
{ Extr. Hyoscyami, 1-8 gr. }		
{ Morphinae Acetatis, 1-160 gr. }	20	85
{ Oleores. Capsici, 1-160 gr. }		
ANTI-CHILL.		
{ Chinoidini, 1-16 gr. }		
{ Ferri Ferrocyanid., 1-8 gr. }		
{ Acidi Arsenosi, 1-320 gr. }	20	85
{ Oleores. Piper. Nig., 1-16 gr. }		
ARNICA FLOWERS	1-5 gr.	20 85
ARSENIC IODIDE	1-100 gr.	20 85
BELLADONNA LEAVES	1-20 gr.	20 85
CALOMEL	1-20 gr.	20 85
CALOMEL	1-10 gr.	20 85
CALOMEL	1-8 gr.	20 85
CALOMEL	1-6 gr.	20 85
CAMPHOR	1-20 gr.	20 85
CANTHARIDES	1-50 gr.	20 85
CAPSICUM	1-20 gr.	20 85
CORROSIVE SUBLIMATE	1-100 gr.	20 85
DIGITALIS	1-20 gr.	20 85
ERGOTIN	1-10 gr.	20 85
IRON, REDUCED	1-10 gr.	20 85
GELSEMIUM	1-50 gr.	20 85
HYDRASTIN, Resinoid	1-20 gr.	20 85
IODOFORM	1-20 gr.	20 85
IPECAC	1-50 gr.	20 85
MERCURY with CHALK	1-10 gr.	20 85
MORPHINE SULPHATE	1-50 gr.	20 85
NUX VOMICA	1-50 gr.	20 85
OPIUM	1-40 gr.	20 85
PIPERIN	1-20 gr.	20 85
PODOPHYLLIN	1-40 gr.	20 85
POTASSIUM ARSENITE	1-100 gr.	20 85
POTASSIUM BROMIDE	1-5 gr.	20 85
POTASSIUM NITRATE	1-10 gr.	20 85
QUININE SULPHATE	1-10 gr.	20 85
SANTONIN	1-10 gr.	20 85
STRYCHNINE	1-100 gr.	20 85
TARTAR EMETIC	1-100 gr.	20 85

Granular Effervescent Salts.

This elegant form of medicinal agents will commend itself to physicians as being very acceptable to the patient, since it renders agreeable to the palate medicines otherwise nauseous. Some remedies are better borne by the stomach when administered in this effervescing form.

Each drachm represents the ingredients specified.

Eff. Vichy, Pullna, Congress, etc., approximately represent the Several Natural Mineral Waters.

Per dozen 2 oz. Bottles.	Per dozen 4 oz. Bottles.
-----------------------------------	-----------------------------------

ACID, SALICYLIC	10 grs.	\$3 75	\$6 00
AMMONIUM BROMIDE	2 grs.	3 50	5 50
BISMUTH CITRATE	2 grs.	4 75	8 00
CAFFEINE CITRATED	1 gr.	3 25	5 00
CAFFEINE HYDROBROMATE	1 gr.	3 25	5 00
CAFFEINE HYDROBROMATE, English style		2 75	4 00
CAFFEINE and POTASSIUM BROMIDE.			
{ Caffeine Hydrobromate, 1 gr. }			
{ Potassium Bromide, 10 grs. }		3 75	6 00
CAFFEINE and SODIUM BROMIDE.			
{ Caffeine Hydrobromate, 1 gr. }			
{ Sodium Bromide, 5 grs. }		3 75	6 00
CERIUM NITRATE	2 grs.	4 25	7 00
CERIUM OXALATE	2 grs.	3 25	5 00
CONGRESS		3 00	4 50
CRAB ORCHARD		3 00	4 50
FRIEDRICHSHALLE		3 25	5 00
HEADACHE		3 00	4 50
(For price and description of packages see page 110.)			
KISSINGEN		3 00	4 50
LITHIUM BENZOATE	4 grs.	5 75	10 00
LITHIUM BROMIDE	5 grs.	5 75	10 00
LITHIUM CITRATE	4 grs.	5 75	10 00
LITHIUM SALICYLATE	10 grs.	5 75	10 00
LITHIATED POTASH (Lithium and Potassium Comp.)			
{ Lithium Bicarbonate, 10 grs. }			
{ Potassium Bicarbonate, 10 grs. }			
{ Sodium Bicarbonate, 10 grs. }		5 75	10 00
MAGNESIUM, Aperient.			
{ Magnesium Sulphate, 3 grs. }			
{ Sodium Tartrate and Citrate, 57 grs. }		3 00	4 50
MAGNESIUM CITRATE	12 grs.	3 00	4 50
MAGNESIUM CITRATE, English style		2 50	3 50
PEPSIN, Saccharated, U. S. P.	10 grs.	5 00	8 50
PEPSIN and BISMUTH.			
{ Pepsin, Saccharated, U. S. P., 5 grs. }			
{ Bismuth, Ammonio-Citrate, 2 grs. }		5 00	8 50
PEPSIN, BISMUTH and STRYCHNINE.			
{ Pepsin, Saccharated, U. S. P., 5 grs. }			
{ Bismuth, Ammonio-Citrate, 2 grs. }			
{ Strychnine, 1-100 gr. }		5 00	8 50
PHOSPHATES COMP. (Chemical Food).			
{ Calcium Phosphate, 2 grs. }			
{ Iron Phosphate, 1 gr. }			
{ Sodium Phosphate, 1-2 gr. }			
{ Potassium Phosphate, 1-2 gr. }		3 25	5 00
POTASSIUM BENZOATE	2 grs.	4 50	7 50
POTASSIUM BICARBONATE	10 grs.	3 00	4 50
POTASSIUM BROMIDE	10 grs.	3 50	5 50
POTASSIUM CITRATE	10 grs.	3 50	5 50
POTASSIUM NITRATE	5 grs.	3 00	4 50
PULLNA		3 00	4 50
QUININE CITRATE	1 gr.	5 75	10 00
ROCHELLE		3 25	5 00
SEIDLITZ MIXTURE		3 25	5 00
SELTZER		3 25	5 00
SODIUM BENZOATE	10 grs.	4 75	8 00
SODIUM BICARBONATE	10 grs.	3 00	4 50
SODIUM BROMIDE	10 grs.	3 50	5 50
SODIUM PHOSPHATE	30 grs.	3 75	6 00
SODIUM SALICYLATE	10 grs.	4 50	7 50
VICHY		3 00	4 50

In ordering our Preparations through dealers, please specify SHARP & DOHME'S.

Soluble Hypodermic Tablets.

UNDERGO NO CHANGE FROM AGE.

Always Ready for Instant Use. Never Cause Local Irritation.

These Tablets, combining every possible merit, are confidently offered to the medical profession.

They are perfectly and quickly soluble in warm or cold water.

They are **accurate in dose**, and retain their activity and strength **unchanged for any length of time**.

They are **entirely bland and unirritating**, and will not cause abscesses.

Their **portability and instantaneous readiness** for use will be fully appreciated by every physician who has experienced the annoyances and disappointments attending the use of solutions, which are bulky and prone to decomposition and deterioration.

They have been most carefully and fully tested by competent physicians in hospital and private practice, hence we can recommend them with undoubting confidence.

Directions for use:—Drop a tablet into the barrel of the syringe, add ten (10) minims of pure cold or warm water, close the opening and shake a few seconds; a perfectly limpid solution results.

They may also be administered by the mouth.

A brief summary of Hypodermic Medication and samples of our tablets will be mailed to physicians on application.

Special Formulæ made to order in lots of 1000 or more.

For description and prices of our Hypodermic Syringes and Cases, see pages 111 and 112.

CAN BE SENT BY MAIL IF DESIRED.		Per Bottle of 100.	Per 100 in tubes of 20.	Per Tube of 20.
ACONITINE, Pure, Crystallized1-120 gr.		\$ 70	\$ 85	\$ 18
(See note 2.)				
ANESTHETIC (local). (See note 6.)				
No. 1.	{ Cocaine Hydrochlorate, 1-5 gr. Morphine Hydrochlorate, 1-40 gr. Sodium Chloride C. P., 1-5 gr. } 1 40	1 55	32
No. 2.	{ Cocaine Hydrochlorate, 1-10 gr. Morphine Hydrochlorate, 1-40 gr. Sodium Chloride C. P., 1-5 gr. } 85	1 00	21
No. 3.	{ Cocaine Hydrochlorate, 1-100 gr. Morphine Hydrochlorate, 1-40 gr. Sodium Chloride C. P., 1-5 gr. } 45	60	13
No. 4.	{ Cocaine Hydrochlorate, 1 gr. Morphine Hydrochlorate, 1-8 gr. Sodium Chloride C. P., 1 gr. } 4 05	4 20	85
No. 5.	{ Cocaine Hydrochlorate, 1-2 gr. Morphine Hydrochlorate, 1-8 gr. Sodium Chloride C. P., 1 gr. } 2 55	2 70	55
No. 6.	{ Cocaine Hydrochlorate, 1-20 gr. Morphine Hydrochlorate, 1-8 gr. Sodium Chloride C. P., 1 gr. } 85	1 00	21
APOMORPHINE HYDROCHLORATE1-20 gr.		50	65	14
APOMORPHINE HYDROCHLORATE1-12 gr.		65	80	17
APOMORPHINE HYDROCHLORATE 1-10 gr.		75	90	19
APOMORPHINE HYDROCHLORATE1-8 gr.		90	1 05	22
ATROPINE SULPHATE1-200 gr.		30	45	10
ATROPINE SULPHATE1-150 gr.		30	45	10
ATROPINE SULPHATE1-120 gr.		30	45	10
ATROPINE SULPHATE1-100 gr.		30	45	10
ATROPINE SULPHATE1-60 gr.		30	45	10
ATROPINE SULPHATE1-50 gr.		40	55	12
CAFFEINE SODIO-BENZOATE1-2 gr.		45	60	13

SOLUBLE HYPODERMIC TABLETS.

	Per Bottle of 100.	Per 100 in tubes of 20.	Per Tube of 20.
CAFFEINE SODIO-BENZOATE.....1 gr.	\$ 80	\$ 95	\$ 20
COCAINE HYDROCHLORATE.....1-10 gr.	45	60	13
COCAINE HYDROCHLORATE... ..1-8 gr.	50	65	14
COCAINE HYDROCHLORATE.....1-6 gr.	60	75	16
COCAINE HYDROCHLORATE.....1-4 gr.	70	85	18
COCAINE HYDROCHLORATE.....1-2 gr.	1 30	1 45	30
CODEINE PHOSPHATE.....1-4 gr.	75	90	19
CODEINE PHOSPHATE.....1-2 gr.	1 30	1 45	30
CODEINE PHOSPHATE.....1 gr.	2 20	2 35	48
CODEINE SULPHATE.....1-8 gr.	50	65	14
CODEINE SULPHATE.....1-4 gr.	75	90	19
CODEINE SULPHATE.....1-2 gr.	1 30	1 45	30
CONIINE HYDROBROMATE.....1-100 gr.	30	45	10
CONIINE HYDROBROMATE.....1-60 gr.	40	55	12
CONIINE HYDROBROMATE.....1-50 gr.	40	55	12
DIGITALIN, Pure.....1-150 gr.	30	45	10
DIGITALIN, Pure.....1-100 gr.	30	45	10
DIGITALIN, Pure.....1-60 gr.	40	55	12
DIGITALIN, Pure.....1-50 gr.	45	60	13
DUBOISINE SULPHATE.....1-100 gr.	40	55	12
DUBOISINE SULPHATE.....1-60 gr.	45	60	13
*ERGOTIN.....1-10 gr.	30	45	10
ESERINE SULPHATE.....1-100 gr.	45	60	13
ESERINE SULPHATE.....1-50 gr.	80	95	20
HYOSCINE HYDROBROMATE.....1-200 gr.	40	55	12
HYOSCINE HYDROBROMATE.....1-150 gr.	45	60	13
HYOSCINE HYDROBROMATE.....1-100 gr.	55	70	15
HYOSCINE HYDROBROMATE.....1-50 gr.	1 05	1 20	25
HYOSCYAMINE HYDROBROMATE.....1-200 gr.	40	55	12
HYOSCYAMINE HYDROBROMATE.....1-150 gr.	45	60	13
HYOSCYAMINE HYDROBROMATE.....1-100 gr.	55	70	15
HYOSCYAMINE HYDROBROMATE.....1-50 gr.	1 05	1 20	25
HYOSCYAMINE SULPHATE.....1-100 gr.	40	55	12
HYOSCYAMINE SULPHATE.....1-50 gr.	50	65	14
MAGNESIUM SULPHATE.....1 gr.	30	45	10
MAGNESIUM SULPHATE.....1 1-2 grs.	30	45	10
MERCURY CORROSIVE CHLORIDE.....1-60 gr.	30	45	10
MERCURY CORROSIVE CHLORIDE.....1-40 gr.	30	45	10
MORPHINE BIMECONATE.....1-8 gr.	30	45	10
MORPHINE BIMECONATE.....1-6 gr.	40	55	12
MORPHINE BIMECONATE.....1-4 gr.	50	65	14
MORPHINE BIMECONATE.....1-3 gr.	65	80	17
MORPHINE HYDROCHLORATE.....1-8 gr.	35	50	11
MORPHINE HYDROCHLORATE.....1-6 gr.	40	55	12
MORPHINE HYDROCHLORATE.....1-4 gr.	45	60	13
MORPHINE NITRATE.....1-12 gr.	30	45	10
MORPHINE NITRATE.....1-8 gr.	35	50	11
MORPHINE NITRATE.....1-6 gr.	40	55	12
MORPHINE NITRATE.....1-4 gr.	50	65	14
MORPHINE PHTHALATE.....1-4 gr.	80	95	20
MORPHINE SULPHATE.....1-12 gr.	30	45	10
MORPHINE SULPHATE.....1-8 gr.	30	45	10
MORPHINE SULPHATE.....1-6 gr.	35	50	11
MORPHINE SULPHATE.....1-4 gr.	40	55	12
MORPHINE SULPHATE.....1-3 gr.	50	65	14
MORPHINE SULPHATE.....1-2 gr.	70	85	18
MORPHINE and ATROPINE, No. 1.			
{ Morphine Sulph., 1-8 gr. }	40	55	12
{ Atropine Sulph., 1-200 gr. }			

* See also Ergotole, page 109.

In ordering our Preparations through dealers, please specify SHARP & DOHME'S.

SOLUBLE HYPODERMIC TABLETS.

	Per Bottle of 100.	Per 100 in tubes of 20.	Per Tube of 20.
MORPHINE and ATROPINE, No. 2.			
{ Morphine Sulph., 1-6 gr. }			
{ Atropine Sulph., 1-180 gr. }	\$ 45	\$ 60	\$ 13
MORPHINE and ATROPINE, No. 3.			
{ Morphine Sulph., 1-4 gr. }	50	65	14
{ Atropine Sulph., 1-150 gr. }			
MORPHINE and ATROPINE, No. 4.			
{ Morphine Sulph., 1-4 gr. }	50	65	14
{ Atropine Sulph., 1-100 gr. }			
MORPHINE and ATROPINE, No. 5.			
{ Morphine Sulph., 1-8 gr. }	40	55	12
{ Atropine Sulph., 1-150 gr. }			
MORPHINE and ATROPINE, No. 6.			
{ Morphine Sulph., 1-8 gr. }	40	55	12
{ Atropine Sulph., 1-100 gr. }			
MORPHINE and ATROPINE, No. 7.			
{ Morphine Sulph., 1-6 gr. }	45	60	13
{ Atropine Sulph., 1-150 gr. }			
MORPHINE and ATROPINE, No. 8.			
{ Morphine Sulph., 1-6 gr. }	50	65	14
{ Atropine Sulph., 1-120 gr. }			
MORPHINE and ATROPINE, No. 9.			
{ Morphine Sulph., 1-4 gr. }	50	65	14
{ Atropine Sulph., 1-200 gr. }			
MORPHINE and ATROPINE, No. 10.			
{ Morphine Sulph., 1-4 gr. }	50	65	14
{ Atropine Sulph., 1-120 gr. }			
MORPHINE and ATROPINE, No. 11.			
{ Morphine Sulph., 1-4 gr. }	55	70	15
{ Atropine Sulph., 1-60 gr. }			
MORPHINE and ATROPINE, No. 12.			
{ Morphine Sulph., 1-3 gr. }	55	70	15
{ Atropine Sulph., 1-120 gr. }			
MORPHINE and ATROPINE, No. 13.			
{ Morphine Sulph., 1-2 gr. }	75	90	19
{ Atropine Sulph., 1-150 gr. }			
MORPHINE and ATROPINE, No. 14.			
{ Morphine Sulph., 1-2 gr. }	75	90	19
{ Atropine Sulph., 1-120 gr. }			
MORPHINE and ATROPINE, No. 15.			
{ Morphine Sulph., 1-2 gr. }	75	90	19
{ Atropine Sulph., 1-100 gr. }			
MORPHINE and ATROPINE, No. 16.			
{ Morphine Sulph., 1-2 gr. }	75	90	19
{ Atropine Sulph., 1-240 gr. }			
MORPHINE and ATROPINE, No. 17.			
{ Morphine Sulph., 1-8 gr. }	40	55	12
{ Atropine Sulph., 1-120 gr. }			
MORPHINE and ATROPINE, No. 18.			
{ Morphine Sulph., 1-2 gr. }	75	90	19
{ Atropine Sulph., 1-200 gr. }			
MORPHINE and ATROPINE, No. 19.			
{ Morphine Sulph., 1-3 gr. }	55	70	15
{ Atropine Sulph., 1-150 gr. }			
MORPHINE, ATROPINE and HYOSCINE.			
{ Morphine Sulph., 1-4 gr. }			
{ Atropine Sulph., 1-200 gr. }			
{ Hyoscine Hydrobromate, 1-100 gr. }	Discontinued.		
MORPHINE and STRYCHNINE.			
{ Morphine Sulph., 1-4 gr. }	50	65	14
{ Strychnine Sulph., 1-60 gr. }			
NARCEINE. Discontinued.			
NITROGLYCERIN1-200 gr.	30	45	10
NITROGLYCERIN1-150 gr.	30	45	10
NITROGLYCERIN1-100 gr.	30	45	10
NITROGLYCERIN1-60 gr.	30	45	10
NITROGLYCERIN1-50 gr.	30	45	10
NITROGLYCERIN1-40 gr.	30	45	10
NITROGLYCERIN and DIGITALIN.			
{ Nitroglycerin, 1-100 gr. }	40	55	12
{ Digitalin, Pure, 1-100 gr. }			

SOLUBLE HYPODERMIC TABLETS.

SOLUBLE HYPODERMIC TABLETS.		Per Bottle of 100.	Per 100 in tubes of 20.	Per Tube of 20.
NITROGLYCERIN, DIGITALIN and STRYCH- NINE.				
{ Nitroglycerin, 1-100 gr. }		\$ 40	\$ 55	\$ 12
{ Digitalin, 1-100 gr. }				
{ Strychnine Sulph., 1-50 gr. }				
NITROGLYCERIN and STRYCHNINE, No. 1.				
{ Nitroglycerin, 1-100 gr. }		30	45	10
{ Strychnine Sulph., 1-50 gr. }				
NITROGLYCERIN and STRYCHNINE, No. 2.				
{ Nitroglycerin, 1-100 gr. }		30	45	10
{ Strychnine Sulph., 1-100 gr. }				
NITROGLYCERIN and STRYCHNINE, No. 3.				
{ Nitroglycerin, 1-50 gr. }		35	50	11
{ Strychnine Sulph., 1-50 gr. }				
NITROGLYCERIN, STRYCHNINE and MORPHINE				
{ Nitroglycerin, 1-50 gr. }		40	55	12
{ Strychnine Sulph., 1-50 gr. }				
{ Morphine Sulph., 1-20 gr. }				
PHYSOSTIGMINE SULPHATE. (See Eserine Sul- phate.)				
PICROTOXIN.....1-100 gr.		60	75	18
PILOCARPINE HYDROCHLORATE1-20 gr.		60	75	18
PILOCARPINE HYDROCHLORATE1-10 gr.	1 00	1 15	24	
PILOCARPINE HYDROCHLORATE1-8 gr.	1 20	1 35	28	
PILOCARPINE HYDROCHLORATE1-4 gr.	2 00	2 15	44	
PILOCARPINE HYDROCHLORATE1-3 gr.	2 60	2 75	56	
PILOCARPINE HYDROCHLORATE1-2 gr.	4 20	4 35	88	
PILOCARPINE NITRATE.....1-20 gr.	60	75	18	
PILOCARPINE NITRATE.....1-8 gr.	1 20	1 35	28	
PILOCARPINE NITRATE.....1-3 gr.	2 60	2 75	56	
QUININE BIMURIATE CARBAMIDAT. (Quinine Bimuriate and Urea).....1 gr.				
	70	85	18	
QUININE BIMURIATE CARBAMIDAT.....2 grs.	1 20	1 35	28	
QUININE BIMURIATE CARBAMIDAT.....3 grs.	1 60	1 75	36	
SODIUM ARSENATE.....1-30 gr.	30	45	10	
SPARTEINE SULPHATE.....1-100 gr.	30	45	10	
SPARTEINE SULPHATE.....1-30 gr.	35	50	11	
STRYCHNINE NITRATE1-150 gr.	30	45	10	
STRYCHNINE NITRATE1-120 gr.	30	45	10	
STRYCHNINE NITRATE1-100 gr.	30	45	10	
STRYCHNINE NITRATE.....1-60 gr.	30	45	10	
STRYCHNINE NITRATE.....1-50 gr.	30	45	10	
STRYCHNINE NITRATE.....1-40 gr.	30	45	10	
STRYCHNINE NITRATE.....1-30 gr.	35	50	11	
STRYCHNINE NITRATE.....1-20 gr.	35	50	11	
STRYCHNINE NITRATE.....1-16 gr.	35	50	11	
STRYCHNINE SULPHATE1-150 gr.	30	45	10	
STRYCHNINE SULPHATE1-120 gr.	30	45	10	
STRYCHNINE SULPHATE1-100 gr.	30	45	10	
STRYCHNINE SULPHATE1-60 gr.	30	45	10	
STRYCHNINE SULPHATE1-50 gr.	30	45	10	
STRYCHNINE SULPHATE1-40 gr.	30	45	10	
STRYCHNINE SULPHATE1-30 gr.	35	50	11	
STRYCHNINE SULPHATE1-20 gr.	35	50	11	
STRYCHNINE SULPHATE1-16 gr.	35	50	11	
STRYCHNINE and ATROPINE, No. 1.				
{ Strychnine Sulph., 1-50 gr. }		50	65	14
{ Atropine Sulph., 1-150 gr. }				
STRYCHNINE and ATROPINE, No. 2.				
{ Strychnine Sulph., 1-30 gr. }		50	65	14
{ Atropine Sulph., 1-120 gr. }				
STRYCHNINE and ATROPINE, No. 3.				
{ Strychnine Sulph., 1-60 gr. }		50	65	14
{ Atropine Sulph., 1-150 gr. }				

SOLUBLE HYPODERMIC TABLETS FOR VETERINARY USE.

These present in a marked degree the several distinctive features so characteristic of our Soluble Hypodermic Tablets, and will be found to be a desirable addition to the progressive Veterinarian's armamentarium.

PUT UP ONLY IN TUBES OF 12 TABLETS EACH.

	Per Tube 12 Tab's.
ACONITINE, Pure, Crystallized. (See note 2.).....	1-40 gr. \$ 10
ACONITINE, Pure, Crystallized.....	1-20 gr. 12
ATROPINE SULPHATE	1-4 gr. 12
ATROPINE SULPHATE	1-2 gr. 20
COCAINE HYDROCHLORATE	1 gr. 32
COLCHICINE	1-4 gr. 20
COLCHICINE	1-2 gr. 32
CONIINE HYDROBROMATE.....	1 gr. 50
DIGITALIN, Pure.....	1-8 gr. 10
DIGITALIN, Pure.....	1-4 gr. 12
ESERINE SALICYLATE.....	1-4 gr. 54
HYOSCYAMINE	1-8 gr. 25
MORPHINE SULPHATE.....	1 gr. 20
MORPHINE SULPHATE.....	2 grs. 38
MORPHINE and ATROPINE. { Morphine Sulph., 1 1-2 grs. } { Atropine Sulph., 1-2 gr. }	38
PHYSOSTIGMINE SALICYLATE. (See Eserine Salicylate.)	
PILOCARPINE HYDROCHLORATE.....	1-2 gr. 45
SODIUM ARSENITE.....	1 gr. 10
STRYCHNINE SULPHATE.....	1-2 gr. 12
STRYCHNINE SULPHATE.....	1 gr. 16
VERATRINE HYDROCHLORATE	1-4 gr. 10
VERATRINE HYDROCHLORATE	1-2 gr. 12

VETERINARY TABLETS

DISPENSARY TABLETS.

These tablets are designed to be used at the dispensing counter only, for the purpose of facilitating the accurate weighing of the quantity of drug contained therein and stated on the label. They should never be sold in their present form and strength to the public, as each tablet contains a poisonous dose of the medicament. They are accurately weighed and carefully made.


PUT UP ONLY IN BOTTLES OF 100 EACH.

		Per Bottle of 100.
ACID ARSENOUS	1-4 gr.	\$ 20
ACID ARSENOUS	1-2 gr.	20
ACID ARSENOUS	1 gr.	25
ACONITE ROOT, EXTRACT.....	1 gr.	25
ACONITINE, Pure, Cryst. (See note 2.).....	1-4 gr.	1 50
ACONITINE, Pure, Cryst.....	1-2 gr.	2 50
ATROPINE SULPHATE	1-8 gr.	75
ATROPINE SULPHATE	1-4 gr.	1 20
ATROPINE SULPHATE	1-2 gr.	2 00
ATROPINE SULPHATE	1 gr.	3 50
BELLADONNA, EXTRACT.....	1 gr.	25
COCAINE HYDROCHLORATE.....	1 gr.	1 50
CODEINE, Alkaloid.....	1 gr.	2 25
CODEINE PHOSPHATE	1 gr.	2 20
CODEINE SULPHATE.....	1 gr.	2 10
COPPER ARSENITE.....	1-8 gr.	25
COPPER ARSENITE.....	1-4 gr.	25
CORROSIVE SUBLIMATE	1-4 gr.	20
CORROSIVE SUBLIMATE	1-2 gr.	20
CORROSIVE SUBLIMATE	1 gr.	20
DIGITALIN, Pure	1-4 gr.	1 25
DIGITALIN, Pure	1-2 gr.	2 20
ELATERIUM (Clutterbuck).....	1 gr.	1 00
HYOSCYAMINE SULPHATE.....	1-8 gr.	1 75
HYOSCYAMINE SULPHATE.....	1-4 gr.	3 25
HYOSCYAMINE SULPHATE.....	1-2 gr.	6 00
MERCURY RED IODIDE.....	1 gr.	25
MORPHINE HYDROCHLORATE.....	1 gr.	1 20
MORPHINE SULPHATE	1 gr.	1 20
NUX VOMICA, EXTRACT.....	1 gr.	25
PILOCARPINE HYDROCHLORATE.....	1 gr.	7 00
SODIUM ARSENATE	1-4 gr.	20
SODIUM ARSENATE	1-2 gr.	20
SODIUM ARSENATE	1 gr.	25
STRYCHNINE, Alkaloid.....	1-4 gr.	25
STRYCHNINE, Alkaloid.....	1-2 gr.	45
STRYCHNINE, Alkaloid	1 gr.	80
STRYCHNINE ARSENITE.....	1-8 gr.	35
STRYCHNINE ARSENITE.....	1-4 gr.	55
STRYCHNINE ARSENITE.....	1-2 gr.	1 00
STRYCHNINE NITRATE	1-4 gr.	30
STRYCHNINE NITRATE	1-2 gr.	50
STRYCHNINE NITRATE	1 gr.	90
STRYCHNINE SULPHATE	1-4 gr.	25
STRYCHNINE SULPHATE	1-2 gr.	45
STRYCHNINE SULPHATE	1 gr.	80
TARTAR EMETIC.....	1 gr.	20

Compressed, Chemically Pure Medicinal Lozenges.

Our Compressed Lozenges are made from the best materials, and for efficacy, uniformity in weight and finish, are unexcelled.

An advance of 10 cents per pound list price if ordered in glass-stoppered bottles.

 Special formulæ made to order in lots of five pounds or more.

Official Lozenges (Trochisci-Troches) of the U. S. P. (COMPRESSED.)

ACID, TANNIC	Gm. 0.06	about	1 gr.	\$1 00
AMMONIUM CHLORIDE.....	Gm. 0.1	"	1 1-2 grs.	60
CATECHU	Gm. 0.06	"	1 gr.	75
CHALK, Prepared	Gm. 0.25	"	4 grs.	60
CUBEB, Oleoresin	Gm. 0.04	"	3-5 gr.	1 25
GINGER, Tincture	C. c. 0.20	"	3 min.	60
IPECAC, (U. S. P., 1880.)	Gm. 0.02	"	1-3 gr.	75
IRON, Hydrate.....	Gm. 0.3	"	5 grs.	60
KRAMERIA, Extract	Gm. 0.06	"	1 gr.	80
LIQUORICE and OPIUM.				
{ Extr. Liquorice, Gm. 0.15 about 2 grs. }				1 00
{ Extr. Opium, Gm. 0.02 " 1-13 gr. }				
MAGNESIA, (U. S. P., 1880.)			3 grs.	75
MORPHINE and IPECAC.				
{ Morphine Sulph., Gm. 0.16 about 1-40 gr. }				80
{ Ipecac, powd., Gm. 0.50 " 1-12 gr. }				
PEPPERMINT, Oil	C. c. 0.01	about	1-6 min.	65
POTASSIUM CHLORATE.....	Gm. 0.30	"	5 grs.	50
SODIUM BICARBONATE.....	Gm. 0.20	"	3 grs.	50
SANTONIN	Gm. 0.03	"	1-2 gr.	80

Official Lozenges of the British Pharmacopœia. (COMPRESSED.)

ACID, TANNIC	1-2 gr.	\$ 75
BISMUTH.		
{ Bismuth Subnitrate,	2 grs. }	1 00
{ Magnesium Carbonate,	2 1-2 grs. }	
{ Chalk, Precipitated,	3 2-3 grs. }	
CATECHU.....	1 gr.	60
IPECAC	1-4 gr.	60
IRON, REDUCED.....	1 gr.	70
MORPHINE HYDROCHLORATE.....	1-36 gr.	90
MORPHINE and IPECAC.		
{ Morphine Hydrochlorate,	1-36 gr. }	90
{ Ipecac, powd.,	1-12 gr. }	
SODIUM BICARBONATE	5 grs.	50

Lozenges of the London Hospital for Diseases of the Throat. (COMPRESSED.)

	Per lb. Bottle.
ACID, BENZOIC.....	1-2 gr. \$ 85
ACID, CARBOLIC.....	1 gr. 85
ACID, TANNIC.....	1 1-2 grs. 90
ACONITE (Tinct. Br. P.).....	1-2 min. 75
AMMONIUM CHLORIDE.....	2 grs. 75
BORAX.....	3 grs. 75
CATECHU, Pale.....	2 grs. 75
CUBEB.....	1-2 gr. 80
GUAIAC, Resin.....	2 grs. 75
KINO.....	2 grs. 75
LETTUCE, Extract.....	1 gr. 90
LOGWOOD, Extract.....	2 grs. 75
OPIUM, Extract, (Sedative).....	1-10 gr. 85
PELLITORY ROOT.....	1 gr. 80
POTASSIUM BITARTRATE.....	3 grs. 85
POTASSIUM CHLORATE.....	3 grs. 70
POTASSIUM CITRATE.....	3 grs. 90
RHATANY, Extract.....	3 grs. 1 10
SEDATIVE. (See Opium, Extract).....	1-10 gr. 85

Unofficial Lozenges. (COMPRESSED.)

	Per lb. Bottle.
ACID, SALICYLIC.....	3 grs. \$1 00
ACONITE ROOT.....	1-16 gr. 60
ALUM.....	2 grs. 50
ALUM and CATECHU.	
{ Alum, 1 1-2 grs. }	70
{ Catechu, 2 grs. }	
ALUM and KINO.	
{ Alum, 1 gr. }	70
{ Kino, 1 gr. }	
AMMONIUM CHLORIDE and CUBEB.	
{ Ammonium Chloride, 2 grs. }	85
{ Cubeb, 1 gr. }	
AMMONIUM CHLORIDE and LIQUORICE.	
{ Ammonium Chloride, 2 grs. }	65
{ Extr. Liquorice, 8 grs. }	
BISMUTH and CAMPHOR.	
{ Bismuth Subnitrate, 5 grs. }	2 00
{ Camphor, 1-2 gr. }	
BISMUTH and CHARCOAL.	
{ Bismuth Subnitrate, 2 grs. }	1 00
{ Charcoal, 5 grs. }	
BORAX.....	3 grs. 65
BROWN MIXTURE.	
{ Extr. Liquorice, 3 grs. }	65
{ Opium, 1-20 gr. }	
{ Acid, Benzoic, 1-20 gr. }	
{ Camphor, 1-20 gr. }	
{ Tartar Emetic, 1-40 gr. }	
{ Oil Anise, 1-20 gr. }	
BROWN MIXTURE with AMMONIUM CHLORIDE.	
{ Brown Mixture, 85 min. }	65
{ Ammonium Chloride, 3 grs. }	
CAFFEINE CITRATED.....	1 gr. 1 25
CAFFEINE HYDROBROMATE (Effervescent).....	1 gr. 1 60
CAMPHOR.....	1-2 gr. 65
CAMPHOR.....	1 gr. 75
CAPSICUM, Fluid Extract.....	1-10 min. 65
CHARCOAL.....	10 grs. 70
CHARCOAL.....	20 grs. 70

Unofficial Lozenges.

(COMPRESSED.)

Per
lb.
Bottle.

CHARCOAL COMP.

{ Charcoal,	2 grs. }	\$1 00
{ Rochelle Salts,	8 grs. }		
{ Sodium Bicarbonate,	1 gr. }		
{ Magnesia Calcined,	2 grs. }		
{ Sugar,	7 grs. }		

CHLORATE MIXTURE 2 1-2 grs. 65

COCAINE COMP.

{ Cocaine Hydrochlorate,	1-6 gr. }	3 00
{ Res. Guaiac,	2 grs. }		
{ Acid, Carbolic,	1-4 gr. }		
{ Acacia and Sugar,	aa q. s. }		

COMPOUND LIQUORICE POWDER (Pulv. Glycyrrhizæ Comp.,
U. S. P.)..... 60

CORYZA (Spitta). (See Spitta's Coryza) 1 00

DOVER'S POWDER. (See Ipecac and Opium.)

DYSPEPSIA.

{ Potassium Chlorate, }	3 grs. of the combined powder in each.	80
{ Sodium Bicarbonate, }		
{ Rhubarb,		

EUCALYPTUS 3 grs. 80

FERRUGINOUS (Chocolate). (Iron, Reduced, 1-2 gr.)..... 80

GINGER and SODIUM BICARBONATE.

{ Tinct. Ginger,	10 min. }	70
{ Sodium Bicarbonate,	2 grs. }		

GINGER, Strong (15 min. Tinct. Ginger)..... 80

GUAIAIC and POTASSIUM IODIDE.

{ Guaiac,	2 grs. }	1 00
{ Potassium Iodide,	1 gr. }		

GUARANA 5 grs. 2 25

IPECAC and OPIUM (Dover's Powder, U. S. P.) 3 grs. 90

IPECAC and OPIUM 5 grs. 1 10

IPECAC and OPIUM 10 grs. 1 50

IPECAC and SQUILL.

{ Ipecac, powd.,	1-4 gr. }	80
{ Squill,	1-2 gr. }		

JACKSON'S AMMONIA.

{ Ammonium Chloride,	1-2 gr. }	1 00
{ Morphine Hydrochlorate,	1-60 gr. }		
{ Elm, powd.,	2 grs. }		
{ Acacia, powd.,	2 grs. }		
{ Sugar, powd.,	2 1-3 grs. }		
{ Extr. Liquorice, powd.,	2 1-3 grs. }		
{ Tinct. Tolu,	1 gr. }		
{ Oil Wintergreen,	1-50 gr. }		

JACKSON'S PECTORAL.

{ Ipecac, powd.,	1-20 gr. }	1 00
{ Antimony Sulphurated,	1-40 gr. }		
{ Morphine Hydrochlorate,	1-33 gr. }		
{ Acacia, powd.,	3 3-10 grs. }		
{ Sugar, powd.,	3 3-10 grs. }		
{ Extr. Liquorice, powd.,	3 3-10 grs. }		
{ Tolu,	1 1-5 grs. }		
{ Oil Sassafras,	1-50 gr. }		

LIME JUICE 70

LIQUORICE, Extract 5 grs. 90

LIQUORICE, Extract 10 grs. 90

LIQUORICE and ANISEED.

{ Extr. Liquorice,	5 grs. }	80
{ Oil Star-Aniseed,	1-10 gr. }		
{ Morphine Sulphate,	1-80 gr. }		
{ Tartar Emetic,	1-80 gr. }		

LIQUORICE POWDER COMP. (See Comp. Liquorice Powd.)

PECTORAL.

{ Morphine Hydrochlorate,	1-40 gr. }	90
{ Ipecac, powd.,	1-2 gr. }		

PEPSIN (Saccharated, U. S. P.)..... 5 grs. 90

PEPSIN and BISMUTH.

{ Pepsin Sacch., U. S. P.,	2 grs. }	1 40
{ Bismuth Subnitrate,	3 grs. }		

In ordering our Preparations through dealers, please specify SHARP & DOHME'S.

Unofficial Lozenges. (COMPRESSED.)

Per
lb.
Bottle.

PEPSIN, BISMUTH and CHARCOAL.

{ Pepsin Sacch., U. S. P.,	5 grs. }	\$1 25
{ Bismuth Subnitrate,	2 grs. }	
{ Charcoal,	5 grs. }	

PEPSIN, BISMUTH and GINGER.

{ Pepsin Sacch., U. S. P.	2 grs. }	1 25
{ Bismuth Subnitrate,	3 grs. }	
{ Ginger,	1 gr. }	

PEPSIN and CALCIUM LACTOPHOSPHATE.

{ Pepsin Sacch., U. S. P.,	3 grs. }	1 00
{ Calcium Lactophosphate,	2 grs. }	

PEPSIN, CHARCOAL, MAGNESIA and GINGER.

{ Pepsin Sacch., U. S. P.,	2 grs. }	80
{ Charcoal,	3 grs. }	
{ Magnesia,	2 grs. }	
{ Ginger,	1 gr. }	

PEPSIN, GINGER and LIME JUICE.

{ Pepsin Sacch., U. S. P.,	2 grs. }	80
{ Ginger,	1 gr. }	
{ Lime Juice,	q. s. }	

PEPSIN and IRON.

{ Pepsin Sacch., U. S. P.,	3 grs. }	1 00
{ Iron Pyrophosphate,	2 grs. }	

POTASSIUM CHLORATE (with Lemon Flavor).....2 grs. 60

POTASSIUM CHLORATE (with Lemon Flavor).....3 grs. 60

POTASSIUM CHLORATE (with Vanilla Flavor).....2 grs. 60

POTASSIUM CHLORATE (with Vanilla Flavor).....3 grs. 60

POTASSIUM CHLORATE (with Vanilla Flavor).....5 grs. 65

RHUBARB, Aromatic.

{ Rhubarb,	2 grs. }	80
{ Aromatic Powder,	1 gr. }	

RHUBARB and GINGER.

{ Rhubarb,	2 grs. }	80
{ Ginger,	1 gr. }	

RHUBARB, GINGER and SODIUM.

{ Rhubarb,	2 grs. }	80
{ Ginger,	1 gr. }	
{ Sodium Bicarb.,	2 grs. }	

RHUBARB and MAGNESIA.

{ Rhubarb,	2 grs. }	80
{ Magnesia,	2 grs. }	

ROSE LEAF and ALUM.

{ Red Rose Leaf,	1 gr. }	80
{ Alum,	1 gr. }	

SENNA10 grs. 1 00

SPITTA'S CORYZA.

{ Oleores. Cubeb,	1-5 gr. }	1 00
{ Tolu,	1-5 gr. }	
{ Sassafras,	1-10 gr. }	
{ Extr. Liquorice,	7 grs. }	

SQUILL COMP.

{ Squill,	1 1-2 grs. }	85
{ Senega,	1 1-2 grs. }	
{ Tartar Emetic,	1-25 gr. }	

SULPHUR COMP. (Garrod).

{ Sulphur, Precipitated,	5 grs. }	60
{ Cream of Tartar,	1 gr. }	

SULPHUR COMP. (Smith).

{ Sulphur,	5 grs. }	80
{ Cream of Tartar,	2 grs. }	
{ Extr. Ipecac,	1-100 gr. }	
{ Extr. Capsicum,	1-500 gr. }	
{ Acid, Arsenous,	1-1000 gr. }	
{ Calcium Bisulph.,	1-8 gr. }	

TAR 60

Unofficial Lozenges. (COMPRESSED.)

Per
lb.
Bottle.

WILD CHERRY COMP.

{ F'd. Extr. Wild Cherry,	1-10 gr. }		
{ Morphine Sulphate,	1-50 gr. }		
{ Ipecac. powd.,	1-50 gr. }		
{ Antimony, Sulphurated,	1-4 gr. }		
{ Oil Bitter Almonds,	1-100 gr. }		
{ Tinct. Veratrum Viride,	3-10 gr. }		
		\$ 85

WISTAR'S.

{ Opium,	1-10 gr. }		
{ Extr. Liquorice,	2 grs. }		
{ Oil Anise,	1-30 gr. }		
		80

Unofficial Lozenges. (COMPRESSED.)

The following list of worm lozenges in compressed form embraces the leading anthelmintic combinations in general use.

Please specify formula, color (whether pink or chocolate), and style of package—pasteboard boxes or wide-mouth flint bottles.

In packages they can be supplied with buyer's card if desired, and if ordered in sufficient quantity.

Per lb.
Box.

*Per
gross
Boxes.

SANTONIN, 1-2 grain (round, chocolate) worm lozenge.		
460 to the lb.....per lb.	\$ 65	
24 to the boxper gross.	\$11 00
SANTONIN, 1-2 grain (round, pink) worm lozenge.		
460 to the lb.....per lb.	65	
24 to the boxper gross.	11 00
SANTONIN, 1 grain (round, chocolate) worm lozenge.		
460 to the lb.....per lb.	90	
24 to the boxper gross.	13 00
SANTONIN, 1 grain (round, pink) worm lozenge.		
460 to the lb.....per lb.	90	
24 to the boxper gross.	13 00
SANTONIN and CALOMEL.		
{ Santonin, 1-2 gr. } (round, chocolate) worm		
{ Calomel, 1-2 gr. } lozenge.		
460 to the lb.per lb.	75	
24 to the boxper gross.	12 00
SANTONIN, CALOMEL and PODOPHYLLIN.		
{ Santonin, 1-2 gr. } (round, chocolate) worm		
{ Calomel, 1-2 gr. } lozenge.		
{ Podophyllin, 1-20 gr. }		
460 to the lb.per lb.	75	
24 to the boxper gross.	12 00
SANTONIN and PODOPHYLLIN.		
{ Santonin, 1-2 gr. } (round, chocolate) worm		
{ Podophyllin, 1-20 gr. } lozenge.		
460 to the lb.per lb.	70	
24 to the boxper gross.	11 00

*Also furnished in wide-mouth flint bottles at an advance of \$2.50 per gross on list price.

LOZENGES

Medicated Lozenges.

(CUT; NOT COMPRESSED.)

Per lb.
Box. Per
gross
Boxes.

BRONCHIAL, (round)	\$ 40	\$ 8 00
LIQUORICE, (cylindrical), uncoated.....	45	
LIQUORICE, (cylindrical), sugar-coated, white	35	
LIQUORICE, (cylindrical), sugar-coated, pink	35	
LIQUORICE, (oval, soft mass), sugar-coated, white.....	33	
LIQUORICE, (oval, soft mass), sugar-coated, pink.....	33	
POTASSIUM CHLORATE, (white, octagon).....3 grs.	50	13 50
SANTONIN, 1-2 gr. (drop confection, pink) worm lozenge.		
240 to the lb.....per lb.	55	
20 to the box	per gross,	10 50
SANTONIN, 1-2 gr. (octagon, pink) worm lozenge.		
460 to the lb.....per lb.	65	
24 to the box	per gross,	11 00
SANTONIN, 1-2 gr. (octagon, chocolate) worm lozenge.		
460 to the lb.....per lb.	65	
24 to the box	per gross,	11 00
SANTONIN, 1-2 gr. (large, oval, pink) worm lozenge.		
240 to the lb.....per lb.	50	
30 to the box	per gross,	12 50
SANTONIN, 1 gr. (drop confection, pink) worm lozenge.		
240 to the lb.....per lb.	70	
20 to the box	per gross,	12 00
SANTONIN, 1 gr. (octagon, pink) worm lozenge.		
460 to the lb.....per lb.	90	
20 to the box	per gross,	18 00
SANTONIN and CALOMEL.		
} Santonin, 1-2 gr. } (octagon, pink) worm lozenge.		
} Calomel, 1-2 gr. }		
460 to the lb.per lb.	75	
24 to the box	per gross,	12 00
SANTONIN and CALOMEL.		
} Santonin, 1-2 gr. } (octagon, chocolate), worm		
} Calomel, 1-2 gr. } lozenge.		
460 to the lb.per lb.	75	
24 to the box	per gross,	12 00
SANTONIN and CALOMEL.		
} Santonin, 1-2 gr. } (large, oval, pink) worm		
} Calomel, 1-2 gr. } lozenge.		
240 to the lb.per lb.	55	
30 to the box	per gross,	13 00
SANTONIN, CALOMEL and PODOPHYLLIN.		
} Santonin, 1-2 gr. } (octagon, chocolate)		
} Calomel, 1-2 gr. } worm lozenge.		
} Podophyllin, 1-20 gr. }		
460 to the lb.per lb.	75	
24 to the box	per gross,	12 00
SANTONIN, CALOMEL and PODOPHYLLIN.		
} Santonin, 1-2 gr. } (large, oval, pink) worm		
} Calomel, 1-2 gr. } lozenge.		
} Podophyllin, 1-20 gr. }		
240 to the lb.per lb.	55	
30 to the box	per gross,	13 00
SANTONIN and PODOPHYLLIN.		
} Santonin, 1-2 gr. } (octagon, chocolate)		
} Podophyllin, 1-20 gr. } worm lozenge.		
460 to the lb.per lb.	70	
24 to the box	per gross,	11 00
SANTONIN and PODOPHYLLIN.		
} Santonin, 1-2 gr. } (large, oval, pink) worm		
} Podophyllin, 1-20 gr. } lozenge.		
240 to the lb.per lb.	55	
30 to the box	per gross,	13 00
SLIPPERY ELM.....per lb.	50	

*Also furnished in wide-mouth flint bottles at an advance of \$2.50 per gross on list price.

Medicinal Elixirs.

Our Elixirs (also Syrups, Wines, etc.) will be found to be most elegant and reliable preparations, presenting the medicinal agents named on the label in a most palatable form for administration.

ELIXIRS.					
Each fluidounce represents the ingredients specified.					
	Pr. Doz. 4 oz. Bottles.	Per Pint Bottle.	Per Quart Bottle.	Per 5-Pt. Bottle.	Per Gall. Bottle.
ACID SALICYLIC8 grs.	\$3 30	\$ 90	\$1 70	\$4 00	\$6 20
ACID SALICYLIC COMP. (See Rheumatic Comp.).....	3 30	90	1 70	4 00	6 20
ADJUVANT	2 40	60	1 10	2 50	3 80
ALETRIS COMP.					
{ Unicorn Root (Aletris), 80 grs. Cramp Bark, 20 grs. Squaw Vine, 40 grs. Wild Yam, 20 grs. Aromatics, q. s. }	1 00	1 90	4 50	7 00
AMMONIUM BROMIDE40 grs.	2 85	75	1 40	3 25	5 00
AMMONIUM and MORPHINE VALERIANATES.					
{ Ammonium Valerianate, 16 grs. Morphine Valerianate, 1 gr. }	3 60	1 00	1 90	4 50
AMMONIUM and QUININE VALERIANATES.					
{ Ammonium Valerianate, 16 grs. Quinine Valerianate, 4 grs. }	3 40	95	1 80	3 75
AMMONIUM and STRYCHNINE VALERIANATES.					
{ Ammonium Valerianate, 16 grs. Strychnine Valerianate, 1-8 gr. }	3 30	90	1 70	4 00
AMMONIUM VALERIANATE.....16 grs.	2 85	75	1 40	3 25	5 00
BISMUTH AMMONIO-CITRATE.....16 grs.	2 85	75	1 40	3 25	5 00
BISMUTH and STRYCHNINE.					
{ Bismuth, Ammonio-Citrate, 16 grs. Strychnine Citrate, 1-8 gr. }	2 85	75	1 40	3 25
BROMIDES COMP.					
{ 120 grains of the combined Bromides of Ammonium, Potassium, Sodium, Cal- cium and Lithium. }	1 25	2 40	5 75	9 00
BUCHU120 grs.	2 85	75	1 40	3 25	5 00
BUCHU, JUNIPER and POTASSIUM ACETATE.					
{ Buchu Leaves, 45 grs. Juniper Berries, 45 grs. Potassium Acetate, 16 grs. }	3 00	80	1 50	3 50
BUCHU and PAREIRA BRAVA.					
{ Buchu Leaves, 60 grs. Pareira Brava, 60 grs. }	3 00	80	1 50	3 50
CAFFEINE CITRATED.....32 grs.	3 60	1 00	1 90	4 50	7 00
CALCIUM BROMIDE40 grs.	2 85	75	1 40	3 25	5 00
CALCIUM LACTO-PHOSPHATE16 grs.	3 60	1 00	1 90	4 50	7 00
CALISAYA ALKALOIDS (40 grs. of the Bark.)	2 40	60	1 10	2 50	4 00
CALISAYA BARK.....40 grs.	2 55	65	1 20	2 75	4 20
CALISAYA BARK, Detannated	3 15	85	1 60	3 75	5 80
CALISAYA BARK, Ferrated	2 85	75	1 40	3 25	5 00
CALISAYA and BISMUTH.					
{ Calisaya Bark, 40 grs. Bismuth, Ammonio-Citrate, 8 grs. }	2 85	75	1 40	3 25
CALISAYA, BISMUTH and STRYCHNINE.					
{ Calisaya Bark, 40 grs. Bismuth, Ammonio-Citrate, 8 grs. Strychnine, 8-100 gr. }	..	2 85	75	1 40	3 25

ELIXIRS.

Each fluidounce represents the ingredients specified.

Pr.Doz. 4 oz. Bottles.	Per Pint Bottle.	Per Qt. Bottle.	Per 5-Pt. Bottle.	Per Gall. Bottle.
------------------------------	------------------------	-----------------------	-------------------------	-------------------------

CALISAYA, IRON and BISMUTH.

{	Calisaya Bark,	40 grs.	{						
{	Iron Citrate,	16 grs.	{	\$2 85	\$ 75	\$1 40	\$3 25	\$5 00
{	Bismuth, Ammonio-Citrate,	8 grs.	{						

CALISAYA, IRON, BISMUTH and STRYCHNINE.

{	Calisaya Bark,	40 grs.	{						
{	Iron Citrate,	16 grs.	{	..	2 85	75	1 40	3 25	5 00
{	Bismuth, Ammonio-Citrate,	8 grs.	{						
{	Strychnine,	8-100 gr.	{						

CALISAYA, IRON and MANGANESE.

{	Calisaya Bark,	40 grs.	{						
{	Iron, Ammonio-Citrate,	16 grs.	{	2 85	75	1 40	3 25	5 00
{	Manganese Citrate,	8 grs.	{						

CALISAYA and IRON PHOSPHATE.

{	Calisaya Bark,	40 grs.	{						
{	Iron Phosphate,	16 grs.	{	2 85	75	1 40	3 25	5 00

CALISAYA and IRON PROTOXIDE.

{	Calisaya Bark,	40 grs.	{						
{	Iron Protoxide,	16 grs.	{	2 85	75	1 40	3 25	5 00

CALISAYA and IRON PYROPHOSPHATE.

{	Calisaya Bark,	40 grs.	{						
{	Iron Pyrophosphate,	16 grs.	{	2 85	75	1 40	3 25	5 00

CALISAYA, IRON PYROPHOSPHATE and STRYCHNINE.

{	Calisaya Bark,	40 grs.	{						
{	Iron Pyrophosphate,	16 grs.	{	2 85	75	1 40	3 25	5 00
{	Strychnine,	8-100 gr.	{						

CALISAYA, IRON and QUININE.

{	Calisaya Bark,	40 grs.	{						
{	Iron Citrate,	16 grs.	{	3 30	90	1 70	4 00	6 00
{	Quinine Citrate,	4 grs.	{						

CALISAYA, IRON and STRYCHNINE.

{	Calisaya Bark,	40 grs.	{						
{	Iron Citrate,	16 grs.	{	2 85	75	1 40	3 25	5 00
{	Strychnine Citrate,	8-100 gr.	{						

CALISAYA and STRYCHNINE.

{	Calisaya Bark,	40 grs.	{						
{	Strychnine,	8-100 gr.	{	2 85	75	1 40	3 25	5 00

CASCARA SAGRADA120 grs.

CATHARTIC COMP.

{	Senna,	120 grs.	{						
{	Magnesium Sulph.,	60 grs.	{						
{	Mandrake,	24 grs.	{	3 00	80	1 50	3 50	5 40
{	Jalap,	10 grs.	{						
{	Liquorice Root,	60 grs.	{						
{	Aromatics,	q. s.	{						

CELERY and COCA.

{	Celery Seed,	48 grs.	{						
{	Coca Leaves,	64 grs.	{	80	1 50	3 50	5 40

CHLORAL HYDRATE.....40 grs.

CINCHONIDINE, IRON and STRYCHNINE.

{	Cinchonidine Sulph.,	8 grs.	{						
{	Iron Citrate,	16 grs.	{	2 70	70	1 30	3 00	4 60
{	Strychnine,	1-8 gr.	{						

CINCHONIDINE and STRYCHNINE.

{	Cinchonidine Sulph.,	8 grs.	{						
{	Strychnine,	1-8 gr.	{	2 70	70	1 30	3 00	4 60

COCA LEAVES.....120 grs.

CORDIAL, Ferrated (Iron Pyrophos., 8 grs.)

CORYDALIS COMP.

{	Turkey Corn,	30 grs.	{						
{	Blue Flag,	45 grs.	{						
{	Stillingia,	30 grs.	{	3 60	1 00	1 90	4 50	7 00
{	Prickly Ash Bark,	15 grs.	{						
{	Potassium Iodide,	20 grs.	{						

ELIXIRS.

Each fluidounce represents the ingredients specified.

	Pr. Doz. 4 oz. Bottles.	Per Pint Bottle.	Per Qt. Bottle.	Per 5-Pt. Bottle.	Per Gall. Bottle.
COTTON ROOT BARK.....120 grs.	\$3 15	85	\$1 70	\$3 75	\$5 80
CRAMP BARK COMP.					
{ Cramp Bark, 40 grs. Sculcap, 12 grs. Skunk Cabbage, 32 grs. Aromatics, q. s. }	75	1 40	3 25	5 00
DAMIANA120 grs.	3 00	80	1 50	3 50	5 40
EUCALYPTUS60 grs.	2 85	75	1 40	3 25	5 00
EUCALYPTUS COMP.					
{ Eucalyptus, 15 grs. Liquorice Root, 15 grs. Aromatics, q. s. }	2 85	75	1 40	3 25	5 00
GENTIAN.....60 grs.	2 55	65	1 20	2 75	4 20
GENTIAN, Ferrated.					
{ Gentian (Infus.), Iron Pyrophosphate, 16 grs. }	2 70	70	1 30	3 00	4 60
GENTIAN and IRON CHLORIDE.					
{ Gentian (Infus.), Tinct. Iron Chloride, Tasteless, 40 min. }	2 55	65	1 20	2 75	4 20
GOLDEN SEAL.....60 grs.	3 30	90	1 70	4 00	6 20
GRINDELIA, Aromatic120 grs.	2 85	75	1 40	3 25	5 00
GUARANA96 grs.	3 90	1 10	2 10	5 00	7 80
GUARANA and CELERY.					
{ Guarana, 60 grs. Celery Seed, 60 grs. }	3 90	1 10	2 10	5 00	7 80
HELONIAS COMP.					
{ Helonias, 30 grs. Cramp Bark, 10 grs. Squaw Vine, 10 grs. Blue Cohosh, 10 grs. }	3 00	80	1 50	3 50	5 40
HOPS.....60 grs.	2 85	75	1 40	3 25	5 00
HYDRANGEA with LITHIA.					
{ Hydrangea Root, 240 grs. Lithium Salicylate, 12 grs. Lithium Benzoate, 12 grs. }	1 25	2 40	5 75	9 00
HYPNOTIC COMP.					
{ Chloral Hydrate, 120 grs. Potassium Bromide, 120 grs. Extr. Cannabis Indica, 1 gr. Extr. Hyoscyamus, 1 gr. }	1 75	3 40	8 00	12 00
IRON and BISMUTH.					
{ Iron Citrate, 16 grs. Bismuth, Ammonio-Citrate, 8 grs. }	2 85	75	1 40	3 25	5 00
IRON, BISMUTH and STRYCHNINE.					
{ Iron Citrate, 16 grs. Bismuth, Ammonio-Citrate, 8 grs. Strychnine, 8-100 gr. }	2 85	75	1 40	3 25	5 00
IRON PHOSPHATE.....8 grs.	2 70	70	1 30	3 00	4 60
IRON PROTOXIDE12 grs.	2 85	75	1 40	3 25	5 00
IRON PYROPHOSPHATE.....16 grs.	2 70	70	1 30	3 00	4 60
IRON and QUININE PYROPHOSPHATES.					
{ Iron Pyrophosphate, 16 grs. Quinine Pyrophosphate, 4 grs. }	3 30	90	1 70	4 00	6 20
IRON and QUININE PYROPHOSPHATES with STRYCHNINE.					
{ Iron Pyrophosphate, 20 grs. Quinine Pyrophosphate, 4 grs. Strychnine, 1-10 gr. }	3 30	90	1 70	4 00	6 20
IRON PYROPHOSPHATE and STRYCHNINE.					
{ Iron Pyrophosphate, 16 grs. Strychnine, 8-100 gr. }	2 85	75	1 40	3 25	5 00
IRON, QUININE and BISMUTH.					
{ Iron Citrate, 16 grs. Quinine Citrate, 8 grs. Bismuth, Ammonio-Citrate, 8 grs. }	3 60	1 00	1 90	4 50	7 00

ELIXIRS.

Each fluidounce represents the ingredients specified.

	Pr. Doz. 4 oz. Bottles.	Per Pint Bottle.	Per Qt. Bottle.	Per 5-Pt. Bottle.	Per Gall. Bottle.
IRON, QUININE, BISMUTH and STRYCHNINE.					
{ Iron Citrate, 8 grs. } { Quinine Citrate, 4 grs. } { Bismuth, Ammonio-Citrate, 8 grs. } { Strychnine, 1-8 gr. }	\$3 60	\$1 00	\$1 90	\$4 50	\$7 00
IRON, QUININE and STRYCHNINE with CALISAYA.					
{ Iron Citrate, 8 grs. } { Quinine Citrate, 4 grs. } { Strychnine Citrate, 1-8 gr. } { Calisaya Bark, 40 grs. }	3 60	1 00	1 90	4 50	7 00
IRON, QUININE and STRYCHNINE CITRATES.					
{ Iron Citrate, 8 grs. } { Quinine Citrate, 4 grs. } { Strychnine Citrate, 1-8 gr. }	3 30	90	1 70	4 00	6 20
IRON, QUININE and STRYCHNINE PHOSPHATES.					
{ Iron Phosphate, 4 grs. } { Quinine Phosphate, 4 grs. } { Strychnine Phosphate, 1-8 gr. }	3 30	90	1 70	4 00	6 20
IRON, QUININE and STRYCHNINE PHOSPHATES with PEPSIN.					
{ Iron Phosphate, 8 grs. } { Quinine Phosphate, 4 grs. } { Strychnine Phosphate, 1-8 gr. } { Pepsin, Saccharated, U. S. P., 16 grs. }	3 90	1 10	2 10	5 00	7 80
IRON, QUININE and STRYCHNINE VALERIANATES.					
{ Iron Valerianate, 8 grs. } { Quinine Valerianate, 4 grs. } { Strychnine Valerianate, 1-8 gr. }	3 60	1 00	1 90	4 50	7 00
IRON and QUININE CITRATE.....20 grs.	3 30	90	1 70	4 00	6 20
IRON and QUININE PHOSPHATES.					
{ Iron Phosphate, 4 grs. } { Quinine Phosphate, 4 grs. }	3 60	1 00	1 90	4 50	7 00
IRON and STRYCHNINE.					
{ Iron Citrate, 16 grs. } { Strychnine, 8-100 gr. }	2 85	75	1 40	3 25	5 00
IRON and STRYCHNINE PHOSPHATES.					
{ Iron Phosphate, 8 grs. } { Strychnine Phosphate, 1-8 gr. }	2 70	70	1 30	3 00	4 60
IRON and STRYCHNINE VALERIANATES.					
{ Iron Valerianate, 8 grs. } { Strychnine Valerianate, 1-8 gr. }	3 30	90	1 70	4 00	6 20
JUNIPER COMP.					
{ Juniper Berries, 60 grs. } { Pareira Brava, 30 grs. } { Broomtop, 30 grs. }	3 00	80	1 50	3 50	5 40
KOLA COMP.					
{ Kola Nut, 48 grs. } { Celery Seed, 48 grs. } { Coca Leaves, 64 grs. }	3 00	80	1 50	3 50	5 40
LACTICATED PEPSIN.....40 grs.	3 30	90	1 70	4 00	6 20
LACTICATED PEPSIN.....80 grs.	3 60	1 00	1 90	4 50	7 00
LACTICATED PEPSIN and BISMUTH.					
{ Lacticated Pepsin, 40 grs. } { Bismuth, Ammonio-Citrate, 8 grs. }	3 30	90	1 70	4 00	6 20
LACTICATED PEPSIN, BISMUTH and STRYCHNINE.					
{ Lacticated Pepsin, 40 grs. } { Bismuth, Ammonio-Citrate, 8 grs. } { Strychnine, 1-12 gr. } ..	3 30	90	1 70	4 00	6 20

ELIXIRS.

Each fluidounce represents the ingredients specified.

LACTICATED PEPSIN, BISMUTH, STRYCHNINE and IRON.

{ Lacticated Pepsin, 40 grs. }					
{ Bismuth, Ammonio-Citrate, 8 grs. }					
{ Strychnine, 1-12 gr. }	\$3 30	\$ 90	\$1 70	\$4 00	\$6 20
{ Iron Pyrophosphate, 8 grs. }					

LACTICATED PEPSIN with CALISAYA.

{ Lacticated Pepsin, 40 grs. }	3 30	90	1 70	4 00	6 20
{ Calisaya Bark, 40 grs. }					

LACTICATED PEPSIN with CALISAYA and BISMUTH.

{ Lacticated Pepsin, 40 grs. }	3 30	90	1 70	4 00	6 20
{ Calisaya Bark, 40 grs. }					
{ Bismuth, Ammonio-Citrate, 8 grs. }					

LACTICATED PEPSIN with CALISAYA and IRON.

{ Lacticated Pepsin, 40 grs. }	3 30	90	1 70	4 00	6 20
{ Calisaya Bark, 40 grs. }					
{ Iron Citrate, 8 grs. }					

LACTICATED PEPSIN with CALISAYA, IRON and BISMUTH.

{ Lacticated Pepsin, 40 grs. }	3 30	90	1 70	4 00	6 20
{ Calisaya Bark, 40 grs. }					
{ Iron Citrate, 16 grs. }					
{ Bismuth, Ammonio-Citrate, 8 grs. }					

LACTICATED PEPSIN with CALISAYA and STRYCHNINE.

{ Lacticated Pepsin, 40 grs. }	3 30	90	1 70	4 00	6 20
{ Calisaya Bark, 40 grs. }					
{ Strychnine, 1-12 gr. }					

LACTICATED PEPSIN with GENTIAN and IRON CHLORIDE.

{ Lacticated Pepsin, 40 grs. }	3 30	90	1 70	4 00	6 20
{ Infus. Gentian Comp., }					
{ Tinet. Iron Chlor., Tasteless, 20 min. }					

LACTICATED PEPSIN with IRON, QUININE and STRYCHNINE PHOSPHATES.

{ Lacticated Pepsin, 40 grs. }	3 90	1 10	2 10	5 00	7 80
{ Iron Phosphate, 4 grs. }					
{ Quinine Phosphate, 4 grs. }					
{ Strychnine Phosphate, 1-12 gr. }					

LIQUORICE, Aromatic (for Quinine mixtures)

LITHIUM BROMIDE.....16 grs. 4 35 1 25 2 40 5 75 9 00

LITHIUM CITRATE20 grs. 4 35 1 25 2 40 5 75 9 00

LUPULIN (Hops, 60 grs.)..... 2 85 75 1 40 3 25 5 00

MANACA and SALICYLATES COMP.

{ Manaca, 80 grs. }	5 10	1 50	2 90	7 00	11 00
{ Sodium Salicylate, 24 grs. }					
{ Potassium Salicylate, 16 grs. }					
{ Lithium Salicylate, 4 grs. }					

MANDRAKE COMP.

{ Mandrake, 60 grs. }	2 85	75	1 40	3 25	5 00
{ Culver's Root, 60 grs. }					
{ Senna, 60 grs. }					
{ Aromatics, q. s. }					

MATICO COMP.

{ Matico, 40 grs. }	3 00	80	1 50	3 50	5 40
{ Uva Ursi, 40 grs. }					
{ Hydrangea, 40 grs. }					

PANCREATIN16 grs. 3 30 90 1 70 4 00 6 20

PANCREATIN and BISMUTH.

{ Pancreatin, Saccharated, 16 grs. }	3 60	1 00	1 90	4 50	7 00
{ Bismuth, Ammonio-Citrate, 8 grs. }					

ELIXIRS.

Each fluidounce represents the ingredients specified.

Pr. Doz. 4 oz. Bottles.	Per Pint Bottle.	Per Qt. Bottle.	Per 5-Pt. Bottle.	Per Gall. Bottle.
-------------------------------	------------------------	-----------------------	-------------------------	-------------------------

PANCREATIN, BISMUTH and STRYCHNINE.

{ Pancreatin, Saccharated, 16 grs. }	\$3 60	\$1 00	\$1 90	\$4 50	\$7 00
{ Bismuth, Ammonio-Citrate, 8 grs. }						
{ Strychnine, 1-8 gr. }						

PAN-PEPTIC. (See Net List, page 115.)

PARALDEHYDE 45 grs. 3 90 1 10 2 10 5 00 7 80

PEPSIN, Saccharated, U. S. P. 16 grs. 3 20 85 1 60 3 75 6 00

PEPSIN and BISMUTH.

{ Pepsin, Saccharated, U. S. P., 16 grs. }	3 60	1 00	1 90	4 50	7 00
{ Bismuth, Ammonio-Citrate, 8 grs. }						

PEPSIN, BISMUTH and NUX VOMICA.

{ Pepsin, Saccharated, U. S. P., 16 grs. }	3 60	1 00	1 90	4 50	7 00
{ Bismuth, Ammonio-Citrate, 16 grs. }						
{ Nux Vomica, 8 grs. }						

PEPSIN, BISMUTH and PANCREATIN.

{ Pepsin, Saccharated, U. S. P., 16 grs. }	3 60	1 00	1 90	4 50	7 00
{ Bismuth, Ammonio-Citrate, 16 grs. }						
{ Pancreatin, Saccharated, 8 grs. }						

PEPSIN, CALISAYA and BISMUTH.

{ Pepsin, Saccharated, U. S. P., 16 grs. }	3 60	1 00	1 90	4 50	7 00
{ Calisaya Bark, 64 grs. }						
{ Bismuth, Ammonio-Citrate, 8 grs. }						

PEPSIN, CALISAYA and STRYCHNINE.

{ Pepsin, Saccharated, U. S. P., 16 grs. }	3 60	1 00	1 90	4 50	7 00
{ Calisaya Bark, 64 grs. }						
{ Strychnine, 1-8 gr. }						

PEPSIN and GENTIAN.

{ Pepsin, Saccharated, U. S. P., 16 grs. }	3 60	1 00	1 90	4 50	7 00
{ Gentian, 40 grs. }						

PEPSIN and IRON.

{ Pepsin, Saccharated, U. S. P., 16 grs. }	3 60	1 00	1 90	4 50	7 00
{ Iron Citrate, 16 grs. }						

PEPSIN, IRON and BISMUTH.

{ Pepsin, Saccharated, U. S. P., 16 grs. }	3 60	1 00	1 90	4 50	7 00
{ Iron Citrate, 16 grs. }						
{ Bismuth, Ammonio-Citrate, 8 grs. }						

PEPSIN, IRON and BISMUTH with CALISAYA.

{ Pepsin, Saccharated, U. S. P., 16 grs. }	3 90	1 10	2 10	5 00	7 80
{ Iron Citrate, 16 grs. }						
{ Bismuth, Ammonio-Citrate, 8 grs. }						
{ Calisaya Bark, 40 grs. }						

PEPSIN, IRON and CALISAYA.

{ Pepsin, Saccharated, U. S. P., 16 grs. }	3 90	1 10	2 10	5 00	7 80
{ Iron Citrate, 16 grs. }						
{ Calisaya Bark, 64 grs. }						

PEPSIN, IRON and QUININE.

{ Pepsin, Saccharated, U. S. P., 16 grs. }	3 90	1 10	2 10	5 00	7 80
{ Iron Citrate, 16 grs. }						
{ Quinine Citrate, 8 grs. }						

PEPSIN, IRON, QUININE and BISMUTH.

{ Pepsin, Saccharated, U. S. P., 16 grs. }	3 90	1 10	2 10	5 00	7 80
{ Iron Citrate, 16 grs. }						
{ Quinine Citrate, 8 grs. }						
{ Bismuth, Ammonio-Citrate, 8 grs. }						

PEPSIN, IRON, QUININE and STRYCHNINE.

{ Pepsin, Saccharated, U. S. P., 16 grs. }	3 90	1 10	2 10	5 00	7 80
{ Iron Citrate, 8 grs. }						
{ Quinine Citrate, 4 grs. }						
{ Strychnine Citrate, 1-8 gr. }						

PEPSIN, IRON and STRYCHNINE.

{ Pepsin, Saccharated, U. S. P., 16 grs. }	3 60	1 00	1 90	4 50	7 00
{ Iron Citrate, 16 grs. }						
{ Strychnine, 1-8 gr. }						

In ordering our Preparations through dealers, please specify SHARP & DOHME'S.

ELIXIRS.

Each fluidounce represents the ingredients specified.

ELIXIRS.		Pr.Doz. 4 oz. Bottles.	Per Pint Bottle.	Per Qt. Bottle.	Per 5-Pt. Bottle.	Per Gall. Bottle.
Each fluidounce represents the ingredients specified.						
PEPSIN and PANCREATIN.						
{ Pepsin, Saccharated, U. S. P., 16 grs. }	{ Pancreatin, Saccharated, 8 grs. }	\$3 90	\$1 10	\$2 10	\$5 00	\$7 80
PEPSIN and QUININE.						
{ Pepsin, Saccharated, U. S. P., 16 grs. }	{ Quinine Citrate, 8 grs. }	3 90	1 10	2 10	5 00	7 80
PEPSIN, QUININE and BISMUTH.						
{ Pepsin, Saccharated, U. S. P., 16 grs. }	{ Quinine Citrate, 4 grs. }	3 90	1 10	2 10	5 00	7 80
{ Bismuth, Ammonio-Citrate, 8 grs. }						
PEPSIN, QUININE and STRYCHNINE.						
{ Pepsin, Saccharated, U. S. P., 16 grs. }	{ Quinine Citrate, 8 grs. }	3 90	1 10	2 10	5 00	7 80
{ Strychnine, 1-8 gr. }						
PEPSIN and STRYCHNINE.						
{ Pepsin, Saccharated, U. S. P., 16 grs. }	{ Strychnine, 1-8 gr. }	3 60	1 00	1 90	4 50	7 00
PEPSIN, STRYCHNINE and BISMUTH.						
{ Pepsin, Saccharated, U. S. P., 16 grs. }	{ Strychnine, 1-8 gr. }	3 60	1 00	1 90	4 50	7 00
{ Bismuth, Ammonio-Citrate, 8 grs. }						
PEPSIN, STRYCHNINE and BISMUTH Ferrated.						
{ Pepsin, Saccharated, U. S. P., 16 grs. }	{ Strychnine, 1-8 gr. }	3 60	1 00	1 90	4 50	7 00
{ Bismuth, Ammonio-Citrate, 8 grs. }						
{ Iron Citrate, 8 grs. }						
PEPSIN, STRYCHNINE, BISMUTH and CALISAYA.						
{ Pepsin, Saccharated, U. S. P., 16 grs. }	{ Strychnine, 1-8 gr. }	3 90	1 10	2 10	5 00	7 80
{ Bismuth, Ammonio-Citrate, 8 grs. }						
{ Calisaya Bark, 40 grs. }						
PEPSIN, STRYCHNINE, BISMUTH and PANCREATIN.						
{ Pepsin, Saccharated, U. S. P., 16 grs. }	{ Strychnine, 1-8 gr. }	3 90	1 10	2 10	5 00	7 80
{ Bismuth, Ammonio-Citrate, 8 grs. }						
{ Pancreatin, Saccharated, 8 grs. }						
PEPSIN, STRYCHNINE and BISMUTH with QUININE.						
{ Pepsin, Saccharated, U. S. P., 16 grs. }	{ Strychnine, 1-8 gr. }	4 35	1 25	2 40	5 75	9 00
{ Bismuth, Ammonio-Citrate, 8 grs. }						
{ Quinine Citrate, 8 grs. }						
PHOSPHORUS, NUX VOMICA and DAMIANA.						
{ Phosphorus, 8-100 gr. }	{ Nux Vomica, 8 grs. }	3 60	1 00	1 90	4 50	7 00
{ Damiana, 64 grs. }						
PINUS COMP. (See White Pine Comp.).....		3 00	80	1 50	3 50	5 40
POKEBERRIES60 grs.		3 00	80	1 50	3 50	5 40
POTASSIUM BROMIDE40 grs.		2 70	70	1 30	3 00	4 60
POTASSIUM BROMIDE80 grs.		2 85	75	1 40	3 25	5 00
QUININE, BISMUTH and STRYCHNINE.						
{ Quinine Citrate, 8 grs. }	{ Bismuth, Ammonio-Citrate, 8 grs. }	3 90	1 10	2 10	5 00	7 80
{ Strychnine Citrate, 1-8 gr. }						
QUININE COMP.						
{ Quinine Citrate, 8 grs. }	{ Cinchonine Citrate, 4 grs. }	3 90	1 10	2 10	5 00	7 80
{ Iron Citrate, 4 grs. }						
QUININE, IRON and ARSENIC.						
{ Quinine Phosphate, 4 grs. }	{ Iron Phosphate, 4 grs. }	3 30	90	1 70	4 00	6 20
{ Sodium Arsenate, 1-4 gr. }						

ELIXIRS.

Each fluidounce represents the ingredients specified.

QUININE, IRON, ARSENIC and STRYCHNINE.

{ Quinine Phosphate, 4 grs. }					
{ Iron Phosphate, 4 grs. }					
{ Sodium Arsenate, 1-4 gr. }					
{ Strychnine Phosphate, 1-6 gr. }					
.....	\$3 30	\$ 90	\$1 70	\$4 00	\$6 20

QUININE PHOSPHATE4 grs. 3 30 90 1 70 4 00 6 20

QUININE and STRYCHNINE.

{ Quinine Citrate, 4 grs. }					
{ Strychnine Citrate, 1-8 gr. }					
.....	3 30	90	1 70	4 00	6 20

QUININE and STRYCHNINE PHOSPHATES.

{ Quinine Phosphate, 4 grs. }					
{ Strychnine Phosphate, 1-8 gr. }					
.....	3 30	90	1 70	4 00	6 20

QUININE VALERIANATE4 grs. 3 60 1 00 1 90 4 50 7 00

RHAMNUS COMP.

{ Buckthorn Bark, 120 grs. }					
{ Mandrake, 12 grs. }					
{ Henbane, 5 grs. }					
{ Aromatics, q. s. }					
.....	3 00	80	1 50	3 50	5 40

RHEUMATIC COMP.

{ Acid Salicylic, 40 grs. }					
{ Potassium Iodide, 8 grs. }					
{ Manaca, 16 grs. }					
{ Gelsemium, 16 grs. }					
.....	3 30	90	1 70	4 00	6 20

RHUBARB ALKALINE with PANCREATIN.

{ Rhubarb, 18 grs. }					
{ Golden Seal, 9 grs. }					
{ Cinnamon, 4 grs. }					
{ Potassium Bicarbonate, 18 grs. }					
{ Pancreatin, Saccharated, 4 grs. }					
.....	2 85	75	1 40	3 25	5 00

RHUBARB and MAGNESIA, Aromatic.

{ Rhubarb, 48 grs. }					
{ Magnesia, 32 grs. }					
{ Aromatics, q. s. }					
.....	2 85	75	1 40	3 25	5 00

SAW PALMETTO COMP. (See note 41.)

{ Saw Palmetto Berries, 60 grs. }					
{ Sandal Wood, 30 grs. }					
{ Corn Silk, 90 grs. }					
{ Aromatics, q.s. }					
.....	1 00	1 90	4 50	7 00

SAW PALMETTO and PICH.

{ Saw Palmetto Berries, 60 grs. }					
{ Pichi, 30 grs. }					
{ Sandal Wood, 30 grs. }					
{ Potassium Iodide, 4 grs. }					
{ Ammonium Chloride, 4 grs. }					
.....	1 25	2 40	5 75	9 00

SENNA COMP.

{ Senna, 120 grs. }					
{ Rhubarb, 30 grs. }					
{ Rochelle Salts, 120 grs. }					
{ Aromatics, q. s. }					
.....	3 00	80	1 50	3 50	5 40

SIMPLE (Red)..... 2 10 50 90 2 00 3 00

SIMPLE (White)..... 2 10 50 90 2 00 3 00

SODIUM BROMIDE40 grs. 3 00 80 1 50 3 50 5 40

SODIUM SALICYLATE20 grs. 2 55 65 1 20 2 75 4 20

STILLINGIA COMP. with POTASSIUM IODIDE.

{ Stillingia, 30 grs. }					
{ Turkey Corn, 30 grs. }					
{ Blue Flag, 45 grs. }					
{ Prickly Ash Bark, 15 grs. }					
{ Potassium Iodide, 20 grs. }					
.....	3 60	1 00	1 90	4 50	7 00

STRYCHNINE PHOSPHATE.....1-8 gr. 3 00 80 1 50 3 50 5 40

STRYCHNINE VALERIANATE.....1-4 gr. 3 00 80 1 50 3 50 5 40

ELIXIRS.

Each fluidounce represents the ingredients specified.

SUMBUL COMP.

{ Sumbul, 60 grs. }	\$3 60	\$1 00	\$1 90	\$4 50	\$7 00
{ Ammonium Valerianate, 8 grs. }						

TARAXACUM COMP.

Taraxacum, 30 grs. }						
Wild Cherry Bark, 15 grs. }						
Liquorice Root, 30 grs. }	2 85	75	1 40	3 25	5 00
Gentian, 6 grs. }						
Aromatics, q. s. }						

TERPIN HYDRATE with CODEINE.

{ Terpin Hydrate, 8 grs. }		1 00	1 90	4 50	7 00
{ Codeine Sulphate, 1 gr. }						

WAHOO.....120 grs.	3 00	80	1 50	3 50	5 40
--------------------	------	----	------	------	------

WHITE PINE COMP.

{ White Pine Bark, 30 grs. }						
Wild Cherry Bark, 30 grs. }						
Sassafras Bark, 2 grs. }						
Blood Root, 3 1-2 grs. }	3 00	80	1 50	3 50	5 40
Balm of Gilead Buds, 4 grs. }						
Chloroform, 4 min. }						
Spikenard, 4 grs. }						
Morphine Acetate, 3-16 gr. }						

WILD CHERRY BARK80 grs.	2 85	75	1 40	3 25	5 00
-------------------------------	------	----	------	------	------

WILD CHERRY BARK, Ferrated.

{ Wild Cherry Bark, 64 grs. }	2 85	75	1 40	3 25	5 00
{ Tinct. Iron Chlor., Tasteless, 64 min. }						

YERBA SANTA.....60 grs.	2 85	75	1 40	3 25	5 00
-------------------------	------	----	------	------	------

YERBA SANTA, Aromatic.....	2 85	75	1 40	3 25	5 00
----------------------------	------	----	------	------	------

YERBA SANTA COMP.

{ Yerba Santa, 30 grs. }	2 85	75	1 40	3 25	5 00
{ Grindelia, 30 grs. }						

ZINC VALERIANATE4 grs.	3 30	90	1 70	4 00	6 20
------------------------------	------	----	------	------	------

GLYCEROLES.

Each fluidounce represents the ingredients specified.

HYPOPHOSPHITES(40 grs. of the combined Hypophosphites of Calcium, Sodium and Potassium.)	\$3 60	\$1 00	\$1 90	\$4 50	\$7 00
--	--------	--------	--------	--------	--------

PEPSIN. (See page 109.)

TAR, (U. S. P. 1870)	2 70	70	1 30	3 00	4 60
----------------------------	------	----	------	------	------

YERBA COMP.

{ Yerba Santa, 60 grs. }						
Grindelia, 30 grs. }						
Potassium Bromide, 10 grs. }						
Wild Cherry Bark, 30 grs. }	3 60	1 00	1 90	4 50	7 00
Liquorice, 60 grs. }						
Tar, 5 grs. }						
Acid, Salicylic, 5 grs. }						

YERBA COMP. with OPIUM.

{ Yerba Santa, 60 grs. }						
Grindelia, 30 grs. }						
Potassium Bromide, 10 grs. }						
Wild Cherry Bark, 30 grs. }	3 90	1 10	2 10	5 00	7 80
Liquorice, 60 grs. }						
Tar, 2 grs. }						
Acid, Salicylic, 2 grs. }						
Tinct. Opium, Deod., 15 min. }						

WINES.

Each fluidounce represents the ingredients specified.

	Pr.Doz. 4 oz. Bottles.	Per Pint Bottle.	Per Qt. Bottle.	Per 5-Pt. Bottle.	Per Gall. Bottle.
ALOES	\$	\$ 75	\$1 40	\$3 25	\$5 00
AMERICAN WHITE ASH.....96 grs.	3 00	80	1 50	3 50	5 40
ANTIMONIAL (U. S. P.). 4 Gm. in 100 Cc..		80	1 50	3 50	5 40
AROMATIC.....		1 00	1 90	4 50	7 00
BEEF and WINE.....2 ozs. Beef.	2 85	75	1 40	3 25	5 00
BEEF, WINE and IRON.					
{ Fresh Beef, 2 ozs. }					
{ Iron Citrate, 4 grs. }		65	1 20	2 75	4 20
BEEF, WINE and IRON with CALISAYA BARK.					
{ Fresh Beef, 2 ozs. }					
{ Iron Citrate, 4 grs. }	3 15	85	1 60	3 75	5 80
{ Calisaya Bark (active principles), 40 grs. }					
BEEF, WINE and IRON with PEPSIN.					
{ Fresh Beef, 2 ozs. }					
{ Iron Citrate, 4 grs. }	3 15	85	1 60	3 75	5 80
{ Pepsin, Saccharated, U. S. P., 16 grs. }					
BEEF, WINE and IRON with QUININE.					
{ Fresh Beef, 2 ozs. }					
{ Iron Citrate, 4 grs. }	3 60	1 00	1 90	4 50	7 00
{ Quinine Sulphate, 2 grs. }					
BITTER WINE of IRON.					
{ Iron Citrate, 16 grs. }					
{ Calisaya Bark (active principles), 40 grs. }	2 85	75	1 40	3 25	5 00
CALCIUM LACTO-PHOSPHATE.....16 grs.	3 60	1 00	1 90	4 50	7 00
CALISAYA BARK (active principles) 40 grs.	2 70	70	1 30	3 00	4 60
CALISAYA BARK, Ferrated.					
{ Calisaya Bark (active principles), 40 grs. }					
{ Iron Citrate, 16 grs. }	2 70	70	1 30	3 00	4 60
COCA	3 00	80	1 50	3 50	5 40
COLCHICUM ROOT (U. S. P.), 40 Gm. in 100 Cc.....		75	1 40	3 25	5 00
COLCHICUM SEED (U. S. P.), 15 Gm. in 100 Cc.....		80	1 50	3 50	5 40
ERGOT (U. S. P.), 15 Gm. in 100 Cc.....		1 00	1 90	4 50	7 00
IPECAC (U. S. P.), 10 Gm. in 100 Cc.....		1 00	1 90	4 50	7 00
IRON, Bitter (U. S. P.), 5 Gm. in 100 Cc. ...		80	1 50	3 50	5 40
IRON CITRATE (U. S. P.), 4 Gm. in 100 Cc.		70	1 30	3 00	4 60
IRON and QUININE CITRATE.....16 grs.		1 00	1 90	4 50	7 00
KOLA	3 60	1 00	1 90	4 50	7 00
OPIUM (U. S. P.), Assayed. Each fluid-ounce contains by assay 6 grs. crystal- lized Morphine, equal to 7 1-2 grs. Mor- phine Sulphate		1 50	2 90	7 00	11 00
PEPSIN, Saccharated, U. S. P.....16 grs.	3 30	90	1 70	4 00	6 20
TAR.....30 grs.		50	90	2 00	3 00
WILD CHERRY BARK.....30 grs.	2 85	75	1 40	3 25	5 00
WILD CHERRY BARK, Ferrated.					
{ Wild Cherry Bark, 64 grs. }					
{ Tinct. Iron Chlor., Tasteless, 64 min. }	2 85	75	1 40	3 25	5 00

CORDIALS.

Each fluidounce represents the ingredients specified.

	Pr.Doz. 4 oz. Bottles.	Per Pint Bottle.	Per Qt. Bottle.	Per 5-Pt. Bottle.	Per Gall. Bottle.
BLACKBERRY.....32 grs.	\$2 85	\$ 75	\$1 40	\$3 25	\$5 00
BUCKTHORN 120 grs.	2 85	75	1 40	3 25	5 00
CASCARA. (See Laxative.)					
CURACOA	2 40	60	1 10	2 50	3 80
HELONIAS.					
{ Unicorn Root, 15 grs. Squaw Vine, 60 grs. Cramp Bark, 15 grs. Blue Cohosh, 15 grs. }	3 00	80	1 50	3 50	5 40
LAXATIVE (Cascara Sagrada, 60 grs., with Aromatics), per 12 oz. bot.....	\$0.65				
LAXATIVE (Cascara Sagrada, 60 grs., with Aromatics)	3 15	85	1 60	3 75	5 80
NEUTRALIZING	2 40	60	1 10	2 50	3 80
UNICORN CORDIAL.					
{ Unicorn Root, 60 grs. Black Haw, 20 grs. Squaw Vine, 20 grs. Blue Cohosh, 20 grs. }		80	1 50	3 50	5 40
UTERINE TONIC.					
{ Black Haw, 60 grs. Golden Seal, 60 grs. Jamaica Dogwood, 30 grs. Aromatics, q. s. }		80	1 50	3 50	5 40

SYRUPS.

Each fluidounce represents the ingredients specified.

	Pr.Doz. 4 oz. Bottles.	Per lb. 12 ozs.	Per Pint 16 ozs.	Per Qt. Bottle.	Per 5-Pt. Bottle.	Per Gall. Bottle.
CALCIS (U. S. P.).....24 grs.	\$2 60	\$ 50	\$ 65	\$1 20	\$2 75	\$4 20
CALCIUM HYPOPHOS.....28 grs.	2 85	55	75	1 40	3 25	5 00
CALCIUM IODIDE8 grs.	3 20	65	85	1 60	3 75	5 80
CALCIUM LACTO-PHOSPHATE (U. S. P.)16 grs.	3 60	75	1 00	1 90	4 50	7 00
CALCIUM and IRON LACTO- PHOSPHATES.						
{ Calcium Lactophos., 16 grs. }	3 80	80	1 10	2 10	5 00	7 80
{ Iron Lactophos., 4 grs. }						
CALCIUM LACTO-PHOSPHATE with PEPSIN.						
{ Calcium Lactophos., 16 grs. }	4 20	90	1 15	2 20	5 25	8 20
{ Pepsin Sacch., U. S. P., 16 grs. }						
CALCIUM PHOSPHATE20 grs.	3 00	60	80	1 50	3 50	5 40
CALCIUM and SODIUM HYPOPHOS. (Churchill).....32 grs.	2 85	55	75	1 40	3 25	5 00
CALCIUM and SODIUM LACTO- PHOSPHATES.						
{ Calcium Lactophos., 16 grs. }	3 80	80	1 10	2 10	5 00	7 80
{ Sodium Lactophos., 8 grs. }						
CALCIUM, SODIUM, POTASSIUM and MANGANESE HYPOPHOS- PHITES.						
{ Calcium Hypophos., 8 grs. }	3 20	65	85	1 60	3 75	5 80
{ Sodium Hypophos., 8 grs. }						
{ Potassium Hypophos., 4 grs. }						
{ Manganese Hypophos., 12 grs. }						
CHLORAL HYDRATE40 grs.	3 60	75	1 00	1 90	4 50	7 00
HYPOPHOSPHITES (U. S. P.)	2 85	55	75	1 40	3 25	5 00
HYPOPHOSPHITES COMP.....	2 85	55	75	1 40	3 25	5 00
(40 grs. of the combined Hypophos- phites of Calcium, Sodium and Potas- sium.)						

SYRUPS.

Each fluidounce represents the ingredients specified.

	Pr. Doz. 4 oz. Bottles.	Per lb. 12 ozs.	Per Pint 16 ozs.	Per Qt. Bottle.	Per 5-Pt. Bottle.	Per Gall. Bottle.
HYPOPHOSPHITES COMP.	\$2 85	\$ 55	\$ 75	\$1 40	\$3 25	\$5 00
(40 grs. of the combined Hypophosphites of Calcium, Sodium, Potassium and Iron.)						
HYPOPHOSPHITES COMP., Special, Cloudy.						
{ Potassium Hypophos., 1 1-2 grs. }						
{ Iron Hypophos., 1 1-2 grs. }						
{ Manganese Hypophos., 1 gr. }	2 55	65	1 20	2 75	4 20
{ Calcium Hypophos., 1 gr. }						
{ Quinine Hypophos., 1-2 gr. }						
{ Strychnine Hypophos., 1-16 gr. }						
HYPOPHOSPHITES COMP. with QUININE and STRYCHNINE.						
{ Calcium Hypophos., 20 grs. }						
{ Sodium Hypophos., 8 grs. }						
{ Potassium Hypophos., 6 grs. }	3 40	70	90	1 70	4 00	6 20
{ Iron Protox. Hypophos., 6 grs. }						
{ Quinine Hypophos., 4 grs. }						
{ Strychnine Hypophos., 1-8 gr. }						
IPECAC and OPIUM (Dover's Powder)	2 60	50	65	1 20	2 75	4 20
(40 grs.)						
IRON BROMIDE	3 80	80	1 10	2 10	5 00	7 80
(60 grs.)						
IRON CHLORIDE	3 00	60	80	1 50	3 50	5 40
(Equivalent to Tincture Iron Chloride, U. S. P., 40 min.)						
IRON HYPOPHOSPHITE	2 85	55	75	1 40	3 25	5 00
(16 grs.)						
IRON LACTATE	3 60	75	1 00	1 90	4 50	7 00
(16 grs.)						
IRON LACTO-PHOSPHATE	3 60	75	1 00	1 90	4 50	7 00
(16 grs.)						
IRON and MANGANESE IODIDES.						
{ Iron Iodide, 40 grs. }	4 20	90	1 15	2 20	5 25	8 20
{ Manganese Iodide, 20 grs. }						
IRON OXIDE	3 80	80	1 10	2 10	5 00	7 80
(16 grs.)						
IRON PHOSPHATE (Br. P.)	3 00	60	80	1 50	3 50	5 40
(16 grs.)						
IRON, QUININE and STRYCHNINE HYPOPHOSPHITES.						
{ Iron Hypophos., 8 grs. }						
{ Quinine Hypophos., 8 grs. }	3 80	80	1 10	2 10	5 00	7 80
{ Strychnine Hypophos., 1-4 gr. }						
IRON, QUININE and STRYCHNINE LACTO-PHOSPHATES.						
{ Iron Lactophos., 8 grs. }						
{ Quinine Lactophos., 8 grs. }	4 60	1 00	1 30	2 50	6 00	9 40
{ Strychnine Lactophos., 1-4 gr. }						
IRON, QUININE and STRYCHNINE PHOSPHATES.						
{ Iron Phosphate, 8 grs. }						
{ Quinine Phosphate, 8 grs. }	3 40	70	95	1 80	3 75	6 60
{ Strychnine Phosphate, 1-4 gr. }						
KOUSSO COMP.						
{ Koussou, 60 grs. }						
{ Wormseed, Levant, 60 grs. }	4 50	1 00	1 30	2 50	6 00	9 40
{ Senna, 60 grs. }						
{ Aromatics, q. s. }						
Per doz. 2 oz. bottles.....	2 35					
LACTO-PHOSPHATES COMP.	3 60	75	1 00	1 90	4 50	7 00
(20 grs. of the combined Lacto-phosphates of Calcium, Iron, Potassium and Sodium.)						
MANGANESE HYPOPHOS. ...16 grs.	3 60	75	1 00	1 90	4 50	7 00
MANGANESE IODIDE60 grs.	4 60	1 00	1 30	2 50	6 00	9 40
PECTORAL (Jackson's)	3 15	65	85	1 60	3 75	5 80
PHOSPHATES COMP. (Chemical Food)	3 00	60	80	1 50	3 50	5 40
(40 grs. of the combined Phosphates of Calcium, Sodium, Potassium and Iron.)						

In ordering our Preparations through dealers, please specify SHARP & DOHME'S.

SYRUPS.

Each fluidounce represents the ingredients specified.

Pr. Doz. 4 oz. Bottles.	Per lb. 12 ozs.	Per Pint 16 ozs.	Per Qt. Bottle.	Per 5-Pt. Bottle.	Per Gall. Bottle.
-------------------------------	-----------------------	------------------------	-----------------------	-------------------------	-------------------------

RED CLOVER COMP.

Red Clover,	32 grs.					
Stillingia,	16 grs.					
Berberis Aquifolium,	16 grs.					
Prickly Ash Bark,	4 grs.					
Burdock Root,	16 grs.	\$3 00.	\$....	\$ 80	\$1 50
Poke Root,	16 grs.					\$3 50
Cascara Amarga,	16 grs.					\$5 40
Potassium Iodide,	8 grs.					

SODIUM HYPOPHOSPHITE..32 grs.	2 85	55	75	1 40	3 25	5 00
-------------------------------	------	----	----	------	------	------

SODIUM LACTO-PHOSPHATE 20 grs.	3 60	75	1 00	1 90	4 50	7 00
--------------------------------	------	----	------	------	------	------

*TONIC HYPOPHOSPHITES.

Potassium Hypophos.,	1 1-2 grs.					
Iron Hypophos.,	1 1-2 grs.					
Manganese Hypophos.,	1 gr.					
Calcium Hypophos.,	1 gr.	See	Part	2,	page	118.
Quinine Hypophos.,	1-2 gr.					
Strychnine Hypophos.,	1-16 gr.					

TRIFOLIUM COMP. (See Red Clover Comp.)

WHITE PINE COMP.

White Pine Bark,	30 grs.					
Wild Cherry Bark,	30 grs.					
Sassafras,	2 grs.					
Blood Root,	3 1-2 grs.	2 55	65	1 20	2 75
Balm of Gilead Buds,	4 grs.					4 20
Chloroform,	4 min.					
Spikenard,	4 grs.					
Morphine Acetate,	3-16 gr.					

YERBA SANTA, Aromatic.....60 grs.	3 00	60	80	1 50	3 50	5 40
-----------------------------------	------	----	----	------	------	------

* Syrup Tonic Hypophosphites, S. & D.

This combination has proved of immense value in the treatment of atonic and cachectic conditions, as in the tubercular and strumous diatheses, in general debility and nervous exhaustion, and as a restorative and tonic generally. It is a true constructive, enriching and purifying the blood, and rendering it suitable for nourishing and building up healthy tissues. Hence it is useful in the debility of tubercular phthisis with loss of appetite, night sweats and general emaciation, in poorly nourished and delicate children, in rickets, chlorosis, anemia, scrofulous ulcerations, and tedious convalescence from typhoid fever, pneumonia, and other exhausting diseases.

We call attention to the fact that NO PRECIPITATION of any of the ingredients occurs in our Syrup, but that they are so skillfully combined that they form a harmonious and stable compound. We will be pleased to have it compared with any simiiar preparation on the market.

SYRUPS.

Per lb. 12 oz. Bottle.	Pr. Pint 16 oz. Bottle.
------------------------------	-------------------------------

ACID, CITRIC (U. S. P.).....	\$ 35	\$ 45
ACID, HYDRIODIC (U. S. P.) (See Part 2, page 118.)		
ACID, HYDRIODIC, double strength. (See Part 2, page 118.)		
ACTEA COMP.....	60	80
ALMONDS (U. S. P.).....	70	90
ALTHEA (U. S. P.).....	50	65
BLACKBERRY (U. S. P.).....	55	70
BUCKTHORN	55	70
GALLS, Aromatic	55	70
GARLIC (U. S. P.).....	70	90
GINGER (U. S. P.).....	35	45
GUM ACACIA (U. S. P.)	50	65
GUM ARABIC. (See Gum Acacia.)		
HOREHOUND	45	60
IPECAC (U. S. P.).....	80	1 05
IRON CITRATE	65	85
IRON IODIDE (U. S. P.) (See Part 2, page 118.)		
IRON IODIDE, Tasteless. (See Part 2, page 118.)		
IRON and POTASS. IODO-HYDRARG	70	90
IRON PYROPHOSPHATE.....	55	70
IRON SUCCINATE.....	80	1 05
KRAMERIA (U. S. P.)	60	80
LACTUCARIUM (U. S. P.).....	1 50	2 00
LIQUORICE	50	65
MANNA	60	80
ORANGE FLOWERS (U. S. P.).....	50	65
ORANGE PEEL (U. S. P.).....	40	50
PARTRIDGE BERRY COMP.....	60	80
PEPSIN.....	75	1 00
POPPY HEADS.....	70	90
RASPBERRY (U. S. P.).....	45	60
RHUBARB (U. S. P.).....	55	70
RHUBARB, Aromatic (U. S. P.).....	45	60
RHUBARB and POTASSA.....	70	90
ROSE LEAVES (U. S. P.).....	1 00	1 30
SARSAPARILLA	45	60
SARSAPARILLA COMP. (U. S. P.).....	45	60
SENEGA (U. S. P.).....	65	85
SENNA (U. S. P.).....	85	1 10
SENNA, Aromatic	50	65
SIMPLE.....	25	30
SQUILL (U. S. P.).....	35	45
SQUILL COMP. (U. S. P.).....	55	70
STILLINGIA COMP.....	55	70
TAR (U. S. P.)	35	45
TOLU (U. S. P.).....	35	45
WILD CHERRY BARK (U. S. P.).....	40	50
WILD GINGER.....	70	90
YELLOW DOCK COMP.....	55	70
YERBA SANTA.....	55	70

Tinctures.

Per
Pint
Bottle.

ACONITE LEAVES.....	\$ 65
ACONITE ROOT (U. S. P.).....	85
ACONITE ROOT, Fleming.....	1 10
ALOES (U. S. P.).....	60
ALOES and MYRRH (U. S. P.).....	1 00
ANTACRIDA.....	1 45
ARNICA FLOWERS (U. S. P.).....	65
ARNICA ROOT (U. S. P.).....	65
AROMATIC.....	85
ASAFETIDA (U. S. P.).....	95
AVENA SATIVA, Concentrated.....	1 00
BELLADONNA LEAVES (U. S. P.).....	65
BENZOIN (U. S. P.).....	95
BENZOIN COMP. (U. S. P.).....	1 10
BLACK HAW.....	70
BLUE COHOSH.....	60
BRYONY (Bryonia, U. S. P.).....	75
BUCHU	80
CALABAR BEAN (U. S. P.).....	1 10
CALENDULA (U. S. P.).....	85
CALUMBA (U. S. P.).....	65
CAMPHOR	80
CANNABIS INDICA (U. S. P.).....	1 00
CANTHARIDES (U. S. P.).....	80
CAPSICUM (U. S. P.).....	75
CARDAMOM (U. S. P.).....	1 00
CARDAMOM COMP. (U. S. P.).....	90
CASCARILLA	65
CASTOR	2 85
CATECHU	65
CATECHU COMP. (U. S. P.).....	65
CHIRATA (U. S. P.).....	70
CIMICIFUGA	80
CINCHONA (U. S. P.), Assayed	1 00
CINCHONA COMP. (U. S. P.).....	1 00
CINCHONA, Detannated.....	1 00
CINCHONA, Ferrated	1 00
CINNAMON (U. S. P.).....	70
COCA LEAVES.....	90
COCHINEAL	75
COLCHICUM ROOT.....	70
COLCHICUM SEED (U. S. P.).....	80
COLOCYNTH	75
COLUMBO. (See Calumba).....	65
CONIUM.....	65
COTTON ROOT BARK.....	75
CUBEB (U. S. P.).....	75
CURCUMA	70
DAMIANA	1 00
DIGITALIS (U. S. P.) (see note 18).....	65
ERGOT.....	90
EUCALYPTUS	75
FERRI POMATI.....	60
FERRIC CHLORIDE (U. S. P.) (Iron Chloride).....	55
FERRIC CHLORIDE, Tasteless	90
FERRIC VALERIANATE.....	1 10
GELSEMIUM (U. S. P.).....	80
GENTIAN.....	65
GENTIAN COMP. (U. S. P.)	70
GINGER (U. S. P.).....	85
GOLDEN SEAL (U. S. P.).....	1 00

TINCTURES

TINCTURES.

Per
Pint
Bottle.

GRINDELIA	\$1 00
GUAIAAC (U. S. P.)	85
GUAIAAC, Ammoniated (U. S. P.)	95
GUAIAAC, Dewees	80
GUARANA	1 80
HELLEBORE	65
HOPS (U. S. P.)	65
HYDRASTIS (U. S. P.) (See Golden Seal)	85
HYOSCYAMUS (U. S. P.)	60
IGNATIA	85
INDIAN HEMP, Black	75
IODINE (U. S. P.)	1 25
IODINE BROMIDE	1 50
IODINE, Churchill	1 50
IODINE, Colorless	1 50
IODINE COMP	1 45
IPECAC and OPIUM (U. S. P.)	2 40
IRON ACETATE	1 50
IRON CHLORIDE (U. S. P.) (See Ferric Chloride, U. S. P.)	55
IRON CHLORIDE, Tasteless. (See Ferric Chloride, Tasteless)	90
IRON VALERIANATE. (See Ferric Valerianate)	1 10
JABORANDI	90
JALAP	85
KINO (U. S. P.)	1 10
KRAMERIA (U. S. P.)	65
LACTUCARIUM (U. S. P.)	2 60
LADIES' SLIPPER ROOT	85
LAVENDER COMP. (U. S. P.)	80
LOBELIA (U. S. P.)	60
LOBELIA COMP	70
LUPULIN	90
MATICO (U. S. P.)	75
MUSK (for flavoring and perfuming)	4 10
MUSK (U. S. P.)	per ounce, \$3.50
MYRRH (U. S. P.)	95
MYRRH and CAPSICUM	95
NIGHT BLOOMING CEREUS	1 75
NUTGALL (U. S. P.)	70
NUX VOMICA (U. S. P.), Assayed	70
OPIUM (U. S. P.) (Assayed to contain in each fluidounce, 6 grs. of Morphine (alkaloid) crystallized, equal to 7½ grs. Morphine Sulphate)	1 75
OPIUM, Acetated (Assayed to contain in each fluidounce, 6 grs. of Morphine (alkaloid) crystallized, equal to 7½ grs. Morphine Sulphate)	1 75
OPIUM, Camphorated (U. S. P.)	75
OPIUM COMP. (Squibb's Formula)	1 35
OPIUM, Denarcotized (Assayed to contain in each fluidounce, 6 grs. of Morphine (alkaloid) crystallized, equal to 7½ grs. Morphine Sulphate)	1 75
OPIUM, Deodorized (U. S. P.) (Assayed to contain in each fluidounce, 6 grs. of Morphine (alkaloid) crystallized, equal to 7½ grs. Morphine Sulphate)	1 75
ORANGE PEEL, Bitter (U. S. P.)	65
ORANGE PEEL, Sweet (U. S. P.)	65
PAREIRA BRAVA	75
PHYSOSTIGMA (U. S. P.) (See Calabar Bean.)	1 10
POKE ROOT	65
PULSATILLA	1 10
PYRETHRUM (U. S. P.)	85

TINCTURES.

	Per Pint Bottle.
QUASSIA (U. S. P.).....	\$ 60
RED SAUNDERS.....	70
RHUBARB (U. S. P.).....	75
RHUBARB, Aromatic (U. S. P.).....	1 20
RHUBARB COMP.....	80
RHUBARB, Sweet (U. S. P.).....	75
RHUBARB and ALOES	70
RHUBARB and GENTIAN	70
RHUBARB and POTASSA.....	70
RHUBARB and SENNA	70
SAFFRON (U. S. P.).....	2 50
SANGUINARIA (U. S. P.).....	70
SAVINE	80
SENEGA	80
SENNA	65
SERPENTARIA (U. S. P.).....	65
SHEEP LAUREL.....	85
SOAP, Camphorated.....	75
SOAP, Green.....	85
SQUILL (U. S. P.).....	60
STAVESACRE SEED.....	1 75
STILLINGIA	65
STONEROOT	75
STRAMONIUM SEED (U. S. P.).....	70
STROPHANTHUS (U. S. P.)	1 50
SUMBUL (U. S. P.).....	1 10
TARAXACUM	70
TOLU (U. S. P.).....	1 00
VALERIAN (U. S. P.).....	65
VALERIAN, Ammoniated (U. S. P.).....	95
VANILLA (U. S. P.).....	1 85
VERATRUM VIRIDE (U. S. P.).....	1 00
WARBURG'S	1 95
WARBURG'S without ALOES.....	1 85
WARBURG'S Modified.....	1 70
YELLOW DOCK.....	65

TINCTURES, CERATES

Cerates.

	Per lb. Jar.
BASILICON (See Resin).....	\$ 70
CALAMINE	65
CAMPHOR (U. S. P.).....	90
CANTHARIDES (U. S. P.).....(can)	1 10
CANTHARIDES, Extract	1 80
CETACEUM	90
LEAD SUBACETATE (U. S. P.).....	90
RESIN (U. S. P.).....	70
RESIN COMP.....	90
SAVINE	95
SIMPLE (U. S. P.).....	75
SOAP.....	1 15
SPERMACE TI (U. S. P.).....	95
TURNER (See Calamine).....	65

Ointments.

	Per lb. Jar.
ACID, BORIC	\$ 90
ACID, CARBOLIC, (U. S. P.).....	1 10
ACID, CHRYSOPHANIC.....	1 80
ACID, GALLIC.....	1 05
ACID, TANNIC (U. S. P.)	1 15
ACONITE	1 00
BELLADONNA (U. S. P.).....	1 00
BENZOINATED	55
CITRINE (U. S. P.).....	75
DIACHYLON (U. S. P.).....	1 05
DIACHYLON COMP.....	1 00
GALBANUM.....	95
GALBANUM COMP.....	1 55
HEBRA	1 05
IODINE (U. S. P.).....	1 25
IODINE COMP	1 40
IODOFORM (U. S. P.).....	1 75
LEAD CARBONATE (U. S. P.).....	90
LEAD IODIDE (U. S. P.).....	1 90
MERCURIAL (1-3 Mercury).....	90
MERCURIAL (U. S. P.) (1-2 Mercury).....	1 00
MERCURY, Ammoniated, (U. S. P.) (White Precipitate).....	1 15
MERCURY, RED IODIDE.....	1 05
MERCURIC OXIDE, Red, (U. S. P.) (Red Precipitate).....	1 15
MERCURIC OXIDE, Yellow (U. S. P.)	1 40
MEZEREUM	85
NUTGALL (U. S. P.).....	90
POTASSIUM IODIDE (U. S. P.).....	1 40
ROSE WATER (U. S. P.) (Cold Cream).....	1 40
STRAMONIUM	85
SULPHUR (U. S. P.)	65
SULPHUR, Alkaline	90
SULPHUR IODIDE	1 65
TAR (U. S. P.).....	70
VERATRINE (U. S. P.).....	3 40
ZINC OXIDE (U. S. P.), Benzoinated.....	75

Confections.

	Per lb. Jar.
AROMATIC.....	\$1 75
OPIUM	1 90
PEPPER, Black	75
ROSE (U. S. P.).....	75
SENNA (U. S. P.).....	85

Oleoresins.

	Per oz. Bottle.
ASPIDIUM (U. S. P.) Made from peeled green Male Fern Root...	\$ 60
CAPSICUM (U. S. P.).....	50
CUBEB (U. S. P.).....	40
GINGER (U. S. P.).....	1 00
LUPULIN (U. S. P.).....	60
MALE FERN. (See Aspidium.).....	60
MATICO.....	55
PARSLEY SEED (see note 7)	50
PEPPER (U. S. P.), Black.....	85
SAW PALMETTO.....	40

Powders.

	Per lb. Bottle.
ANTIMONIAL (U. S. P.) (James' Powder).....	\$ 85
AROMATIC (U. S. P.).....	1 25
CHALK, Aromatic	1 90
CHALK, Aromatic with Opium.....	2 00
CHALK COMP. (U. S. P.).....	55
CHARCOAL COMP.....	1 00
IPECAC and OPIUM (U. S. P.) (Dover's Powder)	2 00
IPECAC and OPIUM, Camphorated	2 25
JALAP COMP. (U. S. P.).....	80
JALAP and SENNA.....	80
KINO COMP.....	4 20
LIQUORICE COMP. (U. S. P.).....	60
MORPHINE COMP. (U. S. P.) (Tully's Powder).....	2 10
RHUBARB COMP. (U. S. P.).....	1 75
SENNA COMP.....	75

Liniments.

	Per Pint Bottle.
ACONITE (Br. P.).....	\$1 40
BELLADONNA (U. S. P.)	1 50
CAMPHOR (U. S. P.).....	70
CANTHARIDES	85
CHLOROFORM (U. S. P.)	85
CHLOROFORM COMP	95
MUSTARD COMP. (U. S. P.).....	2 35
SOAP (U. S. P.).....	75
STOKES'	75

Spirits.

	Per Pint Bottle.
AMMONIA, Aromatic (U. S. P.).....	\$ 90
ANISE (U. S. P.).....	1 10
ARMORACIA COMP.....	80
CAMPHOR (U. S. P.).....	80
CHLOROFORM (U. S. P.).....	75
CINNAMON (U. S. P.).....	1 00
ETHER (U. S. P.).....	95
ETHER COMP. (U. S. P.) (Hoffman's Anodyne).....	1 20
ETHER, NITROUS (U. S. P.).....	85
JUNIPER (U. S. P.).....	55
JUNIPER COMP. (U. S. P.).....	60
LAVENDER (U. S. P.).....	80
LAVENDER COMP. (Tinct. Lavender Comp., U. S. P.)	80
LEMON (U. S. P.) (Essence)	90
NUTMEG (U. S. P.).....	75
ORANGE (U. S. P.).....	95
PEPPERMINT (U. S. P.) (Essence)	1 00
SPEARMINT (U. S. P.).....	1 25
WINTERGREEN (U. S. P.).....	80

Waters.

	Per Pint Bottle.
ALMOND, Bitter (U. S. P.).....	\$ 35
ANISE (U. S. P.).....	30
CAMPHOR (U. S. P.).....	30
CHERRY LAUREL	40
CHLORINE (U. S. P.).....	55
CINNAMON (U. S. P.).....	30
CREOSOTE (U. S. P.)	30
ELDER FLOWER.....	30
FENNEL (U. S. P.).....	30
ORANGE FLOWER (U. S. P.)	60
PEACH.....	35
PEPPERMINT (U. S. P.).....	30
ROSE (U. S. P.) (Distilled).....	35
SPEARMINT (U. S. P.)	30

Cod Liver Oil Preparations.

(See note 16.)

	Per Dozen 16 oz. Fr. sq. Bottles.
PURE NEWFOUNDLAND COD LIVER OIL	\$5 00
PURE NORWEGIAN COD LIVER OIL.....	6 00
AROMATIC COD LIVER OIL.....	\$7 50
<i>Best Norwegian Cod Liver Oil, pleasantly flavored, disguising all fishy odor and taste.</i>	
AROMATIC COD LIVER OIL with HYPOPHOSPHITES	8 00
<i>Each fluidounce contains 10 grains of the combined Hypophosphites of Calcium, Sodium and Potassium.</i>	
AROMATIC COD LIVER OIL with CALCIUM PHOSPHATE (Emulsion)	\$7 50
<i>Each fluidounce contains 50 % best Norwegian Cod Liver Oil with 20 grains of Calcium Phosphate.</i>	
*COD LIVER OIL with CALCIUM and SODIUM HYPOPHOSPHITES (Emulsion)	7 50
<i>Each fluidounce contains 50 % best Norwegian Cod Liver Oil with 10 grains of Calcium and Sodium Hypophosphites.</i>	
COD LIVER OIL with CALCIUM and SODIUM HYPOPHOSPHITES and IRON (Emulsion).....	7 50
<i>Each fluidounce contains 50 % best Norwegian Cod Liver Oil with 10 grains of Calcium and Sodium Hypophosphites and 4 grains of Iron Pyrophosphate.</i>	
COD LIVER OIL with CALCIUM LACTOPHOSPHATE (Emulsion).....	8 00
<i>Each fluidounce contains 50 % best Norwegian Cod Liver Oil with 8 grains of Calcium Lactophosphate.</i>	

* We can also furnish this preparation in 8 and 4 ounce bottles. Prices upon application.

OLEATES.

Since the introduction of Oleate of Mercury to the Medical Profession by Dr. John Marshall in 1872, the demand for other Oleates has rapidly increased. Oleates are much cleaner, more efficient and elegant preparations than ordinary ointments. Ointments are merely mechanical mixtures of fat with whatever remedial agent is employed, and are wasteful and uncertain in their action, much of the insoluble remedy remaining on the surface of the skin after the fat has been absorbed. The Oleates, on the contrary, are **CHEMICAL COMBINATIONS** of the Alkaloid or Metal with Oleic Acid. They penetrate the skin more readily, every molecule of the Oleate being absorbed, carrying with it its definite proportion of the Alkaloid or other active ingredient used, effectually reaching even deep-seated parts.

The term **NORMAL OLEATE** is applied in this List to the undiluted combinations.

The diluted Oleates (Ointments of Oleates) are made to represent the most desirable strengths.

IN ORDERING OLEATES PLEASE SPECIFY DISTINCTLY.

	Per oz. Pkge.	Per lb. Pkge.
ACONITINE (Solution of Oleate), representing 2 % Aconitine alkaloid.....	\$ 75	\$.....
This Oleate should be used with the greatest caution and to a very limited extent. It should be carefully applied with the end of the cork. (See note 2.)		
ALUMINUM (Ointment of Oleate), representing 50 % of the Normal Oleate	25	2 40
ALUMINUM (Normal Oleate).....	30	3 00
ATROPINE (Solution of Oleate), representing 2 % Atropine alkaloid	65	9 00
BISMUTH (Ointment of Oleate), representing 5 % Bismuth Oxide	30	3 00
BISMUTH (Normal Oleate).....	35	4 00
COCAINE (Solution of Oleate), representing 5 % Cocaine alkaloid.....	1 00	13 50
COPPER (Ointment of Oleate), representing 5 % Copper Oxide.....	20	2 00
COPPER (Normal Oleate).....	25	3 00
IRON (Normal Oleate).....	30	3 00
LEAD (Ointment of Oleate), representing 20 % Lead Oxide.....	25	2 40
LEAD (Normal Oleate).....	30	3 00
MERCURY (Ointment of Oleate), representing 5 % Mercuric Oxide.....	20	2 00
MERCURY (Ointment of Oleate), representing 10 % Mercuric Oxide.....	20	2 00
MERCURY (U. S. P.) (Ointment of Oleate), representing 20 % Mercuric Oxide.....	25	2 50
MERCURY (Normal Oleate), representing 28.3 % Mercuric Oxide	35	4 50
MERCURY and MORPHINE (Ointment of the Oleates), representing 5 % Mercuric Oxide and 2 % Morphine alkaloid.....	45	6 00
MERCURY and MORPHINE (Ointment of the Oleates), representing 20 % Mercuric Oxide and 5 % Morphine alkaloid.....	75	10 75
MORPHINE (Solution of Oleate), representing 2 % Morphine alkaloid.....	35	4 50
MORPHINE (Solution of Oleate), representing 5 % Morphine alkaloid.....	70	10 00
MORPHINE (Solution of Oleate), representing 10 % Morphine alkaloid.....	1 00	14 00
MORPHINE (Solution of Oleate), representing 20 % Morphine alkaloid.....	1 65	24 50
NICKEL (Normal Oleate).....	60	7 75

OLEATES.

	Per oz. Pkg.	Per lb. Pkg.
QUININE (Solution of Oleate), representing 5 % Quinine alkaloid.....	\$ 20	\$2 50
QUININE (Solution of Oleate), representing 10 % Quinine alkaloid.....	30	4 00
QUININE (Solution of Oleate), representing 25 % Quinine alkaloid.....	40	5 50
STRYCHNINE (Solution of Oleate), representing 2 % Strychnine alkaloid.....	35	3 50
VERATRINE (U. S. P.) (Solution of Oleate), representing 2 % Veratrine alkaloid.....	30	4 00
VERATRINE (Solution of Oleate), representing 10 % Veratrine alkaloid.....	90	12 00
ZINC (Ointment of Oleate), representing 5 % Zinc Oxide..	20	2 00
ZINC (Normal Oleate, Powder).....	30	3 00

Miscellaneous.

(Including containers.)

ACETUM CANTHARIDIS.....	per pint.	\$ 95
ACETUM COLCHICI.....	per pint.	60
ACETUM LOBELIÆ.....	per pint.	60
ACETUM OPII (U. S. P.).....	per pint.	1 50
ACETUM SANGUINARIÆ.....	per pint.	60
ACETUM SCILLÆ (U. S. P.).....	per pint.	40
ACID, SULPHURIC, Aromatic (U. S. P.).....	per pint.	75
APIOL, Green (see note 7).....	per oz.	50
APIOL, Red (see note 7).....	per oz.	2 00
BENZOTHYMOL. (See pg. 104.)		
CACHOUS, Aromatic, silver-coated.....	per lb.	1 00
CACHOUS, Aromatic, silver-coated, } screw top flat bottles,	per doz.	1 00
CACHOUS, Aromatic, silver-coated, } screw top flat bottles,	per gro.	10 00
CAMPHOR ICE.....	per doz.	1 50
CHARCOAL PELLETS, screw top flat bottles.....	per doz.	1 25
CHARCOAL PELLETS, screw top flat bottles.....	per gro.	14 00
CHLORODYNE, American.		
Each fluidounce contains		
<div> <div> MorphineHydrochlorate, 2 7-8 grs. Chloroform, 46 min. Tinct. Cannabis Indica, 46 min. Oil Peppermint, 1 1-2 min. Tinct. Capsicum, 1 1-2 min. Acid Hydrocyanic Diluted, 9 min. </div> }.....per pint. </div>		2 50
CHLORODYNE, American, in oz. vials.....	per doz.	2 50
ELIXIR AURANTII COMP. (Viscerale Hoffmanni).....	per pint.	1 50
ERGOTIN, Purified (see note 22).....	per oz.	75
GLYCYRRHIZIN, Ammoniacal, scaled.....	per oz.	40
HEMLOCK, Colorless (Pinus Canadensis).....	per pint.	1 25
LITMUS PAPER, Blue, Red or Neutral.....	per doz. sheets.	50
NITROGLYCERIN, 1 % Solution of.....	per pint.	1 00
NITROGLYCERIN, 1 % Solution of.....	per oz.	16
VANILLA, Extract of, for flavoring purposes.....	per pint.	1 75

SOLUBLE

Elastic and Hard Filled Capsules.

In submitting the following carefully selected list of filled capsules to the drug trade and medical profession, we take pleasure in calling attention to the superior solubility, reliability, finish and uniformity of these products, and originality and neatness of the package.

We invite the most critical comparison of these capsules with any others manufactured, and as our prices are attractive and our product unsurpassed we respectfully solicit your orders and specifications.

SOLUBLE ELASTIC CAPSULES.		Per doz. Boxes of 6 each.	Per doz. Boxes of 12 each.	Per doz. Boxes of 24 each.	Per Box of 100 each.
CASTOR OIL.....	1 gramme.	\$1 40	\$2 60	\$	\$1 10
CASTOR OIL.....	2 grammes.	1 70	3 20	1 40
CASTOR OIL.....	3 grammes.	1 85	3 50	...	1 80
CASTOR OIL and CROTON OIL.....		1 35	2 50	75
{ Castor Oil, 10 min. }					
{ Croton Oil, 1-6 min. }					
COD LIVER OIL, Norwegian	1 gramme.	1 10
COD LIVER OIL, Norwegian.....	2 grammes.	1 55
COD LIVER OIL, Norwegian.....	5 grammes.	2 75
COPAIBA, pure Para	10 min.	1 20	2 10	60
COPAIBA and CUBEB.....	10 min.	1 80	3 30	1 00
{ Copaiba, pure Para, 7 min. }					
{ Oleores. Cubeb, 3 min. }					
COPAIBA, CUBEB and MATICO.....	10 min.	2 00	3 70	1 15
{ Copaiba, pure Para, 6 min. }					
{ Oleores. Cubeb, 3 min. }					
{ Oleores. Matico, 1 min. }					
COPAIBA, CUBEB and SANTAL.	10 min.	2 40	4 50	1 40
{ Copaiba, pure Para, 6 min. }					
{ Cubeb Oil, 2 min. }					
{ Santal Oil, 2 min. }					
COPAIBA, CUBEB, MATICO and SANTAL,	10 min.	2 70	5 10	1 60
{ Copaiba, pure Para, 3 min. }					
{ Oleores. Cubeb, 3 min. }					
{ Oleores. Matico, 1 min. }					
{ Santal Oil, 3 min. }					
COPAIBA, CUBEB and IRON	10 min.	.. .	1 80	3 30	1 00
{ Copaiba, pure Para, 6 min. }					
{ Oleores. Cubeb, 2 min. }					
{ Tinct. Iron Chloride, 2 min. }					
COPAIBA and SALOL.....	10 min.	3 30	6 30	2 00
{ Copaiba, pure Para, 5 min. }					
{ Salol, 5 grains. }					
COPAIBA and SANTAL.....	10 min.	2 40	4 50	1 40
{ Copaiba, pure Para, 5 min. }					
{ Santal Oil.....5 min. }					
CROTON OIL (See Castor Oil and Croton Oil).		3 75	7 20	2 30
CUBEB OIL	10 min.	3 00	5 70	1 80
CUBEB OLEORESIN	10 min.	3 25	6 20	1 95
CUBEB and SANTAL.....	10 min.	3 25	6 20	1 95
{ Cubeb Oil, 5 min. }					
{ Santal Oil, 5 min. }					
MALEFERN OLEORESIN	1 gramme.	2 20	4 20	2 40
MALEFERN OLEORESIN	2 grammes.	3 80	7 40	3 90
SALOL COMPOUND.....		3 75	7 20	2 30
{ Salol, 3 1-2 grains. }					
{ Oleores. Cubeb, 5 min. }					
{ Copaiba, pure Para, 10 min. }					
{ Pepsin, pure, (1:3000) 1 grain. }					

SOLUBLE ELASTIC CAPSULES.

	Per doz. Boxes of 6 each.	Per doz. Boxes of 12 each.	Per doz. Boxes of 24 each.	Per Box of 100 each.
SANTAL COMPOUND.....10 min.	\$	\$2 60	\$4 90	\$1 50
{ Santal Oil, 3 min. }				
{ Balsam Copaiba, 3 min. }				
{ Harlem Oil, 3 min. }				
{ Cassia Oil, 1 min. }				
SANTAL OIL—East India10 min.	3 60	6 90	2 20
SANTAL and COPAIBA (See Copaiba and Santal).				
SANTAL and CUBEB (See Cubeb and Santal).				
SANTAL, COPAIBA, CUBEB and MATICO (See Copaiba, Cubeb, Matico and Santal).				
TYPHOID FEVER (Woodbridge)				3 30
{ Guaiacol Carbonate, 3 grains. }				
{ Thymol, 1 grain. }				
{ Menthol, 1-2 grain. }				
{ Eucalyptol, 5 min. }				
WINTERGREEN OIL..... 5 min.	1 80	3 30	1 00
WINTERGREEN OIL.....10 min.	2 40	4 50	1 40

HARD FILLED CAPSULES.

	Per doz. Boxes of 12 each.	Per doz. Boxes of 24 each.	Per Box of 100 each.
APIOL, Green, S. & D. (Pearls), (see note 7) ..3 min.	\$	\$	\$ 1 55
" Red, S. & D. " (see note 7) ..3 min.	4 00
COPAIBA, pure Para (Pearls).....5 min.	45
COPAIBA, pure Para.....10 min.	1 20	2 10	60
COPAIBA and CUBEB.10 min.	1 80	3 30	1 00
{ Copaiba, pure Para, 7 min. }			
{ Oleores. Cubeb, 3 min. }			
COPAIBA, CUBEB and MATICO.....10 min.	2 00	3 70	1 15
{ Copaiba, pure Para, 6 min. }			
{ Oleores. Cubeb, 3 min. }			
{ Oleores. Matico, 1 min. }			
COPAIBA, CUBEB, MATICO and SANTAL, 10 min.	2 70	5 10	1 60
{ Copaiba, pure Para, 3 min. }			
{ Oleores. Cubeb, 3 min. }			
{ Oleores. Matico, 1 min. }			
{ Santal Oil, 3 min. }			
COPAIBA, CUBEB and IRON10 min.	1 80	3 30	1 00
{ Copaiba, pure Para, 6 min. }			
{ Oleores. Cubeb, 2 min. }			
{ Tinct. Iron Chloride, 2 min. }			
COPAIBA and SALOL.....10 min.	3 30	6 30	2 00
{ Copaiba, pure Para, 5 min. }			
{ Salol, 5 grains. }			
COPAIBA and SANTAL.....10 min.	2 25	4 20	1 30
{ Copaiba, pure Para, 5 min. }			
{ Santal Oil, 5 min. }			
CREOSOTE and COD LIVER OIL1 min.	60
{ Creosote, Beechwood, 1 min. }			
{ Cod Liver Oil, 3 min. }			
CREOSOTE and COD LIVER OIL.....2 min.	80
{ Creosote, Beechwood, 2 min. }			
{ Cod Liver Oil, 3 min. }			
CUBEB OIL.....10 min.	3 75	7 20	2 30
CUBEB OLEORESIN10 min.	3 00	5 70	1 80
CUBEB and SANTAL.....10 min.	3 25	6 20	1 95
{ Cubeb Oil, 5 min. }			
{ Santal Oil, 5 min. }			
SANTAL OIL, East India (Pearls)5 min.	1 85	3 40	1 05
SANTAL OIL, East India10 min.	3 30	6 30	2 00
SANTAL and COPAIBA. (See Copaiba and Santal).			
SANTAL and CUBEB. (See Cubeb and Santal).			
SANTAL, COPAIBA, CUBEB and MATICO (See Copaiba, Cubeb, Matico and Santal.)			
TURPENTINE OIL..5 min.	1 20	2 10	60

Miscellaneous Chemicals.

ACID, BORIC, (Boracic), chemically pure, in impalpable powder, } c. b. 10.....per lb.	\$ 60
ACID, CARBOLIC, Liquefied, c. b. 7.....per pint.	80
ACID, CARBOLIC, Solution, containing 5 % c. b. 7.....per pint.	25
ACID, HYDROBROMIC, Diluted (U. S. P.), g. s. b. 15...per pint.	50
ACID, HYDROCYANIC (U. S. P.), g. s. v. 6.....per oz.	10
ACID, HYPOPHOSPHOROUS, Diluted, g. s. b. 15.....per pint.	85
ACID, OLEIC, Purified, c. b. 7.....per pint.	80
ACID, PHOSPHORIC (U. S. P.), 85 % g. s. b. 15.....per lb.	75
ACID, PHOSPHORIC, Diluted, (U. S. P.), 10 % c. b. 7.....per pint.	22
<i>Made from Phosphorus: will mix clear in all proportions with Tincture of Iron Chloride.</i>	
ACID, PHOSPHORIC, Diluted, 10 % c. b. 7.....per pint.	22
<i>Made from Glacial Phosphoric Acid.</i>	
ACID, SULPHUROUS, Sol., g. s. b. 15.....per pint.	40
ACID, VALERIANIC, g. s. v. 6.....per oz.	40
ALOID (see note 5) (per lb. \$1.60).....per oz.	20
ARSENIC CHLORIDE, Solution, c. b. 7.....per pint.	15
ARSENIC and MERCURIC IODIDE (U. S. P.) Donovan's } Solution, c. b. 7. per pint.	30
BISMUTH AMMONIO-CITRATE, c. v. 4.....per oz.	40
BISMUTH LIQUOR, c. b. 7.....per pint.	40
BISMUTH SUB-IODIDE, c. v. 4.....per oz.	45
BISMUTH SUB-IODIDE, c. v. 10.....per lb.	6 00
BORO-GLYCERIDE, 50 % Solution, c. b. 7.....per lb.	90
CALCIUM and SODIUM HYPOPHOS., Solution, c. b. 7..per pint.	1 00
CHLOROFORM, Chemically Pure (incl. g. s. bot.).....per lb.	1 25
*COCAINE HYDROCHLORATE, 2 % Solution of.....per oz.	30
*COCAINE HYDROCHLORATE, 4 % Solution of.....per oz.	50
*COCAINE HYDROCHLORATE, 6 % Solution of.....per oz.	75
*COCAINE HYDROCHLORATE, 8 % Solution of.....per oz.	95
*COCAINE HYDROCHLORATE, 10 % Solution of.....per oz.	1 20
COLLODION COTTON, PYROXYLIN, } (warranted soluble.).....per oz.	50
COLLODION (U. S. P.), c. b. 7.....per pint.	1 15
COLLODION (U. S. P.), in oz. c. s. vials.....per doz.	2 00
COLLODION, Cantharidal (U. S. P.), c. b. 7.....per pint.	3 25
COLLODION, Cantharidal (U. S. P.), in oz. vials.....per doz.	3 25
COLLODION, Flexible (U. S. P.), c. b. 7.....per pint.	1 25
COLLODION, Flexible (U. S. P.), in oz. vials.....per doz.	2 00
COLLODION, Styptic (U. S. P.).....per pint.	2 65
COLLODION, Styptic (U. S. P.), in oz. vials.....per doz.	2 50
DIALYSED IRON (including bottle).....per pint.	50
DIALYSED IRON (including bottle).....per gal.	3 00
DIALYSED IRON with GLYCERIN (incl. bot.).....per pint.	60

* An advance of 20 cents per ounce on list price if ordered in 1-8 oz. vials.

MISCELLANEOUS CHEMICALS.

HYDRASTINE (the white alkaloid of Golden Seal). (See note 8.)	{ in 1-8 oz. vials.....per oz.	10 50
HYDRASTINE HYDROCHLORATE (salt of white alkaloid). (See note 8.)	{ in 1-8 oz. vialsper oz.	10 50
HYDRASTINE SULPHATE (salt of white alkaloid). (See note 8.)	{ in 1-8 oz. vialsper oz.	10 50
IODINE COMP., Solution of, (U. S. P.).....	per pint.	1 50
IRON and QUININE CITRATE, Soluble, c. v. 4.....	per oz.	22
IRON and QUININE CITRATE, Solution, (U. S. P. 1880), c. b. 7.	{ per pint.	1 65
IRON, QUININE and STRYCHNINE CITRATE, c. v. 4.....	per oz.	28
IRON and STRYCHNINE CITRATE, Soluble, (U. S. P.) c. v. 4.	{per oz.	20
100 grains contain 1 grain of Strychnine.		
IRON CARBONATE, Saccharated (U. S. P.), c. b. 10	per lb.	1 00
IRON OXALATE, c. v. 4.....	per oz.	25
IRON OXIDE, Soluble, c. v. 4.....	per oz.	20
IRON CHLORIDE, Solution, (Liquor Ferri Chloridi U. S. P.), g. s. b. 15.	{per pint.	25
<i>To prepare the official Tincture of Iron Chloride, add 1 pint of this solution to 3 pints of Alcohol.</i>		
IRON CITRATE, Solution (U. S. P.), c. b. 7.....	per lb.	1 00
IRON PERCHLORIDE, Solution, 30° Baume, c. b. 7.....	per lb.	40
IRON PERNITRATE, Solution (U. S. P.), c. b. 7.....	per lb.	40
IRON PHOSPHATE, with SODIUM CITRATE, c. b. 10....	per lb.	1 50
IRON PYROPHOSPHATE, with SODIUM CITRATE, c. b. 10.....	per lb.	1 75
IRON SESQUIOXIDE, Hydrated, c. b. 10.....	per lb.	60
IRON SUBSULPHATE (U. S. P.), Monsel's Solution, c. b. 7....	per lb.	40
IRON TERSULPHATE, Solution (U. S. P.), c. b. 7.....	per lb.	40
LEAD ACETATE, Basic Solution (U. S. P.) { Goulard's Extract, c. b. 7.	{per pint.	24
LEAD IODIDE, c. v. 4	per oz.	45
MAGNESIUM CITRATE, Effervescent Solution.....	per doz.	2 50
MAGNESIUM CITRATE, Effervescent Solution.....	per gro.	29 50
MERCUROUS IODIDE, Yellow, c. v. 4.....	per oz.	40
MERCURIC IODIDE, Red, c. v. 4.....	per oz.	45
MERCURIC OXIDE, Yellow, c. v. 4.....	per oz.	25
MERCURY, ACID NITRATE, Solution, g. s. v. 6	per oz.	15
POTASSA, Solution, Liquor Potassæ, (U. S. P.), g. s. b. 15.	{per pint.	17
POTASSIUM ARSENIT., Fowler's Solution, c. b. 7.....	per pint.	12
SODIUM SULPHOCARBOLATE, c. v. 4.....	per oz.	12
STRYCHNINE, Hall's Solution, c. b. 7.....	per pint.	70
ZINC SULPHOCARBOLATE, c. v. 4.....	per oz.	12

PRESSED HERBS, Roots, Barks, Flowers, etc.

 SUBJECT TO USUAL TRADE DISCOUNT.



This list comprises only the most saleable goods, but we are constantly adding others, and are prepared to furnish them upon application.

On our ounce package will be found, besides the botanical name, the common English name; also the German and French names, and formula and dose of the infusion.

All drugs depending for their activity upon a volatile constituent are wrapped in an impervious paper, thus insuring them against deterioration. POISONS are put up in YELLOW WRAPPERS and have their antidotes printed on the labels.

N. B.—Prices are subject to market changes without notice.

Herbs, flowers and leaves are put up in ounce packages, and roots and herbs in pound packages, unless otherwise specified.

	Style of Pack- age.	Per lb. Subject to Trade Discount.
ABSCISS ROOT(<i>Polemonium reptans</i>)	lbs.	\$ 40
AGRIMONY HERB(<i>Agrimonia Eupatoria</i>)	ozs.	30
ALKANET ROOT.....(<i>Alkanna tinctoria</i>)	lbs.	32
AMERICAN HELLEBORE ROOT.....(<i>Veratrum Viride</i>)	lbs.	28
AMERICAN SASSAPARILLA ROOT (<i>Aralia nudicaulis</i>)...	lbs.	30
ANGELICA ROOT.....(<i>Archangelica officinalis</i>).....	lbs.	36
ARNICA FLOWERS(<i>Arnica montana</i>)	ozs.	35
ARNICA ROOT " "	lbs.	36
ASH BARK(<i>See White Ash Bark.</i>)		
AVENS ROOT.....(<i>Geum rivale</i>)	lbs.	38
BALMONEY LEAVES.....(<i>Chelone glabra</i>).....	ozs.	34
BARBERRY BARK(<i>Berberis vulgaris</i>).....	lbs.	36
BAYBERRY BARK(<i>Myrica cerifera</i>)	lbs.	24
" " " "	ozs.	34
BEAR'S FOOT ROOT.....(<i>Polymnia Uvedalia</i>)	lbs.	36
BELLADONNA LEAVES.....(<i>Atropa Belladonna</i>)	ozs.	36
BELLADONNA ROOT " "	lbs.	36
BENNE LEAVES.....(<i>Sesamum indicum</i>).....	ozs.	70
BETH ROOT.....(<i>Trillium erectum</i>).....	lbs.	38
BITTER-ROOT(<i>Apocynum androsæmifolium</i>)	lbs.	36
" " " "	ozs.	46
BITTER-SWEET(<i>Solanum Dulcamara</i>).....	lbs.	28
" " " "	ozs.	38

Style of Pack- age.	Per lb. Subject to Trade Discount.
---------------------------	---

96

In ordering our Preparations through dealers, please specify SHARP & DOHME'S.

Pressed Herbs, Roots, Barks, Flowers, Etc.

Pressed Herbs, Roots, Barks, Flowers, Etc.	Style of Pack- age.	Per lb. Subject to Trade Discount.
DOGWOOD BARK(<i>Cornus florida</i>).....	lbs.	\$ 18
" " " " " " " " " " " "	ozs.	28
DOUBLE TANSY LEAVES ..(<i>See Tansy Leaves.</i>)		
DWARF ELDER(<i>Aralia hispida</i>)	lbs.	50
ELDER FLOWERS.....(<i>Sambucus canadensis</i>).....	ozs.	35
ELECAMPANE ROOT(<i>Inula Helenium</i>)	lbs.	20
" " " " " " " " " " " "	ozs.	30
ELM BARK, POWDERED ...(<i>Ulmus fulma</i>)	ozs.	34
EVENING PRIMROSE HERB(<i>Oenothera biennis</i>).....	ozs.	35
FEVERFEW HERB(<i>Pyrethrum Parthenium</i>)	ozs.	50
FLEABANE LEAVES(<i>Erigeron canadense</i>)	ozs.	32
FOXGLOVE LEAVES(<i>Digitalis purpurea</i>).....	ozs.	32
FRINGETREE BARK(<i>Chionanthus virginica</i>)	ozs.	32
FROSTWORT HERB.....(<i>Helianthemum canadense</i>)....	ozs.	38
GALANGAL ROOT.....(<i>Alpinia officinarum</i>).....	lbs.	25
GARDEN CELANDINE HERB (<i>Chelidonium majus</i>)	ozs.	40
GENTIAN ROOT(<i>Gentiana lutea</i>)	lbs.	20
GOLDEN-ROD LEAVES.....(<i>Solidago odora</i>).....	ozs.	30
GOLDEN-SEAL ROOT.....(<i>Hydrastis canadensis</i>)	lbs.	1 15
" " " " " " " " " " " "	ozs.	1 25
GOLD-THREAD HERB.....(<i>Coptis trifolia</i>)	ozs.	85
GRAVEL-PLANT LEAVES..(<i>Epigaea repens</i>).....	ozs.	28
GROUND-IVY HERB.....(<i>Nepeta Glechoma</i>)	ozs.	32
HELLEBORE, AMERICAN ..(<i>See American Hellebore.</i>)		
HENBANE LEAVES.....(<i>Hyoscyamus niger</i>).....	ozs.	40
HOPS, New Crop.....(<i>Humulus Lupulus</i>)	lbs.	35
" " " " " " " " " " " "	ozs.	45
HOREHOUND LEAVES.....(<i>Marrubium vulgare</i>).....	ozs.	30
HORSEMINT LEAVES(<i>Monarda punctata</i>)	ozs.	32
HORSE RADISH ROOT.....(<i>Nasturtium Armoracia</i>).....	lbs.	30
HORSE RADISH LEAVES... " " " " " " " " " " " "	ozs.	35
HYDRANGEA ROOT.....(<i>Hydrangea arborescens</i>)	lbs.	24
" " " " " " " " " " " "	ozs.	34
HYSSOP LEAVES.....(<i>Hyssopus officinalis</i>).....	ozs.	40
INDIAN TURNIP.....(<i>Arum triphyllum</i>)	lbs.	32
" " " " " " " " " " " "	ozs.	42
JERUSALEM OAK LEAVES.(<i>Chenopodium Botrys</i>).....	ozs.	25
JOHN'S WORT HERB(<i>See St. John's Wort.</i>)		
LADIES'-SLIPPER ROOT....(<i>Cypripedium pubescens</i>)	lbs.	70
" " " " " " " " " " " "	ozs.	80
LAVENDER FLOWERS(<i>Lavandula vera</i>).....	ozs.	30
LEMON-BALM HERB(<i>Melissa officinalis</i>)	ozs.	60
LIFE-EVERLASTING HERB(<i>Gnaphalium polycephalum</i>)..	ozs.	26
LIFE-ROOT HERB(<i>Senecio aureus</i>)	lbs.	22
" " " " " " " " " " " "	ozs.	32
LIVERWORT LEAVES.....(<i>Hepatica triloba</i>)	ozs.	36
LOBELIA LEAVES(<i>Lobelia inflata</i>)	ozs.	28
LOVAGE LEAVES.....(<i>Levisticum officinale</i>)	ozs.	45
LOVAGE ROOT..... " " " " " " " " " " " "	lbs.	45
" " " " " " " " " " " "	ozs.	55
LUNGWORT LEAVES(<i>Pulmonaria officinalis</i>)	ozs.	40
MAIDEN-HAIR HERB(<i>Adiantum pedatum</i>)	ozs.	32
MALE FERN ROOT(<i>Aspidium Filix-mas</i>)	lbs.	35
MANDRAKE ROOT(<i>Podophyllum peltatum</i>).....	lbs.	22
" " " " " " " " " " " "	ozs.	32
MARIGOLD FLOWERS(<i>Calendula officinalis</i>).....	ozs.	75
MARSHMALLOW ROOT(<i>Althæa officinalis</i>)	lbs.	40
" " " " " " " " " " " "	ozs.	50
MARSH ROSEMARY ROOT..(<i>Statice Limonium</i>).....	lbs.	45
MEZEREON BARK(<i>Daphne Mezereum</i>)	ozs.	45
MEZEREUM.....(<i>See Mezereon Bark.</i>)		
MISTLETOE.....(<i>Phoradendron flavesceus</i>).....	ozs.	32

In ordering our Preparations through dealers, please specify SHARP & DOHME'S.

Pressed Herbs, Roots, Barks, Flowers, Etc.

[illegible]

MOTHERWORT HERB	(<i>Leonurus Cardiacæ</i>)	ozs.	\$ 40
MOUNTAIN MINT LEAVES.	(<i>Pycnanthemum montanum</i>)..	ozs.	40
MUGWORT LEAVES	(<i>Artemisia vulgaris</i>)	ozs.	40
MULLEIN LEAVES	(<i>Verbascum Thapsus</i>).....	ozs.	25
NETTLE HERB.....	(<i>Urtica dioica</i>)	ozs.	40
OAK BARK, RED	(<i>Quercus rubra</i>).....	lbs.	20
" " " " " "	" " " " " "	ozs.	30
OAK BARK, WHITE	(<i>Quercus alba</i>)	lbs.	20
" " " " " "	" " " " " "	ozs.	30
PANSY LEAVES	(<i>Viola tricolor</i>)	ozs.	40
PAIREIRA BRAVA ROOT ...	(<i>Chondodendron tomentosum</i>) .	lbs.	3
PELLITORY ROOT	(<i>Anacyclus Pyrethrum</i>)	lbs.	45
PENNYROYAL LEAVES ...	(<i>Hedeoma pulegioides</i>).....	ozs.	25
PEPPERMINT LEAVES	(<i>Mentha piperita</i>).....	ozs.	31
PINK ROOT	(<i>Spigelia marilandica</i>)	lbs.	50
" " " " " "	" " " " " "	ozs.	60
PIPSISSEWA LEAVES	(See Prince's Pine Leaves.)		
PLANTAIN LEAVES	(<i>Plantago major</i>)	ozs.	38
PLEURISY ROOT	(<i>Asclepias tuberosa</i>)	lbs.	32
" " " " " "	" " " " " "	ozs.	42
POKE ROOT	(<i>Phytolacca decandra</i>).....	lbs.	18
" " " " " "	" " " " " "	ozs.	28
POMEGRANATE, BARK of			
ROOT	(<i>Punica Granatum</i>)	lbs.	40
POPLAR BARK	(<i>Populus tremuloides</i>)	lbs.	16
" " " " " "	" " " " " "	ozs.	26
POPPY LEAVES	(<i>Papaver somniferum</i>).....	ozs.	38
PRICKLY ASH BARK	(<i>Xanthoxylum americanum</i>)..	lbs.	26
" " " " " "	" " " " " "	ozs.	36
PRINCE'S PINE LEAVES ...	(<i>Chimaphila umbellata</i>)	ozs.	28
PULSATILLA HERB.....	(<i>Anemone Pulsatilla</i>).....	ozs.	45
QUEEN of the MEADOW			
LEAVES.....	(<i>Eupatorium purpureum</i>).....	ozs.	28
QUEEN of the MEADOW			
ROOT	" " " " " "	lbs.	24
QUEEN'S ROOT	(See Stillingia.)		
RASPBERRY LEAVES	(<i>Rubus strigosus</i>)	ozs.	30
RED CHICKWEED HERB ...	(<i>Anagallis arvensis</i>)	ozs.	40
RED CLOVER TOPS.....	(See Clover Tops, Red.)		
ROSEMARY LEAVES	(<i>Rosmarinus officinalis</i>)	ozs.	28
ROSIN WEED LEAVES	(<i>Silphium laciniatum</i>)	ozs.	40
RUE LEAVES	(<i>Ruta graveolens</i>).....	ozs.	38
SAGE LEAVES	(<i>Salvia officinalis</i>).....	lbs.	22
" " " " " "	" " " " " "	ozs.	28
SARSAPARILLA ROOT,			
AMERICAN	(See American Sarsaparilla.)		
SARSAPARILLA ROOT,			
HONDURAS	(<i>Smilax officinalis</i>)	lbs.	60
" " " " " "	" " " " " "	ozs.	70
SARSAPARILLA ROOT,			
MEXICAN	(<i>Smilax medica</i>).....	lbs.	28
" " " " " "	" " " " " "	ozs.	38
SAVINE TOPS.....	(<i>Juniperus Sabina</i>).....	ozs.	30
SCULLCAP LEAVES	(<i>Scutellaria lateriflora</i>).....	ozs.	40
SENEGA ROOT	(<i>Polygala Senega</i>).....	lbs.	65
SERPENTARIA.....	(See Virginia Snake Root.)		
SHEEP SORREL HERB	(<i>Rumex Acetosella</i>).....	ozs.	36
SKUNK CABBAGE ROOT....	(<i>Symplocarpus fœtidus</i>)	lbs.	35
SOAP-TREE BARK	(<i>Quillaja saponaria</i>)	lbs.	24
" " " " " "	" " " " " "	ozs.	34
SOLOMON'S SEAL ROOT ...	(<i>Polygonum officinale</i>)	lbs.	30
" " " " " "	" " " " " "	ozs.	40
SPEARMINT LEAVES	(<i>Mentha viridis</i>)	ozs.	32

In ordering our Preparations through dealers, please specify SHARP & DOHME'S.

Pressed Herbs, Roots, Barks, Flowers, Etc.

Pressed Herbs, Roots, Barks, Flowers, Etc.	Style of Pack- age.	Per lb. Subject to Trade Discount.
SPIKENARD ROOT(<i>Aralia racemosa</i>)	lbs.	\$ 28
" " " " " "	ozs.	38
SQUAWVINE PLANT.....(<i>Mitchella repens</i>)	ozs.	35
STARGRASS(<i>Aletris farinosa</i>)	lbs.	55
" " " " " "	ozs.	65
STILLINGIA ROOT.....(<i>Stillingia sylvatica</i>)	lbs.	28
" " " " " "	ozs.	38
ST. JOHN'S WORT(<i>Hypericum perforatum</i>).....	ozs.	30
STRAMONIUM LEAVES....(<i>Datura Stramonium</i>).....	ozs.	30
SUMACH BARK.....(<i>Rhus glabra</i>)	lbs.	26
" " " " " "	ozs.	36
SUMMER-SAVORY LEAVES (<i>Satureia hortensis</i>)	ozs.	30
SWEET-BALM HERB(See Lemon Balm.)		
SWEET BALSAM.....(See Life Everlasting.)		
SWEET BASIL LEAVES(<i>Ocimum basilicum</i>)	ozs.	50
SWEET FERN LEAVES(<i>Comptonia asplenifolia</i>)	ozs.	30
SWEET MARJORAM LEAVES (<i>Origanum Majorana</i>)	ozs.	40
TAG ALDER BARK(<i>Alnus rubra</i>)	lbs.	25
" " " " " "	ozs.	35
TAMARAC BARK(<i>Larix americana</i>)	lbs.	26
" " " " " "	ozs.	36
TANSY LEAVES(<i>Tanacetum vulgare</i>)	ozs.	30
THYME LEAVES(<i>Thymus vulgaris</i>)	ozs.	32
TWIN LEAF ROOT(<i>Jeffersonia diphylla</i>)	lbs.	34
" " " " " "	ozs.	44
UNICORN ROOT(See Stargrass.)		
VALERIAN ROOT(<i>Valeriana officinalis</i>)	lbs.	30
" " " " " "	ozs.	40
VERVAIN HERB(<i>Verbena haslata</i>)	ozs.	30
VIRGINIA SNAKEROOT ...(<i>Aristolochia serpentaria</i>).....	lbs.	55
" " " " " "	ozs.	65
WAHOO, BARK of ROOT....(<i>Euonymus atropurpureus</i>) ...	lbs.	44
" " " " " "	ozs.	54
WALNUT LEAVES(<i>Juglans nigra</i>)	ozs.	32
WATER-PEPPER LEAVES..(<i>Polygonum Punctatum</i>)	ozs.	30
WHITE ASH BARK(<i>Fraxinus americana</i>)	lbs.	25
WHITE CLOVER TOPS(See Clover Tops White.)		
WINTERGREEN LEAVES . (<i>Gaultheria procumbens</i>)	ozs.	30
WITCH HAZEL BARK.....(<i>Hamamelis virginica</i>)	lbs.	22
" " " " " "	ozs.	32
WITCH HAZEL LEAVES " " " "	ozs.	28
WOOD-BETONY LEAVES...(<i>Betonica officinalis</i>)	ozs.	55
WORMWOOD LEAVES(<i>Artemisia Absinthium</i>)	ozs.	30
YARROW LEAVES(<i>Achillea Millefolium</i>).....	ozs.	35
YELLOW DOCK ROOT(<i>Rumex crispus</i>)	lbs.	28
" " " " " "	ozs.	38
YELLOW PARILLA ROOT ..(<i>Menispermum canadense</i>) ...	lbs.	28
" " " " " "	ozs.	38

Extra Select Pressed Leaves.

Extra Select Pressed Leaves.	Style of Pack- age.	Per lb. Subject to Trade Discount
BONESET LEAVES.....(<i>Eupatorium perfoliatum</i>)	OZS.	\$ 40
CATNEP LEAVES.....(<i>Nepeta Cataria</i>)	OZS.	40
HOREHOUND LEAVES.....(<i>Marrubium vulgare</i>).....	OZS.	40
LOBELIA LEAVES, (<i>Lobelia inflata</i>)	OZS.	45
MOTHERWORT LEAVES, (<i>Leonurus Cardiaca</i>).....	OZS.	45
PENNYROYAL LEAVES ...(<i>Hedeoma pulegioides</i>)	OZS.	40
PEPPERMINT LEAVES, (<i>Mentha piperita</i>)	OZS.	45
PIPSISSEWA LEAVES, (<i>Chimaphila umbellata</i>)	OZS.	45
RUE LEAVES, (<i>Ruta graveolens</i>).....	OZS.	44
SAGE LEAVES, Domestic ...(<i>Salvia officinalis</i>).....	OZS.	40
SCULLCAP LEAVES, (<i>Scutellaria lateriflora</i>).....	OZS.	45
SPEARMINT LEAVES, (<i>Mentha viridis</i>)	OZS.	45
TANSY LEAVES, (<i>Tanacetum vulgare</i>)	OZS.	35
WATER-PEPPER LEAVES.., (<i>Polygonum Punctatum</i>).....	OZS.	40
WORMWOOD LEAVES, (<i>Artemisia Absinthium</i>)	OZS.	45

SODA WATER REQUISITES.

SUBJECT TO USUAL DISCOUNT TO THE TRADE.

While we do not manufacture a full line of Soda Water Requisites, we believe that the following list, embracing as it does, the most popular and generally-called-for true fruit and other easy-to-manipulate flavors, will be of interest to the trade.

SOLUBLE EXTRACT OF LEMON.....per pint, \$1.20

For making Syrup of Lemon for the Soda Fountain.

R

Soluble Extract of Lemon.....1 fl. oz.
Simple Syrup.....15 fl. ozs.

Mix.

SOLUBLE EXTRACT OF ORANGEper pint, \$1.25

For making Syrup of Orange for the Soda Fountain.

R

Soluble Extract of Orange1 fl. oz.
Simple Syrup.....15 fl. ozs.

Mix.

SOLUBLE EXTRACT OF RED ORANGEper pint, \$1.20

For making Syrup of Red Orange for the Soda Fountain.

R

Soluble Extract of Red Orange1 fl. oz.
Simple Syrup.....15 fl. ozs.

Mix.

SOLUBLE EXTRACT OF ORANGE PHOSPHATE.....per pint, \$1.00

For making Syrup of Orange Phosphate for the Soda Fountain.

R

Soluble Extract of Orange Phosphate.....2 fl. ozs.
Simple Syrup.....14 fl. ozs.

Mix.

SOLUBLE EXTRACT OF SARSAPARILLA per pint, \$1.20

This extract will make a syrup that will foam without further additions.

For making Sarsaparilla Syrup for Soda Fountain.

R

Soluble Extract of Sarsaparilla.....1 fl. oz.
Simple Syrup.....15 fl. ozs.

Mix.

EXTRACT OF VANILLA.....per pint, \$2.00

For making Syrup of Vanilla for the Soda Fountain.

R

Extract of Vanilla1-4 fl. oz.
Simple Syrup.....15 3-4 fl. ozs.

Mix.

LIQUID ACID PHOSPHATES.....per pint, \$0.35

To make Syrup of Phosphates of the different Fruit Syrups as Orange, Strawberry, Pineapple, Raspberry, etc., add 1-2 fl. oz. of this concentrated liquid to 1 pint of the syrup.

SOLUBLE ESSENCE OF CALISAYA per pint, \$0.85

For making Calisaya Tonic for the Soda Fountain.

R

Soluble Essence of Calisaya 1 fl. oz.
Simple Syrup 15 fl. ozs.

Mix.

SOLUBLE EXTRACT OF GINGER per pint, \$1.00

Made from best Jamaica Ginger Root, and having the full flavor of the
Ginger preserved without change.

For making Syrup of Ginger for the Soda Fountain.

R

Soluble Extract of Ginger 1-2 fl. oz.
Simple Syrup 15 1-2 fl. ozs.

Mix.

SOLUBLE EXTRACT OF GINGER COMPOUND per pint, \$0.90

For making Ginger Ale for the Soda Fountain.

Syrup of Ginger Ale.

R

Soluble Extract of Ginger Compound 1-2 fl. oz.
Simple Syrup 15 1-2 fl. ozs.

Mix.

To make Ginger Ale for the fountain, use 1 gallon of Syrup of Ginger
Ale to 5 gallons of water and charge to 100 lbs.

SOLUBLE EXTRACT OF BIRCH BARK per pint, \$1.50

For making Birch Beer.

Syrup of Birch Beer.

R

Soluble Extract of Birch Bark 1 fl. oz.
Simple Syrup 15 fl. ozs.

Mix.

To make Birch Beer for the Soda Fountain use 1 gallon of Syrup of
Birch Beer to 7 gallons of water; charge to 100 lbs. Birch Beer
made from this syrup needs no further additions as foam or gum
solutions, and will have a fine foaming top.

SOLUBLE EXTRACT OF COFFEE per pint, \$1.50

Made from the finest roasted Java and Mocha Coffees, of excellent flavor
and aroma.

For making Syrup of Coffee for the Soda Fountain.

R

Soluble Extract of Coffee 1 fl. oz.
Simple Syrup 15 fl. ozs.

Mix.

SOLUBLE KOLA TONIC per pint, \$1.00

Representing the stimulant tonic properties of the best African Kola
Nuts, with Celery, Guarana, Coca and Aromatics.

Syrup of Kola Tonic.

R

Soluble Kola Tonic 2 fl. ozs.
Simple Syrup 14 fl. ozs.

Mix.

KOLA TONIC WITH PHOSPHATES per pint, \$1.00

A finely flavored and concentrated compound of Kola, Celery, Coca
and Acid Phosphates with Aromatics.

Syrup of Kola Tonic with Phosphates.

R

Kola Tonic with Phosphates 2 to 4 fl. ozs.
Simple Syrup, q. s. to make 1 pint.

Mix.

SOLUBLE CONCENTRATED BROWN SUGAR COLORING, per pint, \$0.40

This preparation is perfectly soluble in and easily miscible with water,
syrups and alcoholic liquids, and imparts a rich brown color to syr-
ups, elixirs, liquors, etc.

CONCENTRATED RED FRUIT COLORING per pint, \$0.80

This preparation gives a permanent rich red color to water, syrups,
elixirs, liquors, etc., with which it mixes clear.

TO THE DRUG TRADE.

ALL PRODUCTS LISTED IN THE PRECEDING PAGES,

PART 1

(White Paper)

ARE SUBJECT TO OUR

USUAL TRADE DISCOUNTS.


ALL PRODUCTS LISTED IN THE IMMEDIATELY SUCCEEDING
PAGES,

PART 2

(Green Paper)

ARE SUBJECT TO

SPECIAL NET RATES TO THE TRADE.

 **SPECIAL NET LISTS** on Part 2 will be supplied to the
trade upon application.

ALL PRODUCTS LISTED IN

PART 3

(Pink Paper)

EMBRACING COMPRESSED TABLETS, TABLET TRITURATES AND CHOCO-
LATE-COATED TABLETS, FORMERLY LISTED IN PART 1,
ARE SUBJECT TO

SPECIAL DISCOUNTS TO THE TRADE.

PART 2.

Acid Phosphates, Liquid.

(LIQUOR ACIDI PHOSPHORICI.)

In pint bottles	per dozen, \$2 75
In gallon jugs	per gallon, 1 20

This preparation contains about 10 % of pure Phosphoric Acid, partly free, partly combined with Calcium, Magnesium, Sodium, Potassium and Iron.

Said to be a true chemical food, aiding digestion. Combined with flavoring syrups and carbonated water it is frequently dispensed at the soda-water fountain.

Alkaline and Antiseptic Tablets,

(COMPRESSED.)

(SEILER.)

In screw cap bottles of 50.....	per bottle, \$	16
In screw cap bottles of 100.....	"	27
In bottles of 1000 (c. s.).....	"	1 25
In pound bottles (c. s.).....	"	65

Each Tablet Contains

Sodium Bicarbonate,	5 grs.	Sodium Benzoate,	7-24 gr.
Sodium Salicylate,	7-24 gr.	Thymol,	7-48 gr.
Sodium Biborate,	5 grs.	Menthol,	7-96 gr.
Sodium Chloride,	5 grs.	Eucalyptol,	7-48 gr.
Oil Gaultheria, 7-96 gr.			

Antiseptic Disks.

(COMPRESSED.)

(For External Use.)

In bottles of 25.....	per bottle, \$	20
In bottles of 100.....	"	50
In bottles of 1000....	"	3 00
In pound bottles.....	"	2 00

Our Antiseptic Disks are *tinted green* so as to make them distinctive and thereby lessen the probability of their being used internally by mistake. Each Disk contains 7 3-10 grains of Corrosive Sublimate and 7 7-10 grains of Ammonium Chloride. They are perfectly soluble and afford a convenient means of quickly making Solutions of Corrosive Sublimate, of known and accurate strength, for Antiseptic and Disinfectant purposes. Directions for preparing solutions on label.

Antiseptic Tablets, (Bernays').

(POROUS.)

(For External Use.)

In bottles of 100.....	per bottle, \$	17
In bottles of 500.....	"	63
In bottles of 1000	"	1 25

Each tablet contains 1 3-4 grains of Corrosive Sublimate and 87-100 grain of Citric Acid. Directions for preparing solutions on label.

Antiseptic Tablets, (Bernays' Special).

(POROUS.)

(For External Use.)

Four times the strength of Bernays'.

In bottles of 100	per bottle, \$	50
In bottles of 1000.....	"	3 00
In pound bottles	"	2 00

Each tablet contains 7 grains of Corrosive Sublimate and 3.48 grains of Citric Acid. Directions for preparing solutions on label.

Benzothymol.

In pint bottles.....	per dozen, \$6 00
In 5-pint bottles	per bottle, 2 00
In gallon bottles	per bottle, 3 00

A safe and efficient antiseptic, adapted for both internal and external use, composed of Thymol, Eucalyptol, Menthol, Baptisia, Methyl-Salicylate, Boric and Benzoic Acids.

Has been used internally in Scarlet Fever and Diphtheria, and externally as an antiseptic dressing to wounds. Properly diluted it is an ideal mouth-wash, preserving the teeth and correcting offensive breath when due to caries of the teeth or to an unhealthy condition of the gums.

As an injection in Leucorrhea, Gonorrhea and Nasal Catarrh it is invaluable.

For internal administration the dose ranges from a teaspoonful to a tablespoonful, according to the age of the patient and the effect desired.

For injections, washes and external applications one ounce may be diluted with from a gill to a pint of water.

Benzothymol, Modified.

(LIQUID ANTISEPTIC COMP.)

In pint bottles.....	per dozen, \$6 00
In 5-pint bottles	per bottle, 2 00
In gallon bottles.....	per bottle, 3 00

A liquid combination of Thymol, Eucalyptol, Menthol, Methyl-Salicylate, Baptisia and Boric Acid.

An admirable antiseptic for both internal and external use.

In Diphtheria, Scarlet Fever and fermentative conditions of the gastrointestinal tract, its internal administration is highly recommended. *It mixes perfectly with Tinct. Iron Chloride*, and is an excellent vehicle for the administration of Cocaine and other remedies. Surgeons, Gynecologists and Obstetricians will find in Benzothymol Modified a reliable antiseptic dressing on which they can rely. It is also recommended as an injection in Leucorrhea, Gonorrhea, Ozena and other septic states of the mucous passages, besides being an elegant toilet accessory, correcting fetor of the breath, making the gums healthy and preserving the teeth.

Dose internally from one to two teaspoonfuls in a wineglassful of water. For injections and external applications use one ounce of Benzothymol Modified to from four ounces to a pint of water. For use in an atomizer dilute one part of Benzothymol Modified with eight or ten parts of warm water.

C. P. Chemicals.

We herewith offer a selected list of Chemically Pure Salts of guaranteed quality.

Also supplied in half pounds at an advance of two cents, net, per pound, and quarter pounds at an advance of four cents, net, per pound.

Ammonium Chloride (C. P.), granular.....	per lb. bot.	\$ 25
Ammonium Chloride (C. P.), powdered	per lb. bot.	27
Copper Sulphate (C. P.), crystals.....	per lb. bot.	26
Copper Sulphate (C. P.), granular.....	per lb. bot.	25
Iron Sulphate (C. P.), crystals.....	per lb. bot.	23
Lead Acetate (C. P.), crystals.....	per lb. bot.	28
Lead Acetate (C. P.), powdered.....	per lb. bot.	32
Potassium Nitrate (C. P.), granular	per lb. bot.	26
Potassium Nitrate (C. P.), powdered.....	per lb. bot.	26
Sodium Phosphate (C. P.) crystals	per lb. bot.	27
Sodium Phosphate (C. P.), granular.....	per lb. bot.	26
Zinc Oxide (C. P.), wet process	per lb. bot.	45
Zinc Sulphate (C. P.), crystals.....	per lb. bot.	26
Zinc Sulphate (C. P.), granular	per lb. bot.	25

Cocaine Tablets.

EACH TABLET CONTAINS 2.28 GRAINS OF COCAINE HYDROCHLORATE.

FOR MAKING EXTEMPORANEOUS SOLUTIONS.

(See note 15.)

In bottles of 20 tablets.....	per bottle, \$	60
In bottles of 100 tablets.....	per bottle,	2 75

One tablet, dissolved in 1 fluidrachm of water, yields a 4% solution.

One tablet, dissolved in 2 fluidrachms of water, yields a 2% solution.

One tablet, dissolved in 4 fluidrachms of water, yields a 1% solution.

Compound Cathartic Pills.

U. S. P. Sugar-coated,	1200 to the lb.....	per lb. bot.	\$1 10
U. S. P. Gelatin-coated,	1800 to the lb.....	per lb. bot.	1 60
U. S. P. Uncoated,	2000 to the lb.....	per lb. bot.	1 65
Improved, Sugar-coated,	1400 to the lb.....	per lb. bot.	1 10
Improved, Gelatin-coated,	2000 to the lb.....	per lb. bot.	1 60
Improved, Uncoated,	2300 to the lb.....	per lb. bot.	1 65
Special, Sugar-coated,	1200 to the lb.....	per lb. bot.	90
Special, Gelatin-coated,	1700 to the lb.....	per lb. bot.	1 50



Turned Wood.



Glass.

U. S. P. or Improved, sugar or gelatin-coated, in bottles or turned-wood boxes, containing 25 Pills each, neatly labeled and wrapped, for retailing, with buyer's name and address on label and wrapper, if desired.


Per gross, in wood	\$5 00
Per gross, in glass	6 50

 Gelatin-coated Pills, when packaged in wood, are liable to deteriorate, and will be so supplied only on special orders and without guarantee.

Capsules, Empty Gelatin

OF SUPERIOR QUALITY—EXCELLED BY NONE IN THE MARKET.


SAMPLES SENT UPON APPLICATION.



Capsules, Empty Rectal.



No. 1.



No. 2.

Capacity about 16 grains.

Capacity about 8 grains.

One size, or assorted sizes (in boxes of 100)	per dozen, \$ 80
One size, or assorted sizes (in boxes of 100), in 1-2 gross lots,	per gross, 9 00
One size, or assorted sizes (in boxes of 100) ..	per gross, 8 50
One size, or assorted sizes (in boxes of 1000)	per box, 65

Compressed Tablets.

In quality and finish these Tablets are unsurpassed by any in the market.

Put up in screw-top flat bottles; also furnished in bulk.

An advance of 5 cents per pound if ordered in glass-stoppered bottles.

WITH BUYER'S CARD IF DESIRED.

AMMONIUM CHLORIDE, 3 grs.....	In screw-cap bottles, per dozen.	\$ 70
“ “ “	In screw-cap bottles, per gross.	8 00
“ “ “	In pound bottles, per lb.	60
BORAX, 5 grs.....	In screw-cap bottles, per dozen.	70
“ “ “	In screw-cap bottles, per gross.	8 00
“ “ “	In pound bottles, per lb.	50
CACHOUS, Aromatic.....	In screw-cap bottles, per dozen.	70
“ “ “	In screw-cap bottles, per gross.	8 00
“ “ “	In pound bottles, per lb.	65
CACHOUS, Cardamom.....	In screw-cap bottles, per dozen.	70
“ “ “	In screw-cap bottles, per gross.	8 00
“ “ “	In pound bottles, per lb.	65
CACHOUS, Rose	In screw-cap bottles, per dozen.	70
“ “ “	In screw-cap bottles, per gross.	8 00
“ “ “	In pound bottles, per lb.	65
CHLORATE MIXTURE, 5 grs.....	In screw-cap bottles, per dozen.	70
“ “ “	In screw-cap bottles, per gross.	8 00
“ “ “	In pound bottles, per lb.	55
PEPSIN U. S. P. (1 : 3000), with Aromatics.....1 gr. }	In screw-cap bottles, per dozen.	1 40
“ “ “	In screw-cap bottles, per gross.	14 00
POTASSIUM BICARBONATE, 5 grs.	In screw-cap bottles, per dozen.	75
“ “ “	In screw-cap bottles, per gross.	8 50
“ “ “	In pound bottles, per lb.	70
POTASSIUM BROMIDE, 5 grs.....	In screw-cap bottles, per dozen.	90
“ “ “	In screw-cap bottles, per gross.	10 00
“ “ “	In pound bottles, per lb.	95
POTASSIUM CHLORATE, 5 grs....	In screw-cap bottles, per dozen.	70
“ “ “	In screw-cap bottles, per gross.	8 00
“ “ “	In pound bottles, per lb.	50
“ “ “	In 1 pound boxes, per lb.	42
“ “ “	In 5 pound boxes, per lb.	41
“ “ “	In 10 pound boxes, per lb.	40
POTASSIUM CHLORATE and BORAX.		
} Potassium Chlorate, 2 1-2 grs. }	In screw-cap bottles, per dozen.	70
} Borax, 2 1-2 grs. }		
“ “ “	In screw-cap bottles, per gross.	8 00
“ “ “	In pound bottles, per lb.	55
SODA MINT, 5 grs.....	In screw-cap bottles, per dozen.	70
“ “ “	In screw-cap bottles, per gross.	8 00
“ “ “	In pound bottles, per lb.	45
“ “ “	In 1 pound boxes, per lb.	42
“ “ “	In 5 pound boxes, per lb.	41
“ “ “	In 10 pound boxes, per lb.	40
SODIUM BICARBONATE, 5 grs.....	In screw-cap bottles, per dozen.	70
“ “ “	In screw-cap bottles, per gross.	8 00
“ “ “	In pound boxes, per lb.	40
SODIUM BROMIDE, 5 grs.....	In screw-cap bottles, per dozen.	90
“ “ “	In screw-cap bottles, per gross.	10 00
“ “ “	In pound bottles, per lb.	95

Compressed Tablets continued on page 119.

Digestive Ferments.

Our Pepsins, made according to the Webber process, are notable for their perfect solubility, freedom from septic contamination, absence of odor, and adaptability to the needs of the Pharmacist.

PEPSIN, 1 to 2000.	
Powdered, Granular or Scale.....	per oz. \$ 50
Powdered, Granular or Scale.....	per lb. 6 00
PEPSIN, 1 to 2500.	
Powdered, Granular or Scale.....	per oz. 60
Powdered, Granular or Scale.....	per lb. 7 50
PEPSIN, 1 to 3000 (U. S. P.).	
Powdered, Granular or Scale.....	per oz. 70
Powdered, Granular or Scale.....	per lb. 9 00
PEPSIN, 1 to 4000.	
Powdered, Granular or Scale.....	per oz. 80
Powdered, Granular or Scale.....	per lb. 11 00
WEBBER-PEPSIN, S. & D., 1 to 6000.	
Granular, Scale or Powdered.....	per oz. 1 20
Granular, Scale or Powdered.....	per lb. 16 00

Webber-Pepsin, S. & D., not only meets in every detail all the requirements of the U. S. P., but it has the added advantage of being just twice as active as the minimum requirement of that recognized authority.

It is permanent, perfectly soluble, non-hygroscopic and inodorous, and is so palatable that the most fastidious patient will take it readily.

It is not a Peptone-Pepsin, and it does not undergo the deterioration due to putrefaction.

It is entirely free from septic contaminations or other products of decomposition.

Druggists will find it to their interest to dispense this product because of its ease of manipulation, its great digestive power, its permanency and its reasonable price.

PEPSIN, SACCHARATED (U. S. P.).....	per oz. 16
PEPSIN, SACCHARATED (U. S. P.).....	per lb. 1 25

This Saccharated Pepsin will completely dissolve 300 times its weight of freshly coagulated and disintegrated egg-albumen, in accordance with the conditions of the official test of the U. S. P.

PEPSIN, LACTICATED (Lactated), powdered.....	per oz. 35
PEPSIN, LACTICATED, powdered.....	per lb. 4 00
PEPSIN, LACTICATED, liquid.....	per pint. 60

For Elixir of Lacticated Pepsin and its various combinations, see Elixirs, pages 72 and 73.

PEPSIN, LIQUID.....	per pint. 60
PEPSIN, LIQUID, Aromatic.....	per pint. 60
PEPSIN, LIQUID, Concentrated.....	per 12 oz. bot. 1 10

Forty-eight times the strength of Liquid Pepsin.

PEPSIN and LIME JUICE.....	per pint. 70
PEPSIN ESSENCE, Aromatic.....	per 1-2 pint bot. 50
PEPSIN ESSENCE, Aromatic.....	per pint bot. 90
PEPSIN ESSENCE, Aromatic.....	per 5 pt. bot. 3 50
PEPSIN ESSENCE, Aromatic.....	per gal. bot. 5 00

DIGESTIVE FERMENTS.

PEPSIN ESSENCE, Plain	per 1-2 pint bot.	\$ 50
PEPSIN ESSENCE, Plain	per pint bot.	90
PEPSIN ESSENCE, Plain	per 5-pint bot.	3 50
PEPSIN ESSENCE, Plain	per gall. bot.	5 00

In this efficient and elegant preparation, holding in solution the essential ingredients of the gastric juice in an unchanged and highly active condition, the Pepsin, as well as the milk-curdling ferment, are present in their most active form. One fluidrachm will dissolve 2000 grains of coagulated egg-albumen, under the conditions of the official test, or will curdle a quart of milk in a few minutes at about 100° F.

Full directions for making Junket and Whey on the label.

PEPSIN, GLYCEROLE, Concentrated	per pint.	1 50
PEPSIN, GLYCEROLE, Concentrated	per 5 pt. bot.	6 00
PEPSIN, GLYCEROLE, Concentrated	per gal. bot.	8 50

10 minims will dissolve 3000 grains of coagulated egg-albumen. Specially adapted for the preparation of Elixirs, Wines, etc., of Pepsin.

PANCREATIN, PURE	per oz.	75
PANCREATIN, PURE	per lb.	9 00
PANCREATIN, SACCHARATED	per oz.	25
PANCREATIN, SACCHARATED	per lb.	3 00
PANCREATIC ESSENCE.		

In pint bottles per doz. 12 00

In 5 pint bottles per bot. 4 25

In gallon bottles per bot. 6 25

Rich in Diastase, Pancreatic Essence actively aids the digestion of starchy food, augmenting the action of the saliva and pancreatic juice, thus promptly relieving Intestinal Indigestion.

See combinations of Pepsin and Pancreatin with other ingredients under heading of Elixirs, Wines, Pills, etc.

For Pan-Peptic Tablets and Pan-Peptic Elixir, see page 115.

Ergotole, S. & D.

In ounce bottles..... per dozen, \$6 00

NEVER SOLD IN BULK.

A special preparation of Ergot of Rye, 2½ times the strength of the official Fluid Extract of Ergot (2½ grs. of select Spanish Ergot in each minim), representing in permanent solution and in an unchanged condition all of the active principles of Ergot free from inert and nauseating constituents.

Used hypodermically it causes neither irritation nor abscess. Administered by the mouth it DOES NOT PRODUCE NAUSEA.

A monograph giving valuable physiological and clinical data of Ergotole, S. & D., will be mailed to physicians upon application. (See note 23.)

Ferro-Manganese Peptonate, S. & D.

In 12 oz. bottles.....	per dozen, \$6 50
In quart bottles	per bottle, '1 25
In 5-pint bottles.....	per bottle, 2 90
In gallon bottles.....	per bottle, 4 25

A palatable, readily assimilable, neutral assayed liquid preparation of the peptonized albuminates of iron and manganese. (See note 24.)

Formaldehyde.

40 % SOLUTION.

In $\frac{1}{4}$ -pint bottles.....	per pint, \$	80
In $\frac{1}{2}$ -pint bottles.....	per pint,	70
In pint bottles.....	per pint,	60
In 5-pint bottles	per bottle,	2 75
In gallon bottles.....	per gallon,	4 15

Glycerin Suppositories.

ADULT'S SIZE.

In bottles of $\frac{1}{4}$ dozen each	per dozen, \$	90
In bottles of $\frac{1}{2}$ dozen each	per dozen,	1 25
In bottles of 1 dozen each	per dozen,	1 85

INFANT'S SIZE.

In bottles of $\frac{1}{2}$ dozen each	per dozen, \$1	15
In bottles of 1 dozen each	per dozen,	1 70

These contain 95 per cent. of pure anhydrous Glycerin, are a convenient substitute for Glycerin Enemata, and afford an efficient method of producing prompt evacuation of the bowels. They are entirely harmless for persons of any age, and act painlessly within a few minutes.

Headache Salt.

In pound bottles for dispensing at the soda-water fountain. }	per bottle, \$	65
In $\frac{1}{2}$ -oz. bottles, neatly packaged with buyer's card, per gross		7 50
In 2-oz. bottles, neatly packaged with buyer's card, per gross		18 00
In 4-oz. bottles, neatly packaged with buyer's card, per gross		35 00

An effervescent salt composed of Hydrobromate of Caffeine and Acetanilid, used in the treatment of headaches of a nervous type as well as those due to indiscretion in eating or drinking.

SHARP & DOHME'S

Improved Hypodermic Syringes and Cases.



FIG. 2.




FIG. 5.

Physicians will find our Hypodermic Syringe (see Fig. 2) a thoroughly reliable and most excellent instrument. Its capacity is 15 minims. By unscrewing the movable cap *a*, our Soluble Hypodermic Tablets may be introduced into the barrel of the syringe, where, by the addition of 10 minims of water, a perfect solution may readily be made.

The wing plates, *bb*, afford a firm finger-hold and perfect command of the syringe.

To tighten the plunger in this syringe draw the piston rod out to its full extent so that the nut on the plunger end of the piston rod will engage in the wrench in the lower side of the upper cap of the syringe; then turn to the left. This effectually prevents the syringe from leaking even if not in actual use for a number of consecutive months. Care should be taken not to turn the piston rod too rapidly for fear of breaking the glass cylinder. Turning the piston rod to the right loosens the plunger.

OUR ASEPTIC HYPODERMIC SYRINGE (Fig. 5)

Is novel in design, perfectly aseptic, durable, easily adjusted, easily taken apart, easily kept clean, and it can be boiled for hours without injury to any of its parts.

We are for the present prepared to supply it only in our aluminum case (fig. 3) (not in figs. 1 or 4). Our aluminum case now accommodates six tubes of our soluble hypodermic tablets instead of four as heretofore, but it has not been necessary to increase its size. It is still the handsomest and most compact case on the market.

PRICES OF OUR ASEPTIC SYRINGE (Fig. 5) AND FITTINGS.

Glass barrels with metal cap	each, \$	18
Needles.....	each,	22
Packing discs for needles.....	per dozen,	10
Packing pin and tap.....	per dozen,	10
Packing pin and tap.....	each,	10
Piston rod.....	each,	15
Syringe (without needles)	each,	1 00

PRICES OF OUR REGULAR (Fig. 2) SYRINGE AND FITTINGS.

Glass barrels.....	each, \$	10
Needles; long, medium, short	each,	20
Syringe (without needles)	each,	1 00

LEATHER COVERED CASE, Fig. 1.

Containing our regular fig. 2 syringe, two needles and two tubes of our Soluble Hypodermic Tablets.....each, \$2 50

ALUMINUM CASE, Fig. 3.

Containing either our aseptic syringe (Fig. 5) or our regular syringe (Fig. 2), with two needles, and six tubes of our Soluble Hypodermic Tablets each, 3 00

ALUMINUM CASE, Fig. 3, emptyeach, 1 75



FIG. 1.




FIG. 3.

FLEXIBLE LEATHER CASE, Fig. 4.

Containing our regular fig. 2 syringe, two needles and six tubes of our Soluble Hypodermic Tabletseach, \$3 50




FIG. 4.

***FLEXIBLE LEATHER HYPODERMIC TABLET CASE.**

Accommodating six tubes of our Soluble Hypodermic Tablets, emptyeach, \$ 50

***FLEXIBLE LEATHER HYPODERMIC TABLET CASE.**

Accommodating ten tubes of our Soluble Hypodermic Tablets, empty.....each, 75

*These cases are intended for *Hypodermic Tablets only* and should not be confounded with flexible leather case, Fig. 4, which accommodates a syringe in addition to six tubes of tablets and two needles.

Our Combined Menthol Inhaler and Cone

(SILVER-PLATED)

embraces the best features found in other appliances for the use of Menthol. As an Inhaler it is unsurpassed, and as a Cone it is equally desirable. The revolving turret on one end of the metallic shell when opened permits of the inhalation of menthol vapor, and when closed prevents loss of menthol when not in actual use. By a slight downward pressure the lower part of the shell revolves and the Inhaler is converted into a Cone.



MENTHOL INHALER
CLOSED.




MENTHOL CONE
OPENED.

Handsomely mounted for counter display.

Per dozen, to the retail tradenet, \$2 00

Ideal Inhaler.

(SILVER-PLATED)



Small, compact, light, durable, novel in design and attractive in appearance.

Turning the thumb-screw at the end of the Inhaler to the left a few times, opens the aperture at the other end of the Inhaler, and thus permits of the escape of Menthol vapor.

Per dozen, to the retail tradenet, \$2 00

Lapactic Pills, S. & D.

(PIL. LAPACTICÆ, S. & D.)

R Aloin, S. & D.,	1-4 gr.
Strychninæ,	1-60 gr.
Extr. Belladonnæ,	1-8 gr.
Ipecacuanhæ,	1-16 gr.

In bottles of 100 each.....per dozen, \$4 80
In bottles of 500 each.....per bottle, 1 50
In bottles of 1000 each... ..per bottle, 3 00

Introduced by us about twelve years ago as a tonic laxative in chronic constipation and atonic dyspepsia (see note 28). They are very small, active, reliable, perfectly soluble and never gripe. This latter fact is due to the purity of our Aloin (see note 5). We make it by a special process and guarantee its quality.

In ordering our Preparations through dealers, please specify SHARP & DOHME'S.

Lithia Tablets, Effervescent.

(COMPRESSED.)

Either 3 or 5 grs. of Lithium Citrate.

(See note 30.)

3 grain tablets, in screw-cap bottles of 40 each	per dozen, \$2 00
3 grain tablets, in pound bottles	per pound, 1 75
5 grain tablets, in screw-cap bottles of 40 each	per dozen, 2 50
5 grain tablets, in pound bottles.....	per pound, 2 00

These tablets afford a ready means of extemporaneously preparing Lithia Water, their portability and rapid solubility in pure water rendering them especially desirable.

In gouty and rheumatic conditions, as well as in certain renal diseases, they have been used with beneficial results.

Can also be supplied with buyer's card.

Lithiated Sorghum Compound, S. & D.

(See note 29.)

In 14-oz. bottles	per dozen, \$9 00
-------------------------	-------------------

Never sold in bulk.

An admirable diuretic, each fluidounce of which contains, in proper proportions and in a palatably blended liquid form 120 grs. of a combination of Broomcorn Seed, Corn Silk, Saw Palmetto and Hydrangea, together with 16 grs. of Benzo-Citrate of Lithium.

Recommended in acute and chronic cystitis, nephritic colic, pyelitis, irritable bladder, the uric acid diathesis, rheumatism, gout and dropsy.

Liquid Malt Extract, S. & D.

Per dozen bottles	\$ 2 75
Per case of 3 dozen bottles.....	7 00
Per case of 6 dozen bottles.....	13 00

This product is a palatable, easily digestible, highly nutritious liquid food. It is an admirable tonic-constructive in Phthisis, Scrofula, in the tedious convalescence following fevers and other exhausting diseases, as well as in dyspeptic, neurasthenic and various other adynamic conditions of the system.

Average adult dose: one wineglassful before, during or after each meal as directed by the physician. The dose for children ranges from a teaspoonful to a tablespoonful three times a day.

Materia Medica Cabinet.

(See note 32.)

Containing 250 specimens of crude drugs of vegetable origin.

Price complete.....	\$25 00
---------------------	---------

Mel-Maroba, S. & D.

(See note 33.)

AN IDEAL TONIC ALTERATIVE.

In 14-oz. bottlesper dozen, \$9 00

Never sold in bulk.

A palatable blending of Manaca, Caroba and Stillingia, each fluidounce representing 120 grains of these combined drugs, with the addition of 16 grains of Potassium Iodide.

The medicinal activity and palatability of this compound make it an invaluable and acceptable treatment for Chronic Rheumatism, Chronic Hepatic diseases, Scrofula in all forms, Chronic Skin diseases, and constitutional Syphilis, especially syphilitic eruptions and ulcerations.

Pan-Peptic Elixir.

(In pints and 5 pints only.)

In pint bottles.....per dozen, \$10 00

In 5-pint bottles.....per bottle, 4 00

Each dessertspoonful of this Elixir represents one (1) Pan-Peptic Tablet in solution.

It is pleasantly flavored and will prove acceptable to the most fastidious palate.

(See note 35.)

Pan-Peptic Tablets.

In bottles of 25 eachper dozen, \$3 00

In bottles of 50 eachper dozen, 5 50

In bottles of 100 eachper dozen, 9 00

NEVER SOLD IN BULK.

An efficient Tonic-Digestive combination of

Webber-Pepsin, S. & D.,	1 gr.
Pure Pancreatin,	1 gr.
Caffeine, C. P.,	1-4 gr.
Calcium, Acid Lacto-Phosphate,	
Celery,	aa, q. s.

The *Pepsin* and *Pancreatin* used in these tablets possess highest digestive power, and cannot fail to promptly start and accomplish the digestion of food, while the *Caffeine*, by its stimulant tonic action on the stomach and bowels, assists and quickens the normal digestion and assimilation of food.

The *Acid Lacto-Phosphate of Calcium* also contributes to the tonic action of these tablets and aids to build up the general system, while a small quantity of that refreshing aromatic and nerve stimulant, *Celery*, imparts a pleasant flavor and acts as an appetizer

(See note 35.)

POCKET CASES.

S. & D. Emergency Case.



SIZE 7 INCHES LONG, 4 INCHES WIDE, $\frac{3}{8}$ INCH THICK.

COMPACT. DURABLE. HANDSOME. PRACTICAL. UNIQUE.

An Entirely New Design. Metal Frame. Strong Vials. Legible Labels.
 20 Screw-Capped Vials, each containing about 50 tablets.
 20 varieties. 3 regular assortments.

Price complete with one regular assortment, either A, B, or C, to Physicians, net \$3.00.

Assortment A.

Salol, 1 gr.
 Ammonium Chloride Comp.
 Tartar Emetic, 1-8 gr.
 Tr. Hydrastis Canadensis, 2 min.
 Calomel, 1-4 gr.
 Heart Stimulant, No. 1 (Da Costa).
 Santonin and Calomel, No. 1.
 Morphine Sulph., 1-6 gr.
 Aloin Comp., No. 1.
 Tr. Nux Vomica, 2 min.

Tr. Veratrum Viride, 1 min.
 Acetanilid, 1 gr.
 Pepsin U. S. P. (1:3000), 1-2 gr.
 Copper Arsenite, 1-100 gr.
 Aconite and Bryonia.
 Mercury with Chalk, 1-3 gr.
 Diarrhea.
 Cerium Oxalate, 1 gr.
 Euonymin Comp. (Welch).
 Opium and Lead.

Assortment B.

Dover's Powder, 2 1-2 grs.
 Calomel and Sodium, No. 1.
 Neuraigic (Dunlap).
 Aloin and Strychnine Comp.
 Calcium Sulphide, 1-2 gr.
 Acetanilid Comp. (Aulde).
 Camphor Monobrom, 1 gr.
 Morphine and Atropine, No. 1.
 Tr. Aconite Rt., 1 min.
 Arsenous Acid, 1-60 gr.

Bismuth Subnitr., 2 grs.
 Calomel, 1-10 gr.
 Atropine Sulph., 1-100 gr.
 Morphine Sulph., 1-4 gr.
 Santonin and Calomel, No. 1.
 Diarrhea.
 Nitroglycerin, 1-100 gr.
 Strychnine Sulph., 1-60 gr.
 Ipecac. powd., 1-4 gr.
 Salol, 1 gr.


Assortment C.

Elatarium (Clutterbuck), 1-10 gr.
 Podophyllin, 1-10 gr.
 Apomorphine Hydrochlor., 1-50 gr.
 Strychnine Nitrate, 1-30 gr.
 Tr. Digitalis, 2 min.
 Mercury, Yellow Iodide, 1-4 gr.
 Morphine Sulph., 1-8 gr.
 Tr. Pulsatilla, 1 min.
 Tr. Bryonia, 1 min.
 Tr. Gelsemium, 1 min.

Quinine Sulph., 1 gr.
 Ergotin, purified, 1-4 gr.
 Tr. Aconite, 1 min.
 Calomel, 1-10 gr.
 Acetanilid, 1 gr.
 Arsenous Acid, 1-60 gr.
 Rhinitis (half strength).
 Atropine Sulph., 1-100 gr.
 Opium, powd., 1-2 gr.
 Diarrhea.

Physicians' Pocket Case for Tablet Triturates.

A convenient means of carrying remedies in Tablet Triturate form for cases of emergency.



This flexible morocco case filled with the following assortment of our Tablet Triturates in screw-cap bottles at \$3.00 net to the medical profession :

Acetanilid, 1 gr.
Acetanilid Comp. (Aulde).
Aconite Root, F. E., 1 min.
Aloin and Strychnine Comp.
Arsenous Acid, 1-60 gr.
Atropine Sulph., 1-100 gr.
Bismuth Subnit., 2 grs.
Brown Mixture.
Caffeine Comp.
Calomel, 1-10 gr.
Calomel, 1-4 gr.
Calomel, 1 gr.

Calomel and Dover's, No. 1.
Calomel and Sodium, No. 2.
Calomel, Sodium and Podophyllin.
Dover's Tablets, 2 1-2 grs.
Iron, Quinine and Strychnine.
Opium and Camphor.
Quinine Sulph., 2 grs.
Mercury, Yellow Iodide, 1-16 gr.
Morphine and Atropine, No. 1.
Rhinitis (half strength).
Santonin and Calomel, No. 1.
Strychnine Sulph., 1-100 gr.

Seidlitz Powders.

Our Seidlitz Powders are hand-made of the best materials, are hand-somely packaged, and we guarantee them to be strictly official in formula and weight.

Our prices, therefore, while as low as is consistent with the quality and finish of our product, should not be unjustly compared with the prices at which short-weight and inferior Seidlitz Powders are offered.

SEIDLITZ POWDERS (official weight and strength), in tin boxes, 12 powders in each box	per gross	\$25 00
SEIDLITZ POWDERS, (official weight and strength), in tin boxes, 10 powders in each box	per gross	23 00
SEIDLITZ POWDERS, (official weight and strength), in tin boxes, 6 powders in each box	per gross	16 00
SEIDLITZ POWDERS, (official weight and strength), in neat, embossed envelopes	per 100	2 20
SEIDLITZ POWDERS, (official weight and strength), in handsome tinfoil wrappers	per 100	2 40
SEIDLITZ POWDERS (official weight and strength), in handsome tinfoil wrappers, 3 powders in each package, }	per 100 (300 doses)	6 50
SEIDLITZ POWDERS (official weight and strength), loose, bulk, } ..	per gross (144 powders)	2 00

Santalets.

(See note 40.)

Globular Gelatin Pearls, each containing 5 minims of pure East India Santal Oil.

Packaged only in hexagonal bottles of 40 pearls each.

Per dozen bottles\$5 50

Sodio-Phos. Comp., S. & D.

(LIQUID SODIUM PHOSPHATE COMP.)

In 12-oz. bottlesper dozen, \$7 50

In 5-pint bottles.....per bottle, 3 25

In gallon bottles..per bottle, 4 50

A concentrated, permanent, palatable preparation, each fluidounce of which holds in solution one ounce of chemically pure Sodium Phosphate combined with choice aromatics.

Solution Hydriodic Acid, Concentrated.

(10 %.)

(See note 26.)

In 4-oz. bottles..... per bottle, \$1 00

In 8-oz. bottles... ..per bottle, 1 85

In 16-oz. bottlesper bottle, 3 50

For making Syrup Hydriodic Acid of U. S. P. or any strength.

Never deteriorates. Easy to manipulate.

To make Syrup Hydriodic Acid (U. S. P.)

R Solution Hydriodic Acid, Concentrated (10 %).....1 part.

Simple Syrup9 parts.

Mix.

Solution Hypophosphites Comp.

(WITHOUT SUGAR.)

In pint bottles..... per dozen, \$6 00

In quart bottles.....per bottle, 1 15

In 5-pint bottles.per bottle, 2 75

In gallon bottles.....per bottle, 4 25

Each Fluidounce contains:

Calcium Hypophosphite.....4 grains.

Sodium Hypophosphite.1 grain.

Potassium Hypophosphite.....4 grains.

Iron Hypophosphite.....2 grains.

Quinine Hypophosphite.....1 grain.

Manganese Hypophosphite.....1 grain.

Strychnine Hypophosphite.....1-32 grain.

Being free from sugar it can be taken for a long time without disagreeing with the stomach.

Syrups.

HYDRIODIC ACID (U. S. P.)

In pint bottles.....per bottle, \$ 80

HYDRIODIC ACID (double strength).

In pint bottlesper bottle, 1 20

IRON, IODIDE (U. S. P.)

In pound bottles (12 fl. ozs.)per bottle, 75

IRON, IODIDE (tasteless.)

In pound bottles (12 fl. ozs.)per bottle, 75

TONIC HYPOPHOSPHITES. (See note on page 81.)

In pint bottlesper dozen, 6 00

In quart bottlesper bottle, 1 00

In 5-pint bottles.....per bottle, 2 25

In gallon bottlesper bottle, 3 50

Tasteless Quinine Tablets.

AN ELEGANT PREPARATION, IN WHICH THE BITTER TASTE OF QUININE IS DISGUISED. THEY ARE READILY TAKEN BY CHILDREN.

Each tablet contains 1 grain of Quinine Tannate with Chocolate.

Per dozen boxes of 30 tablets each.....\$1 25

Per pound bottle 1 20

Witch Hazel, Conc. Dist. Extract.

In pint bottlesper dozen, \$2 90

In gallon jugs.....per gallon, 1 05

PART 3.

COMPRESSED TABLETS.

Recent mechanical improvements and more skillful methods of manipulation have enabled us to successfully overcome all of the objections heretofore raised against Compressed Tablets, and while in uniformity, finish and general appearance they are more than ever creditable, we have been able to give to tablets composed of such insoluble substances as Acetanilid, Quinine, Salol and others the feature of almost immediate disintegrability. They

DISINTEGRATE AT ONCE

in the stomach or in a test tube, thus insuring prompt therapeutic action. (See note 19.)

Our regular stock packages are bottles of 100, 500 and 1000.

Quotations on tablets in large bulk cheerfully given upon application.

We are prepared to make Compressed Tablets according to any special or private formula, the nature of which permits of its being produced in this form in lots of not less than 1000.

COMPRESSED TABLETS.		Per Bottle of 100.	Per Bottle of 500.	Per Bottle of 1000.
ABSORBENT DYSPEPTIC.				
{ Pepsin, U. S. P. (1 : 3000), 1 gr. } { Charcoal, 2 grs. } { Sodium Bicarb., 2 1-2 grs. }		\$ 21	\$ 90	\$1 75
ACETANILID	1 gr.	12	28	50
ACETANILID	2 grs.	12	33	60
ACETANILID	3 grs.	12	38	70
ACETANILID	4 grs.	12	48	90
ACETANILID	5 grs.	14	55	1 05
ACETANILID, Aromatic.				
{ Acetanilid, 5 grs. } { Oil Wintergreen, q. s. }		14	55	1 05
ACETANILID COMP., No. 1 (Migraine).				
{ Acetanilid, 2 grs. } { Camphor Monobromated, 1-2 gr. } { Caffeine Citrated, 1-2 gr. }		17	70	1 35

COMPRESSED TABLETS.

	Per Bottle of 100.	Per Bottle of 500.	Per Bottle of 1000.
ACETANILID COMP., No. 2.			
{ Acetanilid, 4 grs. }			
{ Sodium Bicarbonate, 3-4 gr. }	\$ 12	\$ 48	\$ 90
{ Caffeine Citrated, 1-4 gr. }			
ACETANILID COMP., No. 3.			
{ Acetanilid, 2 grs. }	12	40	75
{ Fld. Extr. Gelsemium, 1 min. }			
ACETANILID COMP., No. 4.			
{ Acetanilid, 4 grs. }	15	68	1 20
{ Fld. Extr. Gelsemium, 2 min. }			
ACETANILID COMP., No. 5.			
{ Acetanilid, 3 grs. }	18	78	1 50
{ Tully's Powder, 3 grs. }			
ACETANILID COMP., No. 6.			
{ Acetanilid, 2 1-2 grs. }	21	93	1 80
{ Caffeine Citrated, 1 gr. }			
{ Gelsemin, 1-10 gr. }			
ACETANILID COMP. (Hubbard).			
{ Acetanilid, 3 1-2 grs. }	31	1 43	2 80
{ Caffeine, 1 gr. }			
{ Sodium Bromide, 7 1-2 grs. }			
ACETANILID and QUININE.			
{ Acetanilid, 2 1-2 grs. }	38	1 78	3 50
{ Quinine Sulph., 2 1-2 grs. }			
ACETANILID and SALOL.			
{ Acetanilid, 2 1-2 grs. }	41	1 90	3 75
{ Salol, 2 1-2 grs. }			
ACETANILID and SODIUM COMP., No. 1.			
{ Acetanilid, 3 1-2 grs. }	17	70	1 35
{ Sodium Bicarbonate, 9-10 gr. }			
{ Sodium Bromide, 1-10 gr. }			
{ Caffeine Citrated, 1-2 gr. }			
ACETANILID and SODIUM COMP., No. 2.			
{ Acetanilid, 2 1-2 grs. }	21	93	1 80
{ Sodium Bicarbonate, 2 1-2 grs. }			
{ Caffeine Citrated, 1 gr. }			
{ Tinct. Gelsemium, 3 min. }			
ACID BENZOIC.....5 grs.	33	1 53	3 00
ACID BORIC.....5 grs.	12	35	65
ACID BORIC.....10 grs.	14	58	1 10
ACID SALICYLIC2 1-2 grs.	13	50	95
ACID SALICYLIC5 grs.	17	70	1 35
ACID TANNIC.....5 grs.	33	1 53	3 00
ALUM COMP. (for injection).			
{ Alum, 2 1-2 grs. }	13	53	1 00
{ Zinc Sulphate, 2 grs. }			
{ Fld. Extr. Golden Seal, colorless, 1 min. }			
{ Morphine Sulphate, 1-32 gr. }			
AMMONIUM CHLORIDE.....3 grs.	12	28	50
AMMONIUM SALICYLATE COMP.			
{ Ammonium Salicylate, 3 grs. }	78	3 75	7 45
{ Phenacetine (Bayer), 1 gr. }			
{ Caffeine, 1-2 gr. }			
{ Salicin, 1 1-2 grs. }			
ANODYNE.			
{ Camphor, 1 gr. }	21	90	1 75
{ Extr. Hyoscyamus, 1 gr. }			
{ Morphine Acetate, 1-20 gr. }			
{ Oleores. Capsicum, 1-20 gr. }			
ANODYNE COMP.			
{ Acetanilid, 3 1-2 grs. }	19	83	1 60
{ Caffeine, 1-2 gr. }			
{ Sodium Bicarb., 1 gr. }			

COMPRESSED TABLETS.

	Per Bottle of 100.	Per Bottle of 500.	Per Bottle of 1000
ANODYNE COMP. and CODEINE.			
{ Anodyne Comp., Powder, 4 3-4 grs. } { Codeine Sulph., 1-4 gr. }	\$ 63	\$3 03	\$6 00
ANODYNE COMP. and QUININE.			
{ Anodyne Comp. Powder, 2 1-2 grs. } { Quinine Sulph., 2 1-2 grs. }	39	1 83	3 60
ANT-ACID (Sir Wm. Roberts).			
{ Calcium Carbonate, precip., 3 1-2 grs. } { Magnesium Carbonate, 2 1-2 grs. } .. { Sodium Chloride, 1 gr. }	13	50	95
ANTALGIC, LAXATIVE.			
{ Acetanilid, 2 grs. } { Quinine Sulph., 1 gr. } { Dover's Powder, 1 1-2 grs. } { Podophyllin, 1-8 gr. }	25	1 20	2 35
ANTI-ASTHMATIC (Hare). No. 1.			
{ Sodium Iodide, 2 grs. } { Sodium Bromide, 2 grs. } { Fld. Extr. Euphorbia, 3 min. } { Nitroglycerin, 1-20 gr. } { Tinct. Lobelia, 2 min. }	39	1 80	3 55
ANTI-ASTHMATIC, No. 2.			
{ Potassium Iodide, 5 grs. } { Fowler's Solution, 1 min. } { Tinct. Lobelia, 4 min. } { Tinct. Belladonna Leaves, 1 1-2 min. } { Tinct. Opium Deodorized, 1-2 min. } { Oil Wintergreen, q. s. }	60	2 88	5 70
ANTI-CONSTIPATION.			
{ Extr. Cascara Sagrada, 1 gr. } { Extr. Nux Vomica, 1-8 gr. } { Extr. Belladonna Leaves, 1-8 gr. } { Ipecac. powd., 1-8 gr. } { Podophyllin, 1-8 gr. }	15	60	1 15
ANTI-DYSPEPTIC, No. 1.			
{ Ipecac. powd., 1-10 gr. } { Blue Mass, 2 grs. } { Extr. Colocynth Comp., 2 grs. }	21	90	1 75
ANTI-DYSPEPTIC, No. 2.			
{ Strychnine Sulphate, 1-60 gr. } { Ipecac. powd., 1-10 gr. } { Capsicum, powd., 1-4 gr. } { Extr. Rhubarb, 1-4 gr. } { Extr. Gentian, 1-2 gr. } { Sodium Bicarbonate, 2 grs. }	12	40	75
ANTI-DYSPEPTIC, No. 3 (Fothergill's Improved).			
{ Extr. Gentian, 1 gr. } { Blue Mass, 1 gr. } { Ipecac. powd., 1-10 gr. } { Capsicum, powd., 1-10 gr. } { Strychnine, 1-40 gr. }	14	55	1 05
ANTIFEBRIN 3 grs.	28	1 28	2 50
ANTIFEBRIN 5 grs.	38	1 78	3 50
ANTIFEBRIN COMP. (Hoag).			
{ Antifebrin, 2 grs. } { Caffeine Citrated, 1-2 gr. } { Sodium Bromide, 5 grs. }	36	1 65	3 25
ANTIFERMENTATIVE and TONIC (Hubbard).			
{ Bismuth Subgallate, 2 1-2 grs. } { Salicin, 4 grs. } { Strychnine Sulph., 1-80 gr. }	53	2 50	4 95

COMPRESSED TABLETS.

ANTI-LITHIC (Hewish).

{ Sodium Phosphate, 4 grs. }			
{ Lithium Benzoate, 1 gr. }			
{ Sodium Bicarbonate, 1 gr. }			
{ Potassium Bicarbonate, 1 gr. }			
{ Sodium Chloride, 1 gr. }			
.....	\$ 18	\$ 75	\$1 45

ANTI-MALARIAL.

{ Nux Vomica, powd., 1-4 gr. }			
{ Capsicum, powd., 1-2 gr. }			
{ Extr. Hyoscyamus, 1-2 gr. }			
{ Quinine Sulphate, 3 grs. }			
.....	46	2 15	4 25

ANTIMONIAL POWDER (James' Powder)...3 grs. 12 33 60

ANTIPYRINE3 grs. 56 2 65 5 25

ANTIPYRINE5 grs. 86 4 15 8 25

ANTISEPTIC (Alkaline and Antiseptic, Seiler).

(See page 103.)

ANTISEPTIC DISKS. (See page 103.)

APHRODISIAC.

{ Extr. Damiana, 2 grs. }			
{ Extr. Nux Vomica, 1-8 gr. }			
{ Zinc Phosphide, 1-10 gr. }			
{ Cantharides, 1-25 gr. }			
.....	19	80	1 55

BISMUTH SUBCARBONATE5 grs. 33 1 53 3 00

BISMUTH SUBGALLATE.....1 gr. 15 63 1 20

BISMUTH SUBGALLATE.....2 grs. 18 78 1 50

BISMUTH SUBGALLATE.....3 grs. 23 1 03 2 00

BISMUTH SUBGALLATE.....5 grs. 30 1 38 2 70

BISMUTH SUBNITRATE5 grs. 26 1 15 2 25

BISMUTH and CALOMEL.

{ Bismuth Subnitrate, 2 grs. }			
{ Calomel, 1-10 gr. }			
{ Aromatic Powder, 1 gr. }			
.....	19	80	1 55

BISMUTH and CHARCOAL.

{ Bismuth Subnitrate, 2 grs. }			
{ Charcoal, 5 grs. }			
.....	19	80	1 55

BISMUTH and CREOSOTE.

{ Bismuth Subnitrate, 5 grs. }			
{ Creosote, 1-2 gr. }			
{ Milk Sugar, 2 grs. }			
.....	36	1 65	3 25

BISMUTH and IPECAC COMP.

{ Bismuth Subnitrate, 2 grs. }			
{ Ipecac, powd., 1-50 gr. }			
{ Calomel, 1-20 gr. }			
{ Aromatic Powder, 1 gr. }			
.....	20	85	1 65

BISMUTH, OPIUM and CARBOLIC ACID.

{ Bismuth Subnitrate, 3 grs. }			
{ Opium, powd., 1-2 gr. }			
{ Acid, Carbolic, 1-2 gr. }			
{ Aromatic Powder, 1 gr. }			
.....	43	2 00	3 95

BISMUTH SALICYLATE, Aromatic.

{ Bismuth Salicylate, 3 grs. }			
{ Prepared Chalk, 2 grs. }			
{ Aromatic Powder, 1 gr. }			
{ Zinc Sulphocarbolate, 1 1-4 grs. }			
.....	33	1 53	3 00

BLAUD3 grs. 12 28 50

BLAUD5 grs. 12 35 65

BLAUD, Modified.

{ Blaud's Mass, 5 grs. }			
{ Acid, Arsenous, 1-40 gr. }			
.....	12	33	60

BLAUD with NUX VOMICA.

{ Blaud's Mass, 3 grs. }			
{ Extr. Nux Vomica, 1-6 gr. }			
.....	12	30	55

BLAUD and SUMBUL COMP.

{ Blaud's Mass, 3 grs. }			
{ Extr. Sumbul, 1 gr. }			
{ Acid, Arsenous, 1-60 gr. }			
{ Strychnine Sulphate, 1-60 gr. }			
.....	14	58	1 10

COMPRESSED TABLETS.		Per Bottle of 100.	Per Bottle of 500.	Per Bottle of 1000.			
BORAX.....5 grs.		\$ 12	\$ 30	\$ 55			
BROMIDE and CAFFEINE COMP.							
{ Sodium Bromide, 5 grs. Caffeine, 1-2 gr. Acetanilid, 2 grs. Tinct. Gelsemium, 3 min. }		29	1 30	2 55			
BRONCHIAL.							
{ Ammonium Chloride, 1-3 gr. Extr. Liquorice, 1 gr. Henbane, powd., 1-4 gr. Senega, powd., 1-5 gr. Ipecac, powd., 1-50 gr. Tolu, 1-5 gr. Oleores. Cubeb., 1-3 gr. }		12	38	70			
BROWN MIXTURE COMP.							
{ Extr. Liquorice, 1 4-5 grs. Opium, powd., 3-100 gr. Acid, Benzoic, 3-100 gr. Camphor, 3-100 gr. Tartar Emetic, 3-200 gr. Oil Anise, 3-100 min. Ammonium Chloride, 1 gr. }		12	40	75			
CACTUS GRANDIFLORUS COMP. (See Heart Tonic.).....					43	2 00	3 95
CALOMEL (Mercurous Chloride, Mild).....3 grs.		15	63	1 20			
CALOMEL.....4 grs.		18	75	1 45			
CALOMEL.....5 grs.		21	90	1 75			
CALOMEL and CAPSICUM.							
{ Calomel, 2 grs. } { Capsicum, powd., 1-2 gr. }		13	53	1 00			
CALOMEL and RHUBARB COMP.							
{ Calomel, 1-3 gr. } { Extr. Rhubarb, 1-2 gr. } { Extr. Colocynth Comp., 1-2 gr. } { Extr. Hyoscyamus, 1-6 gr. }		12	48	90			
CALOMEL and SODIUM, No. 3.							
{ Calomel, 2 grs. } { Sodium Bicarbonate, 2 grs. }		13	53	1 00			
CALOMEL and SODIUM, No. 4.							
{ Calomel, 1 gr. } { Sodium Bicarbonate, 1 gr. }		12	35	65			
CALOMEL and SODIUM, No. 5.							
{ Calomel, 2 1-2 grs. } { Sodium Bicarbonate, 2 1-2 grs. }		15	60	1 15			
CALOMEL, SODIUM and PODOPHYLLIN, No. 3.							
{ Calomel, 2 grs. } { Sodium Bicarbonate, 2 grs. } { Podophyllin, 1-3 gr. }		16	65	1 25			
CAMPHOR, HYOSCYAMUS and VALERIAN.							
{ Camphor, 1 gr. } { Extr. Hyoscyamus, 1-2 gr. } { Extr. Valerian, 1-2 gr. }		15	60	1 15			
CARDIAC (Waldstein).							
{ Sparteine Sulphate, 1-10 gr. Tinct. Strophanthus, 3 min. Caffeine Citrated, 1-2 gr. Codeine, 1 20 gr. }		31	1 40	2 75			
CASCARA SAGRADA EXTR.....1 gr.		12	48	90			
CASCARA SAGRADA EXTR.....2 grs.		16	68	1 30			
CASCARA SAGRADA EXTR.....3 grs.		20	85	1 65			
CASCARA SAGRADA EXTR.....4 grs.		23	1 00	1 95			
CASCARA SAGRADA EXTR.....5 grs.		26	1 15	2 25			
CASCARA COMP.							
{ Extr. Cascara Sagrada, 2 grs. Extr. Nux Vomica, 1-10 gr. Extr. Belladonna, 1-10 gr. Ipecac, powd., 1-20 gr. Oil Fennel, 1-20 min. Oil Coriander, 1-20 min. }		19	83	1 60			

COMPRESSED TABLETS.

	Per Bottle of 100.	Per Bottle of 500.	Per Bottle of 1000.
CASCARIN COMP.			
{ Cascarin, 1-4 gr. }			
{ Aloin, 1-4 gr. }	12	48	90
{ Podophyllin, 1-4 gr. }			
CATHARTIC COMP. (U. S. P.)			
{ Extr. Coloc. Comp., Gm. 0.08 about 1 1-4 grs. }			
{ Calomel, Gm. 0.06 " 1 gr. }	17	70	1 35
{ Extr. Jalap. Gm. 0.03 " 1-2 gr. }			
{ Gamboge, powd., Gm. 0.015 " 1-4 gr. }			
CATHARTIC, Vegetable.			
{ Extr. Colocynth, 1-3 gr. }			
{ Podophyllin, 1-4 gr. }			
{ Res. Scammony, 1-3 gr. }	20	85	1 65
{ Aloes Purified, 1 1-4 grs. }			
{ Cardamom, powd., 1-4 gr. }			
{ Soap, powd., 1-2 gr. }			
CERIUM OXALATE.....2 grs.	13	50	95
CHARCOAL5 grs.	12	28	50
CHARCOAL10 grs.	12	40	75
CHARCOAL and PEPSIN.			
{ Charcoal, 5 grs. }			
{ Pepsin Sacch., U. S. P., 2 grs. }	12	40	75
CHLORATE MIXTURE.			
{ Sodium Bicarb., 3 1-3 grs. }	12	40	75
{ Potassium Chlorate, 1 2-3 grs. }			
CHLORODYNE.			
{ Morphine Hydrochlorate, 1-6 gr. }			
{ Extr. Cannabis Indica, 1-4 gr. }			
{ Nitroglycerin, 1-300 gr. }	32	1 48	2 90
{ Extr. Hyoscyamus, 1-2 gr. }			
{ Oleores. Capsicum, 1-10 gr. }			
{ Oil Peppermint, 1-10 gr. }			
CINCHONIDINE SALICYLATE.....2 1-2 grs.	33	1 53	3 00
CINCHONIDINE SALICYLATE5 grs.	52	2 45	4 85
CINCHONIDINE SULPHATE2 grs.	23	1 03	2 00
CINCHONIDINE SULPHATE3 grs.	28	1 28	2 50
CINCHONIDINE SULPHATE5 grs.	43	2 03	4 00
COCAINE HYDROCHLORATE, for making extem- poraneous solutions (see p. 105, also see note 15).			
COLD.			
{ Quinine Sulphate, 2 grs. }			
{ Dover's Powder, 2 grs. }	41	1 93	3 30
{ Capsicum, powd., 1-4 gr. }			
{ Tinct. Aconite, 1 min. }			
CORYZA (Kenyon).			
{ Quinine Sulphate, 1-2 gr. }			
{ Camphor, 1-2 gr. }	18	78	1 50
{ Morphine Sulphate, 1-64 gr. }			
{ Atropine Sulphate, 1-2000 gr. }			
CORYZA, No. 2.			
{ Quinine Sulphate, 1-2 gr. }			
{ Ammonium Chloride, 1-2 gr. }			
{ Camphor, 1-2 gr. }	18	78	1 50
{ Opium, powd., 1-10 gr. }			
{ Extr. Belladonna Leaves, 1-20 gr. }			
{ Extr. Aconite Root, 1-10 gr. }			
CREOSOTE COMP.			
{ Creosote, Beechwood, 1-8 gr. }			
{ Cocaine Hydrochlorate, 1-20 gr. }			
{ Cerium Oxalate, 2 grs. }	26	1 15	2 25
{ Pepsin, U. S. P. (1 : 3000), 1-4 gr. }			
{ Tinct. Nux Vomica, 1-4 min. }			
CUBEB COMP. (See Gonorrhea.).....	15	60	1 15
CYSTITIS, No. 1.			
{ Acid, Boric, 2 grs. }			
{ Potassium Bicarbonate, 2 grs. }			
{ Extr. Buchu, 1 gr. }			
{ Extr. Couch Grass, 1 gr. }	20	85	1 65
{ Extr. Corn Silk, 1 2 gr. }			
{ Extr. Hydrangea, 1-2 gr. }			
{ Atropine Sulphate, 1-500 gr. }			

COMPRESSED TABLETS.

	Per Bottle of 100.	Per Bottle of 500.	Per Bottle of 1000.
CYSTITIS, No. 2.			
{ Acid, Benzoic, 3 grs. }			
{ Sodium Borate, 2 grs. }			
{ Extr. Buchu, 1 gr. }			
{ Extr. Couch Grass, 1 gr. }	\$ 26	\$ 1 15	\$ 2 25
{ Extr. Corn Silk, 1-2 gr. }			
{ Extr. Hydrangea, 1-2 gr. }			
{ Atropine Sulphate, 1-500 gr. }			
DAMIANA COMP. No. 1 (sugar-coated).			
{ Extr. Damiana, 2 grs. }			
{ Phosphorus, 1-30 gr. }	20	85	1 65
{ Extr. Nux Vomica, 1-1 gr. }			
DAMIANA COMP., No. 2.			
{ Extr. Damiana, 1 1-2 grs. }			
{ Zinc Phosphide, 1-10 gr. }	20	85	1 65
{ Extr. Cannabis Indica, 1-4 gr. }			
{ Strychnine Sulphate, 1-40 gr. }			
DIARRHEA.			
{ Bismuth Subnitrate, 3 grs. }			
{ Pepsin, Sacch., U. S. P., 2 grs. }	26	1 15	2 25
{ Aromatic Chalk, Powd., 2 grs. }			
DIARRHEA, Infantile (Amiss).			
{ Calomel, 1-4 gr. }			
{ Sodium Bicarbonate, 1 gr. }	17	73	1 40
{ Bismuth Subnitrate, 2 grs. }			
DIGESTIVE, No. 1.			
{ Pepsin, U. S. P. (1:3000), 1 gr. }			
{ Pancreatin, pure, 1 gr. }	36	1 65	3 25
{ Calcium Lactophosphate, 2 grs. }			
DIGESTIVE, No. 2.			
{ Pepsin, U. S. P. (1:3000), 3 grs. }			
{ Diastase, pure, 1-4 gr. }	51	2 41	4 80
{ Extr. Nux Vomica, 1-8 gr. }			
{ Ipecac, powd., 1-12 gr. }			
DIPSOMANIA.			
{ Gold and Sodium Chloride, 1-24 gr. }			
{ Strychnine Nitrate, 1-60 gr. }			
{ Nitroglycerin, 1-200 gr. }	26	1 15	2 25
{ Atropine, 1 200 gr. }			
{ Tinct. Digitalis, 3 min. }			
{ Oleores. Capsicum, 1-8 gr. }			
DIURETIC.			
{ Digitalis, powd., 1 gr. }			
{ Potassium Nitrate, 1 gr. }			
{ Extr. Buchu, 1 gr. }	13	50	95
{ Squill, powd., 1 gr. }			
DOVER'S POWDER (Pulv. Ipecacuanhæ et Opii, U. S. P).....	13	53	1 00
DOVER'S POWDER.....	14	58	1 10
DOVER'S POWDER.....	15	63	1 20
DOVER'S POWDER.....	22	95	1 85
DOVER'S POWDER and QUININE.			
{ Dover's Powder, 2 1-2 grs. }			
{ Quinine Sulphate, 2 1-2 grs. }	43	2 03	4 00
EMMENAGOGUE.			
{ Ergotin, 1 gr. }			
{ Iron Sulphate, dried, 1 gr. }			
{ Extr. Black Hellebore, 1 gr. }	20	85	1 65
{ Aloes, Purified, 1 gr. }			
{ Oil Savine, 1-4 min. }			
EMMENAGOGUE, Improved.			
{ Extr. Cotton Root Bark, 1 gr. }			
{ Ergotin, 1 gr. }			
{ Iron Sulphate, dried, 1 gr. }			
{ Extr. Black Hellebore, 1 gr. }	23	1 00	1 95
{ Aloes, Purified, 1 gr. }			
{ Oil Savine, 1-4 min. }			
EMMENAGOGUE, Modified (Dewees).			
{ Tinct. Guaiac Comp., 40 min. }			
{ Tinct. Cantharides, 5 min. }			
{ Tinct. Aloes, 20 min. }	18	75	1 45
{ Iron Sulphate, dried, 2 grs. }			
ERGOTIN.....	19	80	1 55

COMPRESSED TABLETS.

	Per Bottle of 100.	Per Bottle of 500.	Per Bottle of 1000.
ERGOTIN2 grs.	\$ 31	\$1 40	\$2 75
ERGOTIN3 grs.	43	2 03	4 00
ERGOTIN COMP.			
{ Ergotin, 1 1-2 grs. }			
{ Tinct. Digitalis, 1-2 min. }			
{ Quinine Sulphate, 1 2 gr. }	26	1 15	2 25
EXPECTORANT (Tonic).			
{ Strychnine Sulphate, 1-60 gr. }			
{ Tinct. Digitalis, 2 min. }			
{ Terpin Hydrate, 3 grs. }	16	65	1 25
{ Opium, powd., 1-24 gr. }			
{ Extr. Hyoseyamus, 1-4 gr. }			
FOUR CHLORIDES. (Goodell) (Univ. Hosp. Pharm.)			
{ Iron Chloride, 2-3 gr. }			
{ Quinine Hydrochlorate, 1 gr. }			
{ Arsenic Chloride, 1-64 gr. }	27	1 20	2 35
{ Corrosive Sublimate, 1-48 gr. }			
FOUR CHLORIDES, without Mercury.			
{ Iron Chloride, 2-3 gr. }			
{ Quinine Hydrochlorate, 1 gr. }			
{ Arsenic Chloride, 1-64 gr. }	26	1 18	2 30
{ Ammonium Chloride, 2 grs. }			
FOUR CHLORIDES, Modified.			
{ Iron Chloride, 2-3 gr. }			
{ Quinine Hydrochlorate, 1-2 gr. }			
{ Arsenic Chloride, 1-100 gr. }	20	88	1 70
{ Corrosive Sublimate, 1-100 gr. }			
GONORRHEA (Cubeb Comp.).			
{ Cubeb, powd., 3-4 gr. }			
{ Iron Sulphate, dried, 1-8 gr. }			
{ Copaiba Mass, 1-2 gr. }			
{ Venice Turpentine, 1-4 gr. }	15	60	1 15
{ Oil Sandalwood, 1-10 min. }			
{ Oil Wintergreen, 1-20 min. }			
GONORRHEA No. 2.			
{ Cuheb, powd., 1 gr. }			
{ Iron Sulphate, dried, 1-4 gr. }			
{ Copaiba Mass, 1 gr. }			
{ Venice Turpentine, 1-4 gr. }	21	93	1 80
{ Oil Sandalwood, 1-4 min. }			
{ Oil Wintergreen, 1-10 min. }			
GUAIAIC.....2 grs.	12	30	55
GUAIAIC and HYDRASTIS COMP. (Throat).			
{ Guaiac, 2 grs. }			
{ Fld. Extr. Golden Seal, colorless, 1 min. }			
{ Ammonium Chloride, 2 grs. }	12	55	1 05
{ Extr. Liquorice, 2 grs. }			
GUAIAICOL and HYPOPHOSPHITES COMP. (Curtin).			
{ Guaiacol, 1-2 gr }			
{ Quinine Hypophosphite, 1 gr. }			
{ Calcium Hypophosphite, 1 gr. }			
{ Iron Hypophosphite, 1-2 gr. }			
{ Sodium Hypophosphite, 1-2 gr. }	62	2 95	5 85
{ Potassium Hypophosphite, 1-4 gr. }			
{ Manganese Hypophosphite, 1-4 gr. }			
{ Strychnine Hypophosphite, 1-64 gr. }			
HEART TONIC.			
{ Fld. Extr. Cactus Grandiflorus, 5 min. }			
{ Tinct. Digitalis, 2 min. }	43	2 00	3 95
{ Caffeine, Citrated, 2 grs. }			
HEPATIC (Haskell).			
{ Corrosive Sublimate, 1-50 gr. }			
{ Calomel, 1-2 gr. }			
{ Ipecac, powd., 1-20 gr. }			
{ Podophyllin, 1-20 gr. }	12	48	90
{ Extr. Colocynth Comp., 1-8 gr. }			
{ Extr. Taraxacum, 3-4 gr. }			
HYDRASTINE COMP.			
{ Hydrastine Hydrochlorate, 1-20 gr. }			
{ Lead Acetate, 2 grs. }			
{ Zinc Sulphate, 2 grs. }	17	70	1 35
{ Morphine Acetate, 1-32 gr. }			

In ordering our Preparations through dealers, please specify SHARP & DOHME'S.

COMPRESSED TABLETS.

	Per Bottle of 100.	Per Bottle of 500.	Per Bottle of 1000.
HYPNOTIC.			
<div> <div> <div>Sodium Bromide, 5 grs.</div> <div>Acetanilid, 2 grs.</div> <div>Hyoscyamine, pure, 1-400 gr.</div> <div>Digitalin, pure, 1-400 gr.</div> </div> <div>.....</div> </div>	\$ 23	\$1 03	\$2 00
HYPOPHOSPHITES and QUININE COMP.			
<div> <div> <div>Quinine Hypophosphite, 1 gr.</div> <div>Iron Hypophosphite, 1-2 gr.</div> <div>Calcium Hypophosphite, 1-2 gr.</div> <div>Sodium Hypophosphite, 1-4 gr.</div> <div>Potassium Hypophosphite, 1-4 gr.</div> <div>Manganese Hypophosphite, 1-4 gr.</div> </div> <div>.....</div> </div>	41	1 90	3 75
HYPOPHOSPHITES and QUININE COMP. with CREOSOTE.			
<div> <div> <div>Quinine Hypophosphite, 1 gr.</div> <div>Iron Hypophosphite, 1-2 gr.</div> <div>Calcium Hypophosphite, 1-2 gr.</div> <div>Sodium Hypophosphite, 1-4 gr.</div> <div>Potassium Hypophosphite, 1-4 gr.</div> <div>Manganese Hypophosphite, 1-4 gr.</div> <div>Strychnine Hypophosphite, 1-64 gr.</div> <div>Creosote (Beechwood), 1-2 gr.</div> </div> <div>.....</div> </div>	43	2 03	4 00
HYPOPHOSPHITES and QUININE COMP. with STRYCHNINE.			
<div> <div> <div>Quinine Hypophosphite, 1 gr.</div> <div>Iron Hypophosphite, 1-2 gr.</div> <div>Calcium Hypophosphite, 1-2 gr.</div> <div>Sodium Hypophosphite, 1-4 gr.</div> <div>Potassium Hypophosphite, 1-4 gr.</div> <div>Manganese Hypophosphite, 1-4 gr.</div> <div>Strychnine Hypophosphite, 1-64 gr.</div> </div> <div>..</div> </div>	41	1 90	3 75
INJECTION COMP.			
<div> <div> <div>Lead Acetate, 2 grs.</div> <div>Acid, Tannic, 2 grs.</div> <div>Zinc Sulphate, 2 grs.</div> <div>Copper Sulphate, 2 grs.</div> </div> <div>.....</div> </div>	17	73	1 40
IRON LACTATE COMP. (Mitchell).			
<div> <div> <div>Iron Lactate, 2 grs.</div> <div>Quinine Sulphate, 1 gr.</div> <div>Extr. Ignatia Amara, 1-4 gr.</div> </div> <div>.....</div> </div>	32	1 45	2 85
IRON, QUININE and ARSENIC, No. 2.			
<div> <div> <div>Iron, Reduced, 1 gr.</div> <div>Quinine Sulphate, 1 gr.</div> <div>Acid, Arsenous, 1-32 gr.</div> </div> <div>.....</div> </div>	25	1 10	2 15
IRON, QUININE and STRYCHNINE, No. 2.			
<div> <div> <div>Iron, Reduced, 1 gr.</div> <div>Quinine Sulphate, 1 gr.</div> <div>Strychnine Sulphate, 1-60 gr.</div> </div> <div>.....</div> </div>	24	1 15	2 25
KOLA NUT5 grs.	18	75	1 45
KOLA NUT10 grs.	31	1 40	2 75
KRAMERIA COMP.			
<div> <div> <div>Fld. Extr. Krameria, 1 min.</div> <div>Bismuth Subnitrate, 1 gr.</div> <div>Opium, powd., 1-4 gr.</div> <div>Liquorice, powd., 1-4 gr.</div> </div> <div>.....</div> </div>	18	75	1 45
LEUCORRHEA COMP.			
<div> <div> <div>Extr. Hyoscyamus, 1 gr.</div> <div>Extr. Helonias, 1-2 gr.</div> <div>Extr. Opium, 1-4 gr.</div> <div>Extr. Witch Hazel, 1 gr.</div> <div>Acid, Salicylic, 1 gr.</div> <div>Acid, Boric, 3 grs.</div> <div>Acid, Tannic, 2 grs.</div> <div>Alum, 3 grs.</div> <div>Thymol, 1-8 gr.</div> <div>Eucalyptol, 1-8 gr.</div> </div> <div>.....</div> </div>	33	1 53	3 00
LITHIA, Effervescent. (See page 114.)			
LITHIUM CARBONATE.....2 grs.	23	1 03	2 00
LITHIUM CARBONATE.....5 grs.	38	1 78	3 50
MANGANESE DIOXIDE.....2 grs.	15	65	1 25
MERCURY with CHALK5 grs.	23	1 03	2 00
MIGRAINE. (See Acetanilid Comp., No. 1.).....	17	70	1 35

COMPRESSED TABLETS.

	Per Bottle of 100.	Per Bottle of 500.	Per Bottle of 1000.
MIXED TREATMENT.			
{ Potassium Iodide, 2 grs. Syrup Iron Iodide, 5 min. Corrosive Sublimate, 1-64 gr. Solution Arsenic and Mercuric Iodide, 2 min. Tinct. Nux Vomica, 2 min. }	\$ 33	\$1 50	\$2 95
MORPHINE and SALICYLIC ACID, No. 1.			
{ Morphine Sulphate, 1-12 gr. } { Acid, Salicylic, 2 1-2 grs. }	23	1 00	1 95
MORPHINE and SALICYLIC ACID, No. 2.			
{ Morphine Sulphate, 1-8 gr. } { Acid, Salicylic, 5 grs. }	31	1 40	2 75
NAUSEA.			
{ Bismuth Subnitrate, 2 grs. Cerium Oxalate, 2 grs. Cocaine Hydrochlorate, 1-12 gr. }	41	1 90	3 75
NEURALGIC.			
{ Quinine Sulphate, 1 1-2 grs. Morphine Sulphate, 1-20 gr. Strychnine Sulphate, 1-30 gr. Extr. Aconite Leaves, 1-4 gr. }	36	1 65	3 25
NEURALGIC (Gross).			
{ Quinine Sulphate, 2 grs. Morphine Sulphate, 1-20 gr. Strychnine, 1-30 gr. Acid, Arsenous, 1-20 gr. Extr. Aconite Leaves, 1-2 gr. }	48	2 28	4 50
NEURALGIC (Gross), half strength.....	28	1 23	2 50
NEURALGIC, Headache (Myers).			
{ Sodium Bromide, 5 grs. Caffeine Citrated, 1-2 gr. Acetanilid, 1 gr. Extr. Hyoscyamus, 1-2 gr. Morphine Sulphate, 1-50 gr. }	24	1 05	2 05
NEURALGIC, Idiopathic (Brown-Sequard).			
{ Extr. Hyoscyamus, 2-3 gr. Extr. Conium, 2-3 gr. Extr. Ignatia Amara, 1-2 gr. Extr. Opium, 1-2 gr. Extr. Aconite Leaves, 1-3 gr. Extr. Cannabis Indica, 1-4 gr. Extr. Stramonium Seed, 1-5 gr. Extr. Belladonna Leaves, 1-6 gr. }	31	1 40	2 75
NEURALGIC, Improved.			
{ Quinine Sulphate, 2 grs. Acetanilid, 2 grs. Extr. Hyoscyamus, 1-2 gr. Extr. Cannabis Indica, 1-4 gr. Acid, Arsenous, 1-100 gr. }	38	1 75	3 45
NUX VOMICA and IGNATIA COMP.			
{ Tinct. Nux Vomica, 1 min. Tinct. Ignatia Amara, 1 min. Tinct. Cinchona, 5 min. Tinct. Chamomile, German, 1 min. Tinct. Gentian, 1 min. Tinct. Calumba, 1-2 min. Phosphorus, 1-300 gr. Aromatic Powder, 1 gr. }	12	45	85
OPIUM, CAMPHOR and TANNIN.			
{ Opium, 1-4 gr. } { Camphor, 1 gr. } { Acid, Tannic, 2 grs. }	21	93	1 80
OPIUM and HYOSCYAMUS.			
{ Opium, 1-2 gr. } { Extr. Hyoscyamus, 1 gr. }	20	85	1 65
OX GALL COMP.			
{ Ox Gall, inspissated, 1 gr. Pancreatin, pure, 1 gr. Extr. Colocynth Comp., 1-4 gr. Quinine Hydrochlorate, 1-2 gr. Extr. Nux Vomica, 1-8 gr. Extr. Taraxacum, 1 gr. }	29	1 30	2 55
OX GALL and GINGER.			
{ Ox Gall, inspissated, 2 grs. } { Jamaica Ginger, 1 gr. }	12	48	90

COMPRESSED TABLETS.

	Per Bottle of 100.	Per Bottle of 500.	Per Bottle of 1000.
OX GALL, PEPSIN and PANCREATIN.			
{ Ox Gall, inspissated, 2 grs. }			
{ Pepsin, U. S. P. (1:3000), 2 grs. }			
{ Pancreatin, pure, 2 grs. }	\$ 61	\$2 90	\$5 75
PAN-PEPTIC. (See page 115.)			
PEPSIN, U. S. P. (1:3000), with Aromatics....1 gr.	20	85	1 65
PEPSIN and BISMUTH, No. 1.			
{ Pepsin, U. S. P. (1:3000), 1 gr. }			
{ Bismuth Subnitrate, 3 grs. }	26	1 15	2 25
PEPSIN and BISMUTH, No. 2.			
{ Pepsin, U. S. P. (1:3000), 2 1-2 grs. }			
{ Bismuth Subnitrate, 2 1-2 grs. }	41	1 90	3 75
PEPSIN and BISMUTH, No. 3.			
{ Pepsin, U. S. P. (1:3000), 1-4 gr. }			
{ Bismuth Subnitrate, 1 gr. }	17	73	1 40
PEPSIN, BISMUTH and CHARCOAL.			
{ Pepsin, U. S. P. (1:3000), 2 grs. }			
{ Bismuth Subnitrate, 2 grs. }			
{ Charcoal, 2 grs. }	38	1 78	3 50
PEPSIN, BISMUTH and STRYCHNINE.			
{ Pepsin, U. S. P. (1:3000), 1 gr. }			
{ Bismuth Subnitrate, 2 grs. }			
{ Strychnine Sulphate, 1-60 gr. }	23	1 03	2 00
PEPSIN, Lacticated.....5 grs.	43	2 03	4 00
PEPSIN, Saccharated, U. S. P.....5 grs.	13	50	95
PEPSIN and NUX VOMICA.			
{ Pepsin, U. S. P. (1:3000), 1 gr. }			
{ Extr. Nux Vomica, 1-10 gr. }	21	90	1 75
PEPSIN and PANCREATIN, with Aromatics.			
{ Pepsin, U. S. P. (1:3000), 1 gr. }			
{ Pancreatin, pure, 1 gr. }			
{ Aromatics, q. s. }	33	1 53	3 00
PEPSIN and PANCREATIN COMP.			
{ Pepsin, U. S. P. (1:3000), 1 gr. }			
{ Pancreatin, pure, 1 gr. }			
{ Extr. Nux Vomica, 1-4 gr. }			
{ Oleores. Ginger, 1-16 gr. }	36	1 65	3 25
PHENACETINE (Bayer).....1 gr.	48	2 28	4 50
PHENACETINE (Bayer).....2 grs.	83	4 03	8 00
PHENACETINE (Bayer).....3 grs.	1 23	6 03	12 00
PHENACETINE (Bayer).....5 grs.	1 83	9 03	18 00
PHENACETINE and CAFFEINE, No. 1.			
{ Phenacetine (Bayer), 5 grs. }			
{ Caffeine, 1 gr. }	1 98	9 78	19 50
PHENACETINE and CAFFEINE, No. 2.			
{ Phenacetine (Bayer), 3 grs. }			
{ Caffeine Citrated, 1 1-2 grs. }	1 38	6 78	13 50
PHENACETINE and QUININE.			
{ Phenacetine (Bayer), 2 1-2 grs. }			
{ Quinine Sulphate, 2 1-2 grs. }	1 33	6 53	13 00
PHENACETINE and SALOL.			
{ Phenacetine (Bayer), 2 1-2 grs. }			
{ Salol, 2 1-2 grs. }	1 28	6 25	12 45
PHOSPHATES COMP. (Nutritive).			
{ Acid Phosphoric, 1 gr. }			
{ Potassium Phosphate, 7-8 gr. }			
{ Magnesium Phosphate, 1-2 gr. }			
{ Calcium Phosphate precip., 3-8 gr. }			
{ Iron Phosphate, soluble, 1-2 gr. }			
{ Quinine Hydrochlorate, 1-8 gr. }	17	70	1 35
{ Strychnine, 1-240 gr. }			
PINUS ALBA COMP.			
{ Syrup White Pine Bark, 5 min. }			
{ Syrup Wild Cherry, 5 min. }			
{ Syrup Squill, 3 min. }			
{ Syrup Senega, 3 min. }			
{ Syrup Ipecac, 2 min. }			
{ Syrup Sanguinaria, 1 min. }			
{ Tinct. Opium Camph., 10 min. }			
{ Potassium Nitrate, 1 gr. }			
{ Oil Wintergreen, q. s. }	15	63	1 20

COMPRESSED TABLETS.

COMPRESSED TABLETS.	Per Bottle of 100.	Per Bottle of 500.	Per Bottle of 1000.
POTASSIUM BICARBONATE5 grs.	\$ 12	\$ 35	\$ 65
POTASSIUM BROMIDE5 grs.	17	70	1 35
POTASSIUM CHLORATE3 grs.	12	33	60
POTASSIUM CHLORATE5 grs.	12	38	70
POTASSIUM CHLORATE and BORAX. { Potassium Chlorate, 2 1-2 grs. } { Borax, 2 1-2 grs. }	12	40	75
POTASSIUM IODIDE.....5 grs.	53	2 50	4 95
POTASSIUM NITRATE5 grs.	12	28	50
*POTASSIUM PERMANGANATE, C. P.....1-2 gr.	12	28	50
POTASSIUM PERMANGANATE, C. P.....1 gr.	12	28	50
POTASSIUM PERMANGANATE, C. P.....2 grs.	12	30	55
POTASSIUM PERMANGANATE, C. P.....5 grs.	12	40	75
QUININE BI-SULPHATE1-2 gr.			
QUININE BI-SULPHATE1 gr.			
QUININE BI-SULPHATE2 grs.			
QUININE BI-SULPHATE3 grs.			
QUININE BI-SULPHATE4 grs.			
QUININE BI-SULPHATE5 grs.			
QUININE SULPHATE1-2 gr.			
QUININE SULPHATE1 gr.			
QUININE SULPHATE2 grs.			
QUININE SULPHATE3 grs.			
QUININE SULPHATE4 grs.			
QUININE SULPHATE5 grs.			
QUININE with CHOCOLATE, tasteless. (See p. 118).			
QUININE COMP. { Quinine Sulphate, 1 gr. } { Iron, Reduced, 1 gr. } { Strychnine Sulphate, 1-40 gr. } { Acid, Arsenous, 1-40 gr. } { Oil Black Pepper, 1-3 gr. }	25	1 13	2 20
QUININE, IRON and ZINC VALERIANATES (half-strength) (sugar-coated). { Quinine Valerianate, 1-2 gr. } { Iron Valerianate, 1-2 gr. } { Zinc Valerianate, 1-2 gr. }	28	1 25	2 45
RED CLOVER COMP. { Extr. Red Clover, 1-2 gr. } { Extr. Stillingia, 1-2 gr. } { Extr. Prickly Ash Bark, 1-8 gr. } { Extr. Burdock, 1-2 gr. } { Extr. Poke Root, 1-2 gr. } { Extr. Blue Flag, 1-4 gr. }	15	60	1 15
RHEUMATIC, No. 1. { Quinine Sulphate, 1 gr. } { Extr. Colchicum Root, 1 gr. } { Extr. Colocynth Comp., 1-2 gr. } { Extr. Hyoscyamus, 1-4 gr. } { Opium, powd., 1-4 gr. } { Blue Mass, 1 gr. }	39	1 83	3 60
RHEUMATIC, No. 2. { Extr. Colocynth Comp., 1 1-2 grs. } { Extr. Colchicum Root, 1 gr. } { Extr. Hyoscyamus, 1-3 gr. } { Calomel, 1-3 gr. }	23	1 00	1 95
RHUBARB COMP. (U. S. P. Mass). { Rhubarb, powd., 2 grs. } { Aloes, purified, 1 1-2 grs. } { Myrrh, powd., 1 gr. } { Oil Peppermint, 1-13 gr. }	23	1 03	2 00

Quotations furnished upon application.

*These tablets consist of the pure drug compressed. The ready decomposition of Potassium Permanganate renders it necessary to be exceedingly careful in its preparation. In this form it is best preserved unchanged and is most readily administered. A solution, if desired, can be made with pure water.

COMPRESSED TABLETS.

	Per Bottle of 100.	Per Bottle of 500.	Per Bottle of 1000.
RHUBARB and MAGNESIA.			
{ Rhubarb, powd., 2 grs. }			
{ Magnesia, Calcined, 2 grs. }	\$ 14	\$ 55	\$ 1 05
RHUBARB and SODIUM.			
{ Rhubarb, powd., 1 1-2 grs. }			
{ Sodium Bicarb., 1 1-2 grs. }	12	33	60
{ Oil Peppermint, q. s. }			
SALICIN 5 grs.	43	2 00	3 95
SALINE and CHALYBEATE TONIC (Flint).			
{ Sodium Chloride, 3 grs. }			
{ Potassium Chloride, 3-20 gr. }			
{ Potassium Sulphate, 1-10 gr. }			
{ Potassium Carbonate, 1-20 gr. }			
{ Sodium Carbonate, 3-5 gr. }			
{ Magnesium Carbonate, 1-20 gr. }	12	45	85
{ Calcium Phos. precip., 1-2 gr. }			
{ Calcium Carb. precip., 1-20 gr. }			
{ Iron, Reduced, 9-20 gr. }			
{ Iron Carbonate, 1-20 gr. }			
SALOL 2 1-2 grs.	33	1 50	2 95
SALOL 5 grs.	58	2 75	5 45
SALOL 10 grs.	1 08	5 28	10 50
SALOL and TERPIN HYDRATE.			
{ Salol, 3 grs. }			
{ Terpin Hydrate, 3 grs. }	58	2 75	5 45
SANTONIN and CALOMEL, No. 3.			
{ Santonin, 1 gr. }			
{ Calomel, 1 gr. }	25	1 10	2 15
SODA MINT 5 grs.	12	28	50
SODIUM BICARBONATE 5 grs.	12	28	50
SODIUM BROMIDE 5 grs.	14	55	1 05
SODIUM BROMIDE 10 grs.	21	90	1 75
SODIUM SALICYLATE 3 grs.	16	65	1 25
SODIUM SALICYLATE 5 grs.	21	90	1 75
SODIUM SALICYLATE COMP.			
{ Sodium Salicylate, 3 grs. }			
{ Extr. Colchicum Root, 1-2 gr. }			
{ Tinct. Digitalis, 1 min. }	19	80	1 55
SODIUM SULPHITE COMP. (Anti-Ferment).			
{ Sodium Sulphite, 1 gr. }			
{ Acid, Salicylic, 1 gr. }			
{ Extr. Nux Vomica, 1-8 gr. }			
{ Capsicum, powd., 1-8 gr. }	12	43	80
{ Ipecac, powd., 1-10 gr. }			
SODIUM SULPHITE COMP. with PEPSIN.			
{ Sodium Sulphite, 1 gr. }			
{ Acid, Salicylic, 1 gr. }			
{ Extr. Nux Vomica, 1-8 gr. }			
{ Capsicum, powd., 1-8 gr. }	25	1 20	2 35
{ Ipecac, powd., 1-10 gr. }			
{ Pepsin, U. S. P. (1:3000), 1 gr. }			
STOMACHIC (North).			
{ Pepsin, U. S. P. (1:3000), 1-4 gr. }			
{ Extr. Nux Vomica, 1-4 gr. }			
{ Charcoal, 1-4 gr. }	12	33	60
{ Capsicum, powd., 1-4 gr. }			
SULPHUR 5 grs.	12	28	50
SULPHUR COMP.			
{ Sulphur, Sublimed, 5 grs. }			
{ Extr. Ipecac, 1-100 gr. }			
{ Extr. Capsicum, 1-500 gr. }			
{ Potassium Bitartrate, 2 grs. }	14	55	1 05
{ Acid, Arsenous, 1-1000 gr. }			
{ Calcium Sulphide, 1-8 gr. }			
SULPHUR and CREAM OF TARTAR.			
{ Sulphur, Sublimed, 4 grs. }			
{ Cream of Tartar, 2 grs. }	12	38	70
SUMBUL COMP. (Goodell).			
{ Extr. Sumbul, 1 gr. }			
{ Asafetida, 2 grs. }			
{ Iron Sulphate, dried, 1 gr. }	21	90	1 75
{ Acid, Arsenous, 1-40 gr. }			

COMPRESSED TABLETS.

COMPRESSED TABLETS.		Per Bottle of 100.	Per Bottle of 500.	Per Bottle of 1000.
SUN CHOLERA.				
{ Tinct. Opium, Tinct. Rhubarb, Tinct. Capsicum, Spirit Camphor, Oil Peppermint,	3 min. 3 min. 3 min. 3 min. q. s. }	\$ 15	\$ 60 \$1 15
SYPHILITIC, No. 1.				
{ Potassium Iodide, Corrosive Sublimate, Opium, powd.,	2 1-2 grs. } 1-40 gr. } 1-10 gr. }	33	1 53 3 00
SYPHILITIC, No. 2.				
{ Potassium Iodide, Corrosive Sublimate,	2 1-2 grs. } 1-40 gr. }	31	1 40 2 75
TERPIN HYDRATE.....	2 grs.		18	78 1 50
TERPIN HYDRATE.....	3 grs.		22	98 1 90
TERPIN HYDRATE.....	5 grs.		30	1 38 2 70
THROAT (Mentholated).				
{ Menthol, Cocaine Hydrochlorate, Oil Anise, Acid Benzoic, Eucalyptol,	1-35 gr. 1-280 gr. 1-80 min. 1-12 gr. 1-16 min. }	15	60 1 15
TONIC (Aiken).				
{ Quinine Sulphate, Iron, Reduced, Acid, Arsenous, Strychnine Sulphate, Extr. Gentian,	1 gr. } 2-3 gr. } 1-50 gr. } 1-50 gr. } 1-4 gr. }	23	1 00 1 95
TONIC, Vegetable.				
{ Extr. Gentian, Extr. Quassia,	1 2 gr. } 1-2 gr. }	12	48 90
TONSILITIS (Gargle).				
{ Sodium Salicylate, Sodium Bicarb., Acid Boric, Oil Wintergreen,	3 1-3 grs. } 3 1-3 grs. } 3 1-3 grs. } q. s. }	18	75 1 45
TRIFOLIUM COMP. (See Red Clover Comp.).....			15	60 1 15
TRIPLE BROMIDES.				
{ Sodium Bromide, Potassium Bromide, Ammonium Bromide,	2 1-2 grs. } 2 1-2 grs. } 2 1-2 grs. }	18	78 1 50
TRIPLE BROMIDES, No. 2.				
{ Sodium Bromide, Potassium Bromide, Ammonium Bromide,	5 grs. } 5 grs. } 5 grs. }	32	1 45 2 85
TULLY'S POWDER.....	2 1 2 grs.		18	78 1 50
TULLY'S POWDER.....	5 grs.		26	1 15 2 25
UTERINE ASTRINGENT and ANTISEPTIC.				
{ Alum, Zinc Sulphate, Fld. Extr. Golden Seal, colorless, Morphine Sulphate, Acid, Tannic, Acid, Boric,	3 grs. } 2 grs. } 1 1-2 min. } 1-20 gr. } 2 grs. } 6 grs. }	26	1 15 2 25
VIBURNUM COMP. (Uterine Tonic).				
{ Extr. Black Haw, Extr. Cramp Bark, Extr. Unicorn Root, Extr. Helonias, Extr. Squaw Vine, Caulophyllin,	1 gr. } 1 gr. } 1-2 gr. } 1-2 gr. } 1 2 gr. } 1-4 gr. }	22	95 1 85
VOICE.				
{ Potassium Chlorate, Sodium Borate, Cocaine Hydrochlorate,	2 1-2 grs. } 2 1-2 grs. } 1-50 gr. }	14	55 1 05
WARBURG'S TINCTURE (rep. one drachm each)...			31	1 40 2 75
WARBURG'S TINCTURE (rep. one drachm each without Aloes).....			30	1 35 2 65
ZINC SULPHOCARBOLATE.....	2 grs.		12	40 75
ZINC SULPHOCARBOLATE.....	5 grs.		18	78 1 50

Tablet Triturates.

PREPARED ACCORDING TO DR. ROBT. M. FULLER'S METHOD.

(See *Medical Record*, March 9, 1878.)

"An easy, economical and accurate method of dispensing medicines in a compact and palatable form."

These tablets consist of the respective medicinal ingredients and pure Sugar of Milk, thoroughly mixed and incorporated together by trituration.


Only the purest materials are used in their manufacture.

The apparent advantages of this mode of dispensing medicines are:

The thoroughness of the subdivision of the medicinal ingredients attained by protracted trituration with pure Sugar of Milk, and the consequent accuracy of dose;

The ready solubility or diffusibility of the tablets in water and in the fluids of the stomach, and

The elegance of this form of tablet and the convenience afforded by it for readily and accurately dispensing small doses of potent remedies.

 Special formulæ made to order in lots of 1000 or more.

TABLET TRITURATES.

(Also supplied in c. s. bottles of 500 at the uniform advance of 6 cents list per 1000.)

	Per c. s. Bottle of 100.	Per g. s. Bottle of 1000.
ACETANILID1 gr.	\$ 10	\$ 50
ACETANILID COMP. (Aulde).		
{ Acetanilid, 7-20 gr. }		
{ Caffeine, 1-20 gr. }	10	60
{ Sodium Bicarb., C. P., 1-10 gr. }		
ACID, ARSENOUS1-200 gr.	10	50
ACID, ARSENOUS1-100 gr.	10	50
ACID, ARSENOUS1-60 gr.	10	55
ACID, ARSENOUS1-50 gr.	10	55
ACID, ARSENOUS1-40 gr.	10	55
ACID, ARSENOUS1-30 gr.	10	55
ACID, ARSENOUS1-20 gr.	10	55
ACID, BENZOIC1-10 gr.	10	50
ACID, BENZOIC1-4 gr.	10	55
ACID, BENZOIC1-2 gr.	10	60
ACID, BENZOIC1 gr.	10	65
ACID, BORIC1-5 gr.	10	55
ACID, BORIC1-2 gr.	10	55
ACID, BORIC1 gr.	10	60
ACID, CARBOLIC1-10 gr.	10	50
ACID, GALLIC1 gr.	11	75
ACID, SALICYLIC1-4 gr.	10	55
ACID, SALICYLIC1-2 gr.	10	55
ACID, SALICYLIC1 gr.	10	65
ACID, TANNIC1 gr.	10	70
ACONITE ROOT, Fld. Extr.1-10 min.	10	50
ACONITE ROOT, Fld. Extr.1-2 min.	10	50
ACONITE ROOT, Fld. Extr.1 min.	10	55

TABLET TRITURATES.

(Also supplied in c. s. bottles of 500 at the uniform advance of 6 cents list per 1000.)

	Per c. s. Bottle of 100.	Per g. s. Bottle of 1000.
ACONITE ROOT, Tincture.....1-4 min.	\$ 10	\$ 50
ACONITE ROOT, Tincture... ..1-2 min.	10	50
ACONITE ROOT, Tincture.....3-4 min.	10	50
ACONITE ROOT, Tincture.....1 min.	10	55
ACONITE ROOT, Tincture.....2 min.	10	60
ACONITE and BELLADONNA.		
{ Tinct. Aconite, 1 min. }	10	60
{ Tinct. Belladonna, 1 min. }		
ACONITE and BRYONIA.		
{ Tinct. Aconite, 1 min. }	10	60
{ Tinct. Bryonia, 1 min. }		
ACONITE COMP.		
{ Extr. Aconite, 1-100 gr. }	10	75
{ Morphine Sulphate, 1-50 gr. }		
{ Tartar Emetic, 1-100 gr. }		
ACONITE and GELSEMIUM.		
{ Tinct. Aconite, 2 min. }	11	75
{ Tinct. Gelsemium, 1 min. }		
{ Tinct. Belladonna, 2 min. }		
ACONITINE, pure, crystallized (see note 2)1-500 gr.	10	50
ACONITINE, pure, crystallized1-200 gr.	10	60
ACONITINE, pure, crystallized1-150 gr.	10	60
ACONITINE, pure, crystallized1-120 gr.	10	65
ACONITINE, pure, crystallized1-100 gr.	11	75
ALOIN (see note 5)1-10 gr.	10	50
ALOIN1-5 gr.	10	55
ALOIN1-4 gr.	10	55
ALOIN1-2 gr.	10	60
ALOIN and BELLADONNA COMP., No. 1.		
{ Aloin, 1-5 gr. }	10	60
{ Extr. Belladonna, 1-12 gr. }		
{ Strychnine Sulphate, 1-60 gr. }		
ALOIN and BELLADONNA COMP., No. 2.		
{ Aloin, 1-5 gr. }	10	60
{ Extr. Belladonna, 1-8 gr. }		
{ Strychnine Sulphate, 1-120 gr. }		
ALOIN, BELLADONNA and NUX VOMICA.		
{ Aloin, 1-5 gr. }	10	60
{ Extr. Belladonna, 1-8 gr. }		
{ Extr. Nux Vomica, 1-6 gr. }		
ALOIN, BELLADONNA and PODOPHYLLIN.		
{ Aloin, 1-8 gr. }	10	60
{ Extr. Belladonna, 1-8 gr. }		
{ Podophyllin, 1-8 gr. }		
ALOIN, BELLADONNA and PODOPHYLLIN COMP.		
{ Aloin, 1-10 gr. }	10	60
{ Extr. Belladonna, 1-10 gr. }		
{ Podophyllin, 1-10 gr. }		
{ Extr. Nux Vomica, 1-10 gr. }		
ALOIN, BELLADONNA, STRYCHNINE and CASCARA SAGRADA.		
{ Aloin, 1-5 gr. }	11	75
{ Extr. Belladonna, 1-8 gr. }		
{ Strychnine, 1-120 gr. }		
{ Extr. Cascara Sagrada, 1-2 gr. }		
ALOIN and CASCARIN COMP. (Duncan), No. 1.		
{ Aloin, 1-5 gr. }	11	75
{ Cascarin, 1-4 gr. }		
{ Extr. Belladonna, 1-8 gr. }		
{ Strychnine Sulphate, 1-60 gr. }		
ALOIN and CASCARIN COMP. (Duncan), No. 2.		
{ Aloin, 1-4 gr. }	11	80
{ Cascarin, 1-4 gr. }		
{ Podophyllin, 1-4 gr. }		
{ Extr. Belladonna, 1-8 gr. }		
ALOIN COMP., No. 1.		
{ Aloin, 1-8 gr. }	10	55
{ Podophyllin, 1-8 gr. }		
ALOIN COMP., No. 2.		
{ Aloin, 1-4 gr. }	11	75
{ Podophyllin, 1-4 gr. }		

In ordering our Preparations through dealers, please specify SHARP & DOHME'S.

TABLET TRITURATES.

(Also supplied in c. s. bottles of 500 at the uniform advance of 6 cents list per 1000.)

	Per c. s. Bottle of 100.	Per g. s. Bottle of 1000.
ALOID, IRON and STRYCHNINE.		
{ Aloin, 1-10 gr. }		
{ Iron, Reduced, 1 gr. }	\$ 10	\$ 65
{ Strychnine Sulphate, 1-60 gr. }		
ALOID and STRYCHNINE COMP.		
{ Aloin, 1-5 gr. }		
{ Strychnine Sulphate, 1-60 gr. }	10	65
{ Extr. Belladonna, 1-8 gr. }		
{ Ipecac, powd., 1-16 gr. }		
ALOID, STRYCHNINE and BELLADONNA.		
{ Aloin, 1-5 gr. }		
{ Strychnine Sulphate, 1-60 gr. }	10	60
{ Extr. Belladonna, 1-8 gr. }		
ALUM.....1-10 gr.	10	50
ALUM.....1-5 gr.	10	55
AMMONIUM CHLORIDE1-10 gr.	10	50
AMMONIUM CHLORIDE1-2 gr.	10	50
AMMONIUM CHLORIDE.....1 gr.	10	50
AMMONIUM CHLORIDE COMP.		
{ Ammonium Chloride, 1-4 gr. }		
{ Extr. Liquorice, 1-10 gr. }	10	60
{ Cubeb, powd., 1-8 gr. }		
AMMONIUM CHLORIDE COMP. with CODEINE.		
{ Ammonium Chloride, 1-4 gr. }		
{ Extr. Liquorice, 1-10 gr. }	17	1 35
{ Cubeb, powd., 1-8 gr. }		
{ Codeine, 1-25 gr. }		
AMMONIUM CHLORIDE COMP. with MORPHINE.		
{ Ammonium Chloride, 1-4 gr. }		
{ Extr. Liquorice, 1-10 gr. }	12	90
{ Cubeb, powd., 1-8 gr. }		
{ Morphine Sulphate, 1-50 gr. }		
AMMONIUM CHLORIDE and HYOSCYAMUS COMP.		
{ Ammonium Chloride, 1 gr. }		
{ Extr. Hyoscyamus, 1-6 gr. }	10	55
{ Tartar Emetic, 1-24 gr. }		
ANODYNE.		
{ Camphor, 1-8 gr. }		
{ Extr. Henbane, 1-8 gr. }	10	65
{ Morphine Sulphate, 1-60 gr. }		
{ Oil Capsicum, 1-60 gr. }		
ANODYNE, for Infants.		
{ Nickel Bromide, 1-134 gr. }		
{ Codeine, 1-134 gr. }		
{ Ipecac, powd., 1-134 gr. }	14	1 10
{ Lithium Carb., 1-25 gr. }		
{ Oil Anise, 1-134 gr. }		
ANTIMONY COMP. (Plummer).		
{ Antimony, Sulphurated, 1-40 gr. }		
{ Calomel, 1-40 gr. }	10	55
{ Guaiac, powd., 1-20 gr. }		
APOMORPHINE HYDROCHLORATE1-100 gr.	11	80
APOMORPHINE HYDROCHLORATE.....1-50 gr.	15	1 20
APOMORPHINE HYDROCHLORATE1-20 gr.	26	2 25
APOMORPHINE HYDROCHLORATE.....1-10 gr.	43	3 95
ARSENIC BROMIDE1-200 gr.	10	50
ARSENIC BROMIDE1-100 gr.	10	50
ARSENIC BROMIDE1-60 gr.	10	50
ARSENIC BROMIDE1-30 gr.	10	55
ARSENIC IODIDE1-200 gr.	10	55
ARSENIC IODIDE1-100 gr.	10	55
ARSENIC IODIDE1-50 gr.	10	55
ARSENIC IODIDE1-35 gr.	10	55
ARSENIC IODIDE1-20 gr.	10	60
ARSENIC SULPHIDE, Red1-100 gr.	10	55
ARSENIC SULPHIDE, Red1-30 gr.	10	55

TABLET TRITURATES.

(Also supplied in c. s. bottles of 500 at the uniform advance of 6 cents list per 1000.)

Per
C. S.
Bottle
of 100.

Per
g. S.
Bottle
of 1000.

ARSENIC and IRON, No. 1.		
{ Acid, Arsenous, 1-30 gr. }		
{ Iron, Reduced, 1 gr. }	\$ 10	\$ 65
ARSENIC and IRON, No. 2.		
{ Acid, Arsenous, 1-60 gr. }		
{ Iron, Reduced, 1-5 gr. }	10	60
ARSENIC and IRON, No. 3.		
{ Acid, Arsenous, 1-100 gr. }		
{ Iron, Reduced, 1 gr. }	10	65
ARSENIC and IRON, No. 4.		
{ Acid, Arsenous, 1-60 gr. }		
{ Iron, Reduced, 1 gr. }	10	65
ARSENIC and NUX VOMICA (Bland).		
{ Acid, Arsenous, 1-60 gr. }		
{ Extr. Nux Vomica, 1-12 gr. }	10	65
ATROPINE SULPHATE	1-500 gr.	10 55
ATROPINE SULPHATE	1-200 gr.	10 60
ATROPINE SULPHATE	1-150 gr.	10 65
ATROPINE SULPHATE	1-120 gr.	10 65
ATROPINE SULPHATE	1-100 gr.	10 65
ATROPINE SULPHATE	1-80 gr.	10 70
ATROPINE SULPHATE	1-60 gr.	11 75
ATROPINE SULPHATE	1-50 gr.	11 75
BELLADONNA, Fld. Extr	1 min.	10 55
BELLADONNA LEAVES, Extr	1-8 gr.	10 50
BELLADONNA LEAVES, Extr	1-6 gr.	10 55
BELLADONNA LEAVES, Extr	1-4 gr.	10 60
BELLADONNA LEAVES, Tincture	1 min.	10 55
BELLADONNA LEAVES, Tincture	2 min.	10 55
BELLADONNA LEAVES, Tincture	5 min.	10 60
BISMUTH SUBCARBONATE	1 gr.	13 95
BISMUTH SUBCARBONATE	2 grs.	19 1 55
BISMUTH SUBNITRATE	1 gr.	12 90
BISMUTH SUBNITRATE	2 grs.	16 1 25
BISMUTH COMP.		
{ Bismuth Subnitrate, 1-2 gr. }		
{ Cerium Oxalate, 1-2 gr. }	11	75
BLANK, white, pink or brown (not medicated)		10 50
BLOOD ROOT, Tincture	1 min.	10 50
BLOOD ROOT, Tincture	2 min.	10 55
BLOOD ROOT, Tincture	3 min.	10 55
BLOOD ROOT, Tincture	5 min.	10 60
BORAX	1-10 gr.	10 50
BRONCHITIS.		
{ Extr. Belladonna, 1-40 gr. }		
{ Dover's Powder, 1-10 gr. }		
{ Ipecac, powd., 1-20 gr. }		
{ Quinine Sulphate, 1-4 gr. }	12	90
BROWN MIXTURE, No. 1. (Equal to 1 teaspoonful.)		
{ Extr. Liquorice, 1-10 gr. }		
{ Camphor, 1-25 gr. }		
{ Acid, Benzoic, 1-25 gr. }		
{ Oil Anise, 1-25 gr. }		
{ Opium, powd., 1-25 gr. }	10	55
{ Tartar Emetic, 1-60 gr. }		
BROWN MIXTURE, No. 2. (Equal to 1-2 teaspoonful.) ...	10	50
BRYONIA, Tincture	1 min.	10 55
BRYONIA, Tincture	2 min.	10 55
BRYONIA, Tincture	5 min.	10 60
CACTUS GRANDIFLORUS, Fld. Extr	1 min.	10 65
CAFFEINE	1-2 gr.	17 1 35
CAFFEINE	1 gr.	26 2 25
CAFFEINE CITRATED	1-2 gr.	12 85
CAFFEINE CITRATED	1 gr.	18 1 45
CAFFEINE COMP.		
{ Caffeine Citrated, 1 gr. }		
{ Nitroglycerin, 1-200 gr. }	17	1 40

TABLET TRITURATES.

(Also supplied in c. s. bottles of 500 at the uniform advance of 6 cents list per 1000.)

	Per c. s. Bottle of 100.	Per g. s. Bottle of 1000.
CALABAR BEAN, Tincture	10	\$ 50
CALABAR BEAN, Tincture	10	55
CALCIUM SULPHIDE	10	55
CALCIUM SULPHIDE	10	55
CALCIUM SULPHIDE	10	55
CALCIUM SULPHIDE	10	55
CALCIUM SULPHIDE	10	55
CALCIUM SULPHIDE	10	60
CALOMEL (Mercurous Chloride, mild)	10	50
CALOMEL	10	50
CALOMEL	10	50
CALOMEL	10	50
CALOMEL	10	50
CALOMEL	10	55
CALOMEL	10	55
CALOMEL	10	55
CALOMEL	10	60
CALOMEL	10	60
CALOMEL	10	70
CALOMEL	13	95
CALOMEL COMP.		
{ Calomel, 1-8 gr. }		
{ Ipecac, powd., 1-16 gr. }		
{ Sodium Bicarb., 1-4 gr. }	10	60
{ Aromatic Powder, 1-8 gr. }		
CALOMEL, ALOIN and PODOPHYLLIN (Underwood).		
{ Calomel, 1-10 gr. }		
{ Aloin, 1-10 gr. }	10	60
{ Podophyllin, 1-10 gr. }		
CALOMEL and DOVER'S POWDER, No. 1.		
{ Calomel, 1-2 gr. }		
{ Dover's Powder, 1 gr. }	11	80
CALOMEL and DOVER'S POWDER, No. 2.		
{ Calomel, 1-4 gr. }		
{ Dover's Powder, 1 gr. }	11	75
CALOMEL and IPECAC, No. 1.		
{ Calomel, 1-4 gr. }		
{ Ipecac, powd., 1-4 gr. }	10	70
CALOMEL and IPECAC, No. 2.		
{ Calomel, 1-8 gr. }		
{ Ipecac, powd., 1-8 gr. }	10	60
CALOMEL and IPECAC, No. 3.		
{ Calomel, 1-2 gr. }		
{ Ipecac, powd., 1-2 gr. }	10	70
CALOMEL and IPECAC, No. 4.		
{ Calomel, 1-10 gr. }		
{ Ipecac, powd., 1-10 gr. }	10	60
CALOMEL, IPECAC and SODIUM, No. 1.		
{ Calomel, 1-5 gr. }		
{ Ipecac, powd., 1-10 gr. }		
{ Sodium Bicarb., 1 gr. }	10	60
CALOMEL, IPECAC and SODIUM, No. 2.		
{ Calomel, 1-8 gr. }		
{ Ipecac, powd., 1-8 gr. }		
{ Sodium Bicarb., 1 gr. }	10	60
CALOMEL, IPECAC and SODIUM, No. 3.		
{ Calomel, 1-8 gr. }		
{ Ipecac, powd., 1-12 gr. }		
{ Sodium Bicarb., 1-2 gr. }	10	60
CALOMEL and OPIUM (McEwen).		
{ Calomel, 1-4 gr. }		
{ Opium, powd., 1-4 gr. }	10	70
CALOMEL and PODOPHYLLIN, No. 1.		
{ Calomel, 1-2 gr. }		
{ Podophyllin, 1-2 gr. }	11	80
CALOMEL and PODOPHYLLIN, No. 2.		
{ Calomel, 1-4 gr. }		
{ Podophyllin, 1-4 gr. }	10	70

In ordering our Preparations through dealers, please specify SHARP & DOHME'S.

TABLET TRITURATES.

(Also supplied in c. s. bottles of 500 at the uniform advance of 6 cents list per 1000.)

	Per c. s. Bottle of 100.	Per g. s. Bottle of 1000.
CALOMEL and PODOPHYLLIN, No. 3. { Calomel, 1-10 gr. } { Podophyllin, 1-10 gr. }	\$ 10	\$ 55
CALOMEL and PODOPHYLLIN, No. 4. { Calomel, 1-8 gr. } { Podophyllin, 1-8 gr. }	10	60
CALOMEL, PODOPHYLLIN and IPECAC (Kenyon). { Calomel, 1-10 gr. } { Podophyllin, 1-30 gr. } { Ipecac, powd., 1-8 gr. }	10	55
CALOMEL and SODIUM, No. 1. { Calomel, 1-4 gr. } { Sodium Bicarb., 1-2 gr. }	10	50
CALOMEL and SODIUM, No. 2. { Calomel, 1-2 gr. } { Sodium Bicarb., 1-2 gr. }	10	60
CALOMEL and SODIUM, No. 3. Compressed only. { Calomel, 2 grs. } { Sodium Bicarb., 2 grs. } (See Comp. Tabs., p. 123.)	13	1 00
CALOMEL and SODIUM, No. 4. Compressed only. { Calomel, 1 gr. } { Sodium Bicarb., 1 gr. } (See Comp. Tabs., p. 123.)	12	65
CALOMEL and SODIUM, No. 5. Compressed only. { Calomel, 2 1-2 grs. } { Sodium Bicarb., 2 1-2 grs. } (See Comp. Tabs., p. 123.)	15	1 15
CALOMEL and SODIUM, No. 6. { Calomel, 1-4 gr. } { Sodium Bicarb., 1 gr. }	10	50
CALOMEL and SODIUM, No. 7. { Calomel, 1-2 gr. } { Sodium Bicarb., 1 gr. }	10	60
CALOMEL and SODIUM, No. 8. { Calomel, 1-10 gr. } { Sodium Bicarb., 1 gr. }	10	50
CALOMEL and SODIUM, No. 9. { Calomel, 1-4 gr. } { Sodium Bicarb., 1-4 gr. }	10	50
CALOMEL and SODIUM, No. 10. { Calomel, 1-10 gr. } { Sodium Bicarb., 1-10 gr. }	10	50
CALOMEL and SODIUM, No. 11. { Calomel, 1-8 gr. } { Sodium Bicarb., 1-8 gr. }	10	50
CALOMEL, SODIUM and PODOPHYLLIN, No. 1. { Calomel, 1-2 gr. } { Sodium Bicarb., 1-2 gr. } { Podophyllin, 1-12 gr. }	10	70
CALOMEL, SODIUM and PODOPHYLLIN, No. 2. { Calomel, 1-4 gr. } { Sodium Bicarb., 1-2 gr. } { Podophyllin, 1-12 gr. }	10	60
CALOMEL, SODIUM and PODOPHYLLIN, No. 3. Compressed only. { Calomel, 2 grs. } { Sodium Bicarb., 2 grs. } { Podophyllin, 1-3 gr. } (See Comp. Tabs., p. 123.)	16	1 25
CAMPBOR MONOBROMATED	11	80
CANNABIS INDICA, Extr.	10	55
CANNABIS INDICA, Extr.	10	55
CANNABIS INDICA, Extr.	10	60
CANNABIS INDICA, Extr.	10	60
CANNABIS INDICA, Tincture	10	55
CANNABIS INDICA, Tincture	10	55
CANNABIS INDICA, Tincture	10	60
CAPSICUM	10	50
CAPSICUM and NUX VOMICA. { Capsicum, powd., 1-10 gr. } { Nux Vomica, 1-4 gr. }	10	65
CASCARIN COMP. { Cascarin, 1-4 gr. } { Aloin, 1-4 gr. } { Podophyllin, 1-4 gr. }	13	1 00

TABLET TRITURATES.

(Also supplied in c. s. bottles of 500 at the uniform advance of 6 cents list per 1000.)

	Per c. s. Bottle of 100.	Per g. s. Bottle of 1000.
CATHARTIC COMP., Improved, Mass..... 1-10 gr.	\$ 10	\$ 55
CATHARTIC COMP., Improved, Mass..... 1-5 gr.	10	60
CATHARTIC COMP., Improved, Mass..... 1 gr.	11	75
CATHARTIC COMP., U. S. P. Mass..... 1-10 gr.	10	55
CATHARTIC COMP., U. S. P. Mass..... 1-5 gr.	10	60
CATHARTIC COMP., U. S. P. Mass..... 1 gr.	11	75
CATHARTIC COMP., Vegetable, Mass..... 1-10 gr.	10	55
CATHARTIC COMP., Vegetable, Mass..... 1-5 gr.	10	60
CATHARTIC COMP., Vegetable, Mass..... 1 gr.	12	85
CATHARTIC, Special.		
{ Aloin, 1-10 gr. }		
{ Extr. Nux Vomica, 1-10 gr. }		
{ Podophyllin, 1-5 gr. }		
{ Oleores. Capsicum, 1-120 gr. }		
{ Extr. Colocynth Comp., 1-10 gr. }		
{ Oil, Croton, 1-15 min. }	10	65
CAULOPHYLLIN, Resinoid..... 1-10 gr.	10	55
CERIUM OXALATE..... 1-2 gr.	10	55
CERIUM OXALATE..... 1 gr.	10	65
CHOLERA INFANTUM.		
{ Zinc Sulphocarbolate, 1-20 gr. }		
{ Salol, 1-10 gr. }		
{ Bismuth Subnitrate, 1-2 gr. }		
{ Calomel, 1-60 gr. }		
{ Pepsin, U. S. P. (1: 3000), 1-4 gr. }	11	75
CIMICIFUGA, Tincture..... 1 min.	10	50
COCA, Fld. Extr..... 1-2 min.	10	55
COCA, Fld. Extr..... 1 min.	10	60
COCAINE HYDROCHLORATE..... 1-100 gr.	10	65
COCAINE HYDROCHLORATE..... 1 50 gr.	12	85
COCAINE HYDROCHLORATE..... 1-20 gr.	17	1 35
COCAINE HYDROCHLORATE..... 1-16 gr.	19	1 60
COCAINE HYDROCHLORATE..... 1-10 gr.	27	2 40
COCAINE HYDROCHLORATE..... 1-8 gr.	30	2 70
COCAINE HYDROCHLORATE..... 1-6 gr.	40	3 70
COCAINE HYDROCHLORATE..... 1 5 gr.	45	4 20
CODEINE..... 1 8 gr.	33	3 00
CODEINE..... 1-5 gr.	48	4 50
CODEINE..... 1-4 gr.	53	5 00
CODEINE..... 1-2 gr.	98	9 50
CODEINE SULPHATE..... 1-10 gr.	26	2 25
CODEINE SULPHATE..... 1-8 gr.	28	2 50
CODEINE SULPHATE..... 1-4 gr.	48	4 50
CODEINE SULPHATE..... 1-2 gr.	83	8 00
COLCHICINE..... 1-100 gr.	15	1 15
COLCHICINE..... 1-50 gr.	21	1 75
COLCHICUM ROOT, Fld. Extr..... 1-2 min.	10	55
COLCHICUM ROOT, Fld. Extr..... 1 min.	10	60
COLCHICUM ROOT, Tincture..... 1 min.	10	55
COLCHICUM ROOT, Tincture..... 2 min.	10	55
COLCHICUM ROOT, Tincture..... 3 min.	10	60
COLCHICUM ROOT, Tincture..... 5 min.	10	65
COLIC, Infantile.		
{ Paregoric, 2 min. }		
{ Sodium Bicarb., 1 gr. }		
{ Oil Fennel, 1-10 min. }	11	75
COLOCYNTH COMP., Extr..... 1-4 gr.	10	55
COLOCYNTH COMP., Extr..... 1-2 gr.	10	60
CONIUM COMP.		
{ Extr. Conium, 1-30 gr. }		
{ Extr. Cubeb, 1-10 gr. }		
{ Extr. Liquorice, 1-10 gr. }	10	55

TABLET TRITURATES.

(Also supplied in c. s. bottles of 500 at the uniform advance of 6 cents list per 1000.)

	Per c. s. Bottle of 100.	Per g. s. Bottle of 1000.
CONIUM COMP. with CODEINE.		
{ Extr. Conium, 1-30 gr. Cubeb, powd., 1-10 gr. Extr. Liquorice, 1-10 gr. Codeine, 1-25 gr. }	\$ 16	\$1 25
CONIUM SEED, Tincture.....1 min.	10	55
CONVALLAMARIN1-50 gr.	14	1 05
COPPER ARSENITE1-5000 gr.	10	50
COPPER ARSENITE1-3000 gr.	10	50
COPPER ARSENITE1-100 gr.	10	55
COPPER SULPHATE.....1-100 gr.	10	55
CORROSIVE SUBLIMATE (Mercuric Chloride Corrosive)1-1000 gr.	10	50
CORROSIVE SUBLIMATE1-500 gr.	10	50
CORROSIVE SUBLIMATE1-200 gr.	10	50
CORROSIVE SUBLIMATE1-100 gr.	10	50
CORROSIVE SUBLIMATE1-60 gr.	10	50
CORROSIVE SUBLIMATE1-50 gr.	10	50
CORROSIVE SUBLIMATE1-40 gr.	10	50
CORROSIVE SUBLIMATE1-30 gr.	10	55
CORROSIVE SUBLIMATE1-20 gr.	10	55
CORROSIVE SUBLIMATE1-16 gr.	10	55
CORROSIVE SUBLIMATE1-12 gr.	10	55
CORROSIVE SUBLIMATE1-10 gr.	10	55
CORROSIVE SUBLIMATE (blue). (Antiseptic)1 gr.	13	1 00
CREOSOTE, Beechwood.....1-10 min.	10	50
CREOSOTE, Beechwood.....1-4 min.	10	60
CUBEB, Fld. Extr.....1-2 min.	10	55
CUBEB, Fld. Extr.1 min.	10	60
DIARRHEA.		
{ Calomel, 1-8 gr. Morphine Sulphate, 1-16 gr. Capsicum, powd., 1-16 gr. Ipecac, powd., 1-32 gr. Camphor, 1-16 gr. }	15	1 15
DIARRHEA, Infantile (Amiss). (See Comp. Tabs., pg. 125.)	17	1 40
DIGITALIN, pure.....1-500 gr.	10	60
DIGITALIN, pure.....1-200 gr.	10	70
DIGITALIN, pure.....1-120 gr.	11	75
DIGITALIN, pure.....1-100 gr.	11	80
DIGITALIN, pure.....1-75 gr.	12	85
DIGITALIN, pure.....1-60 gr.	12	90
DIGITALIN, pure.....1-50 gr.	13	1 00
DIGITALIS, Fld. Extr.....1-10 min.	10	50
DIGITALIS, Fld. Extr.....1-2 min.	10	55
DIGITALIS, Fld. Extr.....1 min.	10	55
DIGITALIS, Tincture1-2 min.	10	50
DIGITALIS, Tincture1 min.	10	55
DIGITALIS, Tincture2 min.	10	55
DIGITALIS, Tincture3 min.	10	55
DIGITALIS, Tincture5 min.	10	60
DIGITALIS COMP. (Wood).		
{ Tinct. Digitalis, 2 min. Strychnine Sulphate, 1-100 gr. }	10	65
DIGITALIS and STROPHANTHUS. (See Strophanthus Comp., No. 1.)		
*DOVER TABLET (Dover's Powder).....1-10 gr.	10	50
DOVER TABLET.....1-4 gr.	10	55
DOVER TABLET.....1-2 gr.	10	60

*In our Dover Tablets the relative proportions of Opium and Ipecac are strictly maintained according to the formula of Dover's Powder, but in the larger sizes we have reduced the quantity of the inert sugar of milk so as to avoid making the tablet unnecessarily large.

In ordering our Preparations through dealers, please specify SHARP & DOLHE'S.

TABLET TRITURATES.

(Also supplied in c. s. bottles of 500 at the uniform advance of 6 cents list per 1000.)

	Per c. s. Bottle of 100.	Per g. s. Bottle of 1000.
DOVER TABLET1 gr.	\$ 11	\$ 75
DOVER TABLET1 1-4 grs.	11	80
DOVER TABLET2 1-2 grs.	14	1 05
DOVER TABLET3 1-3 grs.	15	1 20
DOVER TABLET5 grs.	22	1 85
DOVER COMP., No. 1 (Terriberry).		
{ Dover's Powder, 1-2 gr. }		
{ Quinine Sulphate, 1-2 gr. }	13	1 00
DOVER COMP., No. 2.		
{ Dover's Powder, 2 1-2 grs. }		
{ Calomel, 1-4 gr. }	12	90
ELATERIN, crystallized1-40 gr.	26	2 25
ELATERIN, crystallized1-20 gr.	42	3 85
ELATERIN, crystallized1-10 gr.	78	7 50
ELATERIUM (Clutterbuck).....1-32 gr.	10	55
ELATERIUM (Clutterbuck).....1-16 gr.	10	65
ELATERIUM (Clutterbuck).....1-10 gr.	10	70
ELATERIUM (Clutterbuck).....1-8 gr.	11	80
ENTERITIS (Haskell).		
{ Copper Arsenite, 1-100 gr. }		
{ Corrosive Sublimate, 1-100 gr. }	10	60
{ Morphine Sulphate, 1-100 gr. }		
ERGOTIN, purified.....1-10 gr.	10	55
ERGOTIN, purified.....1-4 gr.	10	60
EUCALYPTUS, Fld. Extr.....1-2 min.	10	50
EUCALYPTUS, Fld. Extr.....1 min.	10	55
EUONYMIN, Resinoid1-10 gr.	10	55
EUONYMIN, Resinoid1-8 gr.	10	60
EUONYMIN, Resinoid1-4 gr.	10	65
EUONYMIN, Resinoid1-2 gr.	12	85
EUONYMIN, Resinoid1 gr.	16	1 30
EUONYMIN COMP. (Welch).		
{ Euonymin, 1-4 gr. }		
{ Podophyllin, 1-8 gr. }	16	1 25
{ Aloin, 1-8 gr. }		
EXPECTORANT (Rankin).		
{ Fld. Extr. Belladonna, 1-8 min. }		
{ Ipecac. powd., 1-10 gr. }		
{ Extr. Liquorice, 1 8 gr. }	22	1 90
{ Codeine, 1-16 gr. }		
{ Extr. Senega, 1-10 gr. }		
FEVER (Davis).		
{ Tinct. Aconite Root, 1-5 min. }		
{ Tinct. Bryonia, 1-10 min. }	10	55
{ Tinct. Belladonna, 1-10 min. }		
FEVER (Kenyon).		
{ Tinct. Aconite, 1 min. }		
{ Tartar Emetic, 1-50 gr. }		
{ Morphine Sulphate, 1-20 gr. }	15	1 15
{ Ipecac. powd., 1-8 gr. }		
FOWLER'S SOLUTION. (See Potass. Arsenite Solution.)		
GELSEMIN, Resinoid1-16 gr.	10	50
GELSEMIN, Resinoid1-10 gr.	10	60
GELSEMIN, Resinoid1-8 gr.	10	65
GELSEMIN, Resinoid1-4 gr.	12	85
GELSEMIUM, Tincture.....1 min.	10	50
GELSEMIUM, Tincture.....2 min.	10	55
GELSEMIUM, Tincture.....3 min.	10	55
GELSEMIUM, Tincture.....5 min.	10	60
GLONON, (See Nitroglycerin.)		
HEART STIMULANT (Da Costa), No. 1.		
{ Tinct. Digitalis, 2 min. }		
{ Tinct. Strophanthus, 2 min. }		
{ Tinct. Belladonna, 1-4 min. }	10	60
{ Nitroglycerin, 1-100 gr. }		
HEART STIMULANT, No. 2.		
{ Tinct. Digitalis, 2 min. }		
{ Tinct. Strophanthus, 2 min. }		
{ Tinct. Belladonna, 1-4 min. }	10	60
{ Nitroglycerin, 1-200 gr. }		

TABLET TRITURATES

TABLET TRITURATES.

(Also supplied in c. s. bottles of 500 at the uniform advance of 6 cents list per 1000.)

	Per c. s. Bottle of 100.	Per g. s. Bottle of 1000.
HELONIN, Resinoid.....	1 10 gr.	\$ 10
HENBANE, Extr.....	1 6 gr.	10 55
HENBANE, Extr.....	1-4 gr.	10 55
HENBANE, Extr.....	1-2 gr.	10 60
HENBANE, Fld. Extr.....	1 2 min.	10 50
HENBANE, Fld. Extr.....	1 min.	10 55
HENBANE, Tincture	1 min.	10 50
HENBANE, Tincture	2 min.	10 50
HENBANE, Tincture	3 min.	10 55
HENBANE, Tincture	5 min.	10 60
HEPATIC (Kenyon).		
{ Euonymin, 1-8 gr. }		
{ Calomel, 1-8 gr. }		
{ Podophyllin, 1-20 gr. }		
{ Aloin, 1-12 gr. }		
{ Ipecac, powd., 1-8 gr. }	11	75
HYDRASTIN, Resinoid	1-20 gr.	10 55
HYDRASTIS CANADENSIS, Tincture.....	1 min.	10 50
HYDRASTIS CANADENSIS, Tincture.....	2 min.	10 55
HYDRASTIS CANADENSIS, Tincture.....	3 min.	10 55
HYOSCINE HYDROBROMATE.....	1-200 gr.	16 1 25
HYOSCYAMINE, white crystals	1-200 gr.	13 95
HYOSCYAMINE, white crystals	1-100 gr.	18 1 45
HYOSCYAMINE, white crystals.....	1-50 gr.	28 2 45
HYOSCYAMINE, white crystals.....	1-25 gr.	50 4 70
IGNATIA	1-100 gr.	10 50
IGNATIA	1-20 gr.	10 55
IGNATIA	1-10 gr.	10 55
IGNATIA, Tincture	1 min.	10 50
IGNATIA, Tincture	3 min.	10 55
IGNATIA, Tincture	5 min.	10 60
IODOFORM	1-5 gr.	15 1 20
IODOFORM	1-3 gr.	16 1 30
IODOFORM	1-2 gr.	19 1 60
IPECAC, Fld. Extr.....	1-2 min.	13 95
IPECAC, Fld. Extr.....	1 min.	15 1 20
IPECAC, powd.....	1-100 gr.	10 50
IPECAC, powd.....	1-50 gr.	10 55
IPECAC, powd.....	1-10 gr.	10 60
IPECAC, powd.....	1-4 gr.	10 70
IPECAC, powd.....	1-2 gr.	12 90
IRON ARSENATE.....	1-20 gr.	10 50
IRON ARSENATE.....	1-16 gr.	10 50
IRON ARSENATE.....	1-10 gr.	10 55
IRON ARSENATE.....	1-8 gr.	10 55
IRON ARSENATE.....	1-4 gr.	10 55
IRON and ARSENIC COMP.		
{ Iron, Reduced, 1 gr. }		
{ Acid, Arsenous, 1-100 gr. }		
{ Ignatia, powd., 1-40 gr. }	10	65
IRON, ARSENIC and NUX VOMICA.		
{ Iron, Reduced, 1 gr. }		
{ Acid, Arsenous, 1-100 gr. }		
{ Extr. Nux Vomica, 1-8 gr. }	10	65
IRON, ARSENIC and STRYCHNINE, No. 1.		
{ Iron, Reduced, 1 gr. }		
{ Acid, Arsenous, 1-100 gr. }		
{ Strychnine Sulphate, 1-60 gr. }	10	65
IRON, ARSENIC and STRYCHNINE, No. 2.		
{ Iron, Reduced, 1 gr. }		
{ Acid, Arsenous, 1-50 gr. }		
{ Strychnine Sulphate, 1-60 gr. }	10	70
IRON CITRATE.....	1 gr.	10 60
IRON LACTATE.....	1 gr.	10 60

TABLET TRITURATES.

(Also supplied in c. s. bottles of 500 at the uniform advance of 6 cents list per 1000.)

	Per c. s. Bottle of 100.	Per g. s. Bottle of 1000.
IRON and MERCURY COMP.		
{ Iron, Reduced, 1 gr. } Corrosive Sublimate, 1-60 gr. Strychnine Sulphate, 1-60 gr. Acid, Arsenous, 1-60 gr. }	\$ 10	\$ 65
IRON PYROPHOSPHATE1 gr.	10	60
IRON, REDUCED (Quevenne's)1-2 gr.	10	55
IRON, REDUCED (Quevenne's).....1 gr.	10	65
IRON and QUININE.		
{ Iron, Reduced, 1-2 gr. } Quinine Sulphate, 1-2 gr. }	14	1 10
IRON and QUININE CITRATE , Soluble1-20 gr.	10	50
IRON and QUININE CITRATE , Soluble1-4 gr.	10	60
IRON and QUININE CITRATE , Soluble1-2 gr.	12	85
IRON and QUININE CITRATE , Soluble.....1 gr.	13	95
IRON, QUININE and ARSENIC, No. 1.		
{ Iron, Reduced, 1-2 gr. } Quinine Sulphate, 1-2 gr. } Acid, Arsenous, 1-100 gr. }	16	1 25
IRON, QUININE and ARSENIC, No. 2, Compressed only.		
{ Iron, Reduced, 1 gr. } Quinine Sulphate, 1 gr. } See Comp. Tabs., { Acid, Arsenous, 1-32 gr. } pg. 127. }	25	2 15
IRON, QUININE and STRYCHNINE, No. 1.		
{ Iron, Reduced, 1-2 gr. } Quinine Sulphate, 1-2 gr. } Strychnine Sulphate, 1-120 gr. }	16	1 25
IRON, QUININE and STRYCHNINE, No. 2.		
(See Comp. Tabs., page 127.).....	25	2 15
IRON and STRYCHNINE.		
{ Iron, Reduced, 1 gr. } Strychnine Sulphate, 1-60 gr. }	10	60
IRON and STRYCHNINE COMP.		
{ Iron, Reduced, 1-2 gr. } Strychnine Sulphate, 1-120 gr. Acid, Arsenous, 1-100 gr. Quinine Sulphate, 1-2 gr. }	16	1 30
IRON and STRYCHNINE CITRATE1-4 gr.	10	55
IRON and STRYCHNINE CITRATE1-2 gr.	10	65
IRON and STRYCHNINE CITRATE1 gr.	12	90
IRON SULPHATE , dried.....1-50 gr.	10	50
JABORANDI , Fld. Extr.....1-2 min.	10	55
JABORANDI , Fld. Extr.....1 min.	10	65
LEPTANDRIN , Resinoid.....1-16 gr.	10	50
LEPTANDRIN , Resinoid.....1-8 gr.	10	55
LEPTANDRIN , Resinoid.....1-4 gr.	10	55
LEPTANDRIN , Resinoid.....1-2 gr.	10	60
LITHIUM CARBONATE1-2 gr.	13	95
LITHIUM CARBONATE1 gr.	18	1 50
LITHIUM CARBONATE . (See Comp. Tabs., pg. 127.).2 grs.	23	2 00
LOBELIA SEED , Tincture.....1 min.	10	50
LOBELIA SEED , Tincture.....2 min.	10	50
LOBELIA SEED , Tincture.....3 min.	10	55
LUPULIN , Fld. Extr.....1-2 min.	10	60
LUPULIN , Fld. Extr.....1 min.	10	70
MACROTIN , Resinoid.....1-10 gr.	10	50
MANGANESE DIOXIDE (Binoxide).....1-2 gr.	10	50
MANGANESE DIOXIDE1 gr.	10	50
MERCURIC CHLORIDE, CORROSIVE. (See Corrosive Sublimate.)		
MERCURIC IODIDE, RED. (See Mercury Red Iodide.)		
MERCURIC OXIDE, YELLOW. (See Mercury Yellow Oxide.)		
MERCUROUS CHLORIDE, MILD. (See Calomel.)		
MERCUROUS IODIDE, YELLOW. (See Mercury Yellow Iodide.) (See note on Mercurous Iodide, page 42.)		
MERCURY , Red Iodide (Bin-Iodide)1-100 gr.	10	55

TABLET TRITURATES.

(Also supplied in c. s. bottles of 500 at the uniform advance of 6 cents list per 1000.)

	Per c. s. Bottle of 100.	Per g. s. Bottle of 1000.
MERCURY, Red Iodide	1-50 gr.	\$ 10 \$ 55
MERCURY, Red Iodide	1-30 gr.	10 55
MERCURY, Red Iodide	1-25 gr.	10 55
MERCURY, Red Iodide	1-20 gr.	10 55
MERCURY, Red Iodide	1-16 gr.	10 55
MERCURY, Red Iodide	1-12 gr.	10 55
MERCURY, Red Iodide	1-10 gr.	10 60
MERCURY, Red Iodide	1-8 gr.	10 60
MERCURY, Red Iodide	1-6 gr.	10 60
MERCURY, Red Iodide	1-4 gr.	10 65
MERCURY, Yellow Iodide, (Proto-Iodide)	1-100 gr.	10 55
MERCURY, Yellow Iodide	1-50 gr.	10 55
MERCURY, Yellow Iodide	1-25 gr.	10 55
MERCURY, Yellow Iodide	1-20 gr.	10 55
MERCURY, Yellow Iodide	1-16 gr.	10 55
MERCURY, Yellow Iodide	1-10 gr.	10 55
MERCURY, Yellow Iodide	1-8 gr.	10 55
MERCURY, Yellow Iodide	1-6 gr.	10 60
MERCURY, Yellow Iodide	1-5 gr.	10 60
MERCURY, Yellow Iodide	1-4 gr.	10 65
MERCURY, Yellow Iodide	1-3 gr.	11 75
MERCURY, Yellow Iodide	1-2 gr.	12 90
MERCURY, Yellow Iodide	1 gr.	17 1 35
MERCURY, Yellow Oxide	1-200 gr.	10 55
MERCURY, Yellow Oxide	1-100 gr.	10 55
MERCURY with CHALK	1-10 gr.	10 50
MERCURY with CHALK	1-5 gr.	10 50
MERCURY with CHALK	1-3 gr.	10 50
MERCURY with CHALK	1 gr.	10 55
MORPHINE ACETATE	1-8 gr.	18 1 50
MORPHINE HYDROCHLORATE	1-8 gr.	18 1 50
MORPHINE HYDROCHLORATE	1-4 gr.	29 2 60
MORPHINE SULPHATE	1-50 gr.	10 65
MORPHINE SULPHATE	1-20 gr.	12 90
MORPHINE SULPHATE	1-16 gr.	13 1 00
MORPHINE SULPHATE	1-10 gr.	16 1 25
MORPHINE SULPHATE	1-8 gr.	19 1 55
MORPHINE SULPHATE	1-6 gr.	23 1 95
MORPHINE SULPHATE	1-4 gr.	31 2 75
MORPHINE SULPHATE	1-3 gr.	38 3 50
MORPHINE SULPHATE	1-2 gr.	56 5 25
MORPHINE and ACONITE.		
{ Morphine Sulphate, 1-32 gr. }		
{ Tinct. Aconite, 1 min. }	11	80
MORPHINE and ATROPINE, No. 1.		
{ Morphine Sulphate, 1-8 gr. }		
{ Atropine Sulphate, 1-150 gr. }	21	1 75
MORPHINE and ATROPINE, No. 2.		
{ Morphine Sulphate, 1-4 gr. }		
{ Atropine Sulphate, 1-120 gr. }	32	2 85
MORPHINE and ATROPINE, No. 3.		
{ Morphine Sulphate, 1-8 gr. }		
{ Atropine Sulphate, 1-200 gr. }	20	1 65
MORPHINE and ATROPINE, No. 4.		
{ Morphine Sulphate, 1-4 gr. }		
{ Atropine Sulphate, 1-150 gr. }	31	2 75
MORPHINE and ATROPINE, No. 5.		
{ Morphine Sulphate, 1-6 gr. }		
{ Atropine Sulphate, 1-180 gr. }	24	2 05
MORPHINE and BELLADONNA.		
{ Morphine Sulphate, 1-8 gr. }		
{ Extr. Belladonna, 1-4 gr. }	22	1 85
NERVE TONIC, No. 1 (Westbrook).		
{ Zinc Phosphide, 1-10 gr. }		
{ Extr. Nux Vomica, 1-4 gr. }		
{ Iron, Reduced, 1 gr. }	12	90

TABLET TRITURATES.

(Also supplied in c. s. bottles of 500 at the uniform advance of 6 cents list per 1000.)

	Per c. s. Bottle of 100.	Per g. s. Bottle of 1000.
NERVE TONIC, No. 2 (Westbrook).		
{ Zinc Phosphide, 1-10 gr. }		
{ Extr. Nux Vomica, 1-4 gr. }		
{ Acid, Arsenous, 1-20 gr. }	\$ 12	\$ 90
NEURALGIC (Dunlap).		
{ Quinine Sulphate, 1-2 gr. }		
{ Morphine Sulphate, 1-80 gr. }		
{ Strychnine Sulphate, 1-120 gr. }		
{ Acid, Arsenous, 1-80 gr. }	18	1 45
{ Extr. Aconite, 1-8 gr. }		
NEURALGIC (Kenyon).		
{ Zinc Phosphide, 1-16 gr. }		
{ Strychnine, 1-60 gr. }		
{ Extr. Cannabis Indica, 1-8 gr. }		
{ Sodium Arsenate, 1-20 gr. }	11	80
{ Aconitine, 1-400 gr. }		
NITROGLYCERIN (Glonoin)	10	50
NITROGLYCERIN	10	50
NITROGLYCERIN	10	50
NITROGLYCERIN	10	55
NITROGLYCERIN ..	10	55
NITROGLYCERIN	10	55
NITROGLYCERIN COMP.		
{ Nitroglycerin, 1-200 gr. }		
{ Strychnine, 1-60 gr. }		
{ Fld. Extr. Digitalis, 1 min. }		
{ Iron, Reduced, 1 gr. }	12	90
{ Tinct. Strophanthus, 3 min. }		
NITROGLYCERIN and STROPHANTHUS.		
{ Nitroglycerin, 1-100 gr. }	10	60
{ Tinct. Strophanthus, 3 min. }		
NUX VOMICA, Extr.....	10	55
NUX VOMICA, Extr.....	10	55
NUX VOMICA, Extr.....	10	60
NUX VOMICA, powd	10	50
NUX VOMICA, powd.....	10	50
NUX VOMICA, powd	10	50
NUX VOMICA, powd	10	50
NUX VOMICA, powd	10	55
NUX VOMICA, Tincture	10	50
NUX VOMICA, Tincture	10	55
NUX VOMICA, Tincture	10	55
NUX VOMICA COMP.		
{ Extr. Nux Vomica, 1-64 gr. }		
{ Extr. Belladonna, 1-32 gr. }		
{ Ipecac, powd., 1-16 gr. }		
{ Aloin, 1-8 gr. }	12	90
{ Podophyllin, 1-4 gr. }		
NUX VOMICA and PEPSIN. (See Pepsin and Nux Vomica.).....	10	65
NUX VOMICA and PEPSIN COMP.		
{ Nux Vomica, powd., 1-100 gr. }		
{ Pepsin, U. S. P. (1:3000), 1-4 gr. }		
{ Bismuth Subnitrate, 1 gr. }	15	1 20
{ Calomel, 1-4 gr. }		
OPIUM, powd.....	10	55
OPIUM, powd.....	12	85
OPIUM, powd.....	15	1 15
OPIUM, powd.....	26	2 25
OPIUM, Tincture, Assayed.....	10	65
OPIUM, Tincture, Assayed.....	12	90
OPIUM, Tincture, Deodorized, Assayed.....	10	55
OPIUM, Tincture, Deodorized, Assayed.....	10	65
OPIUM, Tincture, Camphorated. (See Paregoric)		
OPIUM and CAMPHOR.		
{ Opium, powd., 1-4 gr. }		
{ Camphor, 1-4 gr. }	12	90
OPIUM and LEAD.		
{ Opium, powd., 1-2 gr. }		
{ Lead Acetate, 1 gr. }	17	1 35

In ordering our Preparations through dealers, please specify SHARP & DOHME'S.

TABLET TRITURATES.

(Also supplied in c. s. bottles of 500 at the uniform advance of 6 cents list per 1000.)

	Per c. s. Bottle of 100.	Per g. s. Bottle of 1000.
PAREGORIC (Equivalent to 5 minims.)		
{ Opium, powd., 1-50 gr. }		
{ Camphor, 1-50 gr. }		
{ Acid, Benzoic, 1-50 gr. }	\$ 10	\$ 65
{ Oil Anise, 1-50 gr. }		
PAREGORIC (Equivalent to 10 minims.)		
{ Opium, powd., 1-25 gr. }		
{ Camphor, 1-25 gr. }		
{ Acid, Benzoic, 1-25 gr. }	11	75
{ Oil Anise, 1-25 gr. }		
PEPSIN, U. S. P. (1 : 3000)1-4 gr.	11	75
PEPSIN, U. S. P. (1 : 3000)1-2 gr.	12	85
PEPSIN, U. S. P. (1 : 3000)1 gr.	20	1 65
PEPSIN, Saccharated (U. S. P.)1 gr.	10	50
PEPSIN and BISMUTH.		
{ Pepsin, U. S. P. (1 : 3000), 1-4 gr. }		
{ Bismuth, Subnitrate, 1 gr. }	14	1 10
PEPSIN and CHARCOAL.		
{ Pepsin, U. S. P. (1 : 3000), 1-4 gr. }		
{ Charcoal, 1-4 gr. }	10	70
PEPSIN and NUX VOMICA.		
{ Pepsin, U. S. P. (1 : 3000), 1-10 gr. }		
{ Extr. Nux Vomica, 1-100 gr. }	10	65
PILOCARPINE HYDROCHLORATE1-100 gr.	13	1 00
PILOCARPINE HYDROCHLORATE1-50 gr.	18	1 50
PILOCARPINE HYDROCHLORATE1-20 gr.	39	3 55
PILOCARPINE HYDROCHLORATE1-10 gr.	63	5 95
PILOCARPINE HYDROCHLORATE1-5 gr.	1 13	10 95
PILOCARPINE NITRATE1-100 gr.	13	1 00
PILOCARPINE NITRATE1-50 gr.	18	1 50
PILOCARPINE NITRATE1-25 gr.	33	2 95
PILOCARPINE NITRATE1-10 gr.	63	5 95
PODOPHYLLIN, Resinoid1-40 gr.	10	50
PODOPHYLLIN, Resinoid1-20 gr.	10	50
PODOPHYLLIN, Resinoid1-16 gr.	10	50
PODOPHYLLIN, Resinoid1-10 gr.	10	55
PODOPHYLLIN, Resinoid1-8 gr.	10	55
PODOPHYLLIN, Resinoid1-6 gr.	10	60
PODOPHYLLIN, Resinoid1-4 gr.	10	65
PODOPHYLLIN, Resinoid1-2 gr.	11	75
POTASSIUM ARSENATE1-20 gr.	10	50
POTASSIUM ARSENITE SOLUTION (Fowler's Solu- tion)1-4 min.	10	50
POTASSIUM ARSENITE SOLUTION (Fowler's Solu- tion)1-2 min.	10	50
POTASSIUM ARSENITE SOLUTION (Fowler's Solu- tion)1 min.	10	50
POTASSIUM ARSENITE SOLUTION (Fowler's Solu- tion)2 min.	10	50
POTASSIUM ARSENITE SOLUTION (Fowler's Solu- tion)3 min.	10	55
POTASSIUM ARSENITE SOLUTION (Fowler's Solu- tion)5 min.	10	55
POTASSIUM BICHROMATE1-5000 gr.	10	50
POTASSIUM BICHROMATE1-1000 gr.	10	50
POTASSIUM CHLORATE COMP. (McEwen).		
{ Potassium Chlorate, 1 gr. }		
{ Ipecac, powd., 1-20 gr. }	10	60
PULSATILLA, Tincture1 min.	10	55
QUININE BISULPHATE1-10 gr.	10	55
QUININE BISULPHATE1-4 gr.	10	70
QUININE BISULPHATE1-2 gr.	12	85
QUININE BISULPHATE1 gr.	16	1 30
QUININE SULPHATE1-10 gr.	10	55
QUININE SULPHATE1-4 gr.	10	70
QUININE SULPHATE1-2 gr.	12	85
QUININE SULPHATE1 gr.	16	1 30

TABLET TRITURATES.

(Also supplied in c. s. bottles of 500 at the uniform advance of 6 cents list per 1000.)

	Per c. s. Bottle of 100.	Per c. s. Bottle of 1000.
RHINITIS (Full strength.)		
{ Camphor, 1-2 gr. }		
{ Fld. Extr. Belladonna, 1-4 gr. }		
{ Quinine Sulphate, 1-2 gr. }	\$ 17	\$ 1 35
RHINITIS (Half strength), (Lincoln).		
{ Camphor, 1-4 gr. }		
{ Fld. Extr. Belladonna, 1-8 gr. }		
{ Quinine Sulphate, 1-4 gr. }	12	85
RHUBARB, Fld. Extr.1-2 min.	10	55
RHUBARB, Fld. Extr.1 min.	10	60
RHUBARB COMP. (U. S. P. Mass)1-2 gr.	10	55
RHUBARB and SODIUM.		
{ Rhubarb, 1-2 gr. }		
{ Sodium Bicarb., 1-2 gr. }	10	60
SACCHARIN (with Sodium Bicarbonate q. s.)1-2 gr.	23	1 95
SACCHARIN (with Sodium Bicarbonate q. s.)1 gr.	38	3 45
SACCHARIN (with Sodium Bicarbonate q. s.)2 grs.	68	6 45
SALICIN1 gr.	18	1 50
SALOL1-10 gr.	10	60
SALOL1-2 gr.	14	1 05
SALOL1 gr.	19	1 60
SANTONIN1-4 gr.	10	65
SANTONIN1-2 gr.	13	95
SANTONIN1 gr.	18	1 50
SANTONIN and CALOMEL, No. 1.		
{ Santonin, 1-2 gr. }		
{ Calomel, 1-2 gr. }	14	1 10
SANTONIN and CALOMEL, No. 2.		
{ Santonin, 1-4 gr. }		
{ Calomel, 1-8 gr. }	12	85
SANTONIN and CALOMEL, No. 3. (See Comp. Tabs., page 131.)	25	2 15
SANTONIN and PODOPHYLLIN.		
{ Santonin, 1-4 gr. }		
{ Podophyllin, 1-20 gr. }	13	95
SODIUM ARSENATE1-100 gr.	10	50
SODIUM ARSENATE1-25 gr.	10	50
SODIUM ARSENATE1-15 gr.	10	50
SODIUM ARSENATE1-10 gr.	10	50
SODIUM SALICYLATE1-2 gr.	10	55
SODIUM SALICYLATE1 gr.	10	65
SPARTEINE SULPHATE1-50 gr.	10	65
SPARTEINE SULPHATE1-20 gr.	11	80
SPARTEINE SULPHATE1-10 gr.	14	1 10
SPARTEINE SULPHATE1-4 gr.	23	1 95
SQUILL, Tincture1 min.	10	50
SQUILL, Tincture2 min.	10	55
STRAMONIUM LEAVES, Tincture1 min.	10	50
STROPHANTHUS, Tincture1 min.	10	50
STROPHANTHUS, Tincture2 min.	10	55
STROPHANTHUS, Tincture5 min.	10	65
STROPHANTHUS COMP., No. 1.		
{ Tinct. Strophanthus, 2 min. }		
{ Tinct. Digitalis, 3 min. }	10	60
STROPHANTHUS COMP., No. 2.		
{ Tinct. Strophanthus, 2 min. }		
{ Tinct. Digitalis, 3 min. }		
{ Nitroglycerin, 1-100 gr. }	10	60
STROPHANTHUS COMP., No. 3.		
{ Tinct. Strophanthus, 2 min. }		
{ Tinct. Digitalis, 3 min. }		
{ Tinct. Nux Vomica, 2 min. }	10	65
STROPHANTHUS COMP., No. 4.		
{ Tinct. Strophanthus, 2 min. }		
{ Tinct. Digitalis, 3 min. }		
{ Strychnine Sulphate, 1-100 gr. }	10	65
STROPHANTHUS and STRYCHNINE.		
{ Tinct. Strophanthus, 3 min. }		
{ Strychnine Sulphate, 1-60 gr. }	10	60
STRYCHNINE, Alkaloid1-200 gr.	10	50
STRYCHNINE, Alkaloid1-100 gr.	10	55
STRYCHNINE, Alkaloid1-60 gr.	10	55
STRYCHNINE, Alkaloid1-50 gr.	10	55

TABLET TRITURATES.

(Also supplied in c. s. bottles of 500 at the uniform advance of 6 cents list per 1000.)

		Per C. S. Bottle of 100.	Per C. S. Bottle of 1000.
STRYCHNINE, Alkaloid.....	1-40 gr.	\$ 10	\$ 60
STRYCHNINE, Alkaloid.....	1-30 gr.	10	65
STRYCHNINE, Alkaloid.....	1-20 gr.	10	70
STRYCHNINE, Alkaloid.....	1-16 gr.	10	70
STRYCHNINE ARSENITE.....	1-100 gr.	10	55
STRYCHNINE NITRATE.....	1-200 gr.	10	50
STRYCHNINE NITRATE.....	1-100 gr.	10	55
STRYCHNINE NITRATE.....	1-60 gr.	10	60
STRYCHNINE NITRATE.....	1-50 gr.	10	65
STRYCHNINE NITRATE.....	1-40 gr.	10	65
STRYCHNINE NITRATE.....	1-32 gr.	10	70
STRYCHNINE NITRATE.....	1-30 gr.	10	70
STRYCHNINE NITRATE.....	1-20 gr.	10	75
STRYCHNINE NITRATE.....	1-16 gr.	10	75
STRYCHNINE SULPHATE.....	1-200 gr.	10	50
STRYCHNINE SULPHATE.....	1-120 gr.	10	50
STRYCHNINE SULPHATE.....	1-100 gr.	10	55
STRYCHNINE SULPHATE.....	1-60 gr.	10	55
STRYCHNINE SULPHATE.....	1-50 gr.	10	55
STRYCHNINE SULPHATE.....	1-40 gr.	10	60
STRYCHNINE SULPHATE.....	1-32 gr.	10	65
STRYCHNINE SULPHATE.....	1-30 gr.	10	65
STRYCHNINE SULPHATE.....	1-20 gr.	10	70
STRYCHNINE SULPHATE.....	1-16 gr.	10	70
TARTAR EMETIC.....	1-100 gr.	10	50
TARTAR EMETIC.....	1-50 gr.	10	50
TARTAR EMETIC.....	1-25 gr.	10	50
TARTAR EMETIC.....	1-20 gr.	10	50
TARTAR EMETIC.....	1-16 gr.	10	50
TARTAR EMETIC.....	1-10 gr.	10	50
TARTAR EMETIC.....	1-8 gr.	10	50
TARTAR EMETIC.....	1-4 gr.	10	55
TARTAR EMETIC and IPECAC.			
{ Tartar Emetic, 1-100 gr. }		10	55
{ Ipecac, powd., 1-100 gr. }			
TONSILITIS.			
{ Tinct. Aconite, 1-5 min. }			
{ Tinct. Bryonia, 1-10 min. }		10	60
{ Tinct. Belladonna, 1-10 min. }			
{ Mercury, Red Iodide, 1-100 gr. }			
TULLY'S POWDER.....	1 gr.	10	65
TURPETH MINERAL.....	1-10 gr.	10	50
TURPETH MINERAL.....	1 gr.	10	55
TYPHOID (Woodbridge), No. 1.			
{ Podophyllin, 1-960 gr. }			
{ Calomel, 1-16 gr. }			
{ Guaiacoli Carbonate, 1-16 gr. }		35	3 20
{ Menthol, 1-16 gr. }			
{ Eucalyptol, q. s. }			
TYPHOID (Woodbridge), No. 2.			
{ Podophyllin, 1-960 gr. }			
{ Calomel, 1-16 gr. }			
{ Guaiacoli Carbonate, 1-4 gr. }			
{ Menthol, 1-16 gr. }		67	6 35
{ Thymol, 1-16 gr. }			
{ Eucalyptol, q. s. }			
VERATRINE.....	1-32 gr.	10	65
VERATRINE.....	1-20 gr.	10	65
VERATRINE.....	1-12 gr.	13	1 00
VERATRINE.....	1-10 gr.	12	90
VERATRINE SULPHATE.....	1-20 gr.	16	1 25
VERATRINE SULPHATE.....	1-10 gr.	25	2 15
VERATRUM ALBUM, Tincture.....	1 min.	10	50
VERATRUM VIRIDE, Tincture.....	1 min.	10	50
VERATRUM VIRIDE, Tincture.....	2 min.	10	55
ZINC PHOSPHIDE.....	1-100 gr.	10	50
ZINC PHOSPHIDE.....	1-50 gr.	10	50
ZINC PHOSPHIDE.....	1-25 gr.	10	50
ZINC PHOSPHIDE.....	1-20 gr.	10	55
ZINC PHOSPHIDE.....	1-10 gr.	10	60
ZINC PHOSPHIDE.....	1-8 gr.	10	60
ZINC PHOSPHIDE.....	1-6 gr.	10	65
ZINC PHOSPHIDE.....	1-4 gr.	11	75
ZINC PHOSPHIDE.....	1-2 gr.	12	85
ZINC PHOSPHIDE and NUX VOMICA.			
{ Zinc Phosphide, 1-10 gr. }			
{ Extr. Nux Vomica, 1-4 gr. }		10	70
ZINC SULPHOCARBOLATE.....	1-4 gr.	10	55
ZINC SULPHOCARBOLATE.....	1-2 gr.	10	55
ZINC SULPHOCARBOLATE.....	1 gr.	10	60

Chocolate-Coated Tablets.

The following list of tablets embraces the leading combinations, and it is hoped that in this form they will be even more acceptable to the medical profession than in their plain or uncoated condition.

The coating is perfectly soluble, it renders the tablets more acceptable to fastidious patients, and the tablets being made by our improved method, disintegrate almost instantly.

	Per Bottle of 100	Per Bottle of 500	Per Bottle of 1000
ACETANILID.....2 grs.	\$ 10	\$ 33	\$ 60
ACETANILID.....5 grs.	14	55	1 05
ACETANILID COMP., No. 1 (see Migraine).			
{ Acetanilid, 2 grs. }			
{ Camphor Monobromated, 1-2 gr. }			
{ Caffeine Citrated, 1-2 gr. }	19	80	1 55
ACETANILID COMP., No. 2.			
{ Acetanilid, 4 grs. }			
{ Sodium Bicarbonate, 3-4 gr. }			
{ Caffeine Citrated, 1-4 gr. }	14	58	1 10
ACID ARSENOUS.....1-50 gr.	12	40	75
ACID ARSENOUS.....1-30 gr.	12	40	75
ALOIN.....1-10 gr.	12	38	70
ALOIN.....1-4 gr.	12	40	75
ALOIN, STRYCHNINE and BELLADONNA.			
{ Aloin, 1-5 gr. }			
{ Strychnine Sulphate, 1-60 gr. }			
{ Extr. Belladonna, 1-8 gr. }	12	45	85
ALOIN and BELLADONNA COMP., No. 2.			
{ Aloin, 1-5 gr. }			
{ Extr. Belladonna, 1-8 gr. }			
{ Strychnine Sulphate, 1-120 gr. }	12	45	85
ALOIN, BELLADONNA and PODOPHYLLIN.			
{ Aloin, 1-8 gr. }			
{ Extr. Belladonna, 1-8 gr. }			
{ Podophyllin, 1-8 gr. }	12	45	85
ALOIN, BELLADONNA, STRYCHNINE and CASCARA SAGRADA.			
{ Aloin, 1-5 gr. }			
{ Extr. Belladonna, 1-8 gr. }			
{ Strychnine, 1-120 gr. }			
{ Extr. Cascara Sagrada, 1-2 gr. }	14	55	1 05
ALOIN, STRYCHNINE, BELLADONNA and IPECAC.			
{ Aloin, 1-5 gr. }			
{ Strychnine Sulphate, 1-60 gr. }			
{ Extr. Belladonna, 1-8 gr. }			
{ Ipecac, powd., 1-16 gr. }	13	50	95
ALOIN and CASCARIN COMP. (Duncan), No. 1.			
{ Aloin, 1-5 gr. }			
{ Cascarin, 1-4 gr. }			
{ Extr. Belladonna, 1-8 gr. }			
{ Strychnine Sulphate, 1-60 gr. }	13	50	95
ALOIN COMP., No. 1.			
{ Aloin, 1-8 gr. }			
{ Podophyllin, 1-8 gr. }	12	40	75
ANODYNE.			
{ Camphor, 1 gr. }			
{ Extr. Hyoscyamus, 1 gr. }			
{ Morphine Acetate, 1-20 gr. }			
{ Oleores. Capsicum, 1-20 gr. }	23	1 00	1 95
ANODYNE COMP.			
{ Acetanilid, 3 1-2 grs. }			
{ Caffeine, 1-2 gr. }			
{ Sodium Bicarb., 1 gr. }	21	93	1 80
ANTALGIC LAXATIVE.			
{ Acetanilid, 2 grs. }			
{ Quinine Sulphate, 1 gr. }			
{ Dover's Powder, 1 1-2 grs. }			
{ Podophyllin, 1-8 gr. }	29	1 30	2 55

CHOCOLATE-COATED TABLETS.

CHOCOLATE-COATED TABLETS.		Per Bottle of 100	Per Bottle of 500	Per Bottle of 1000	
ANTI-CONSTIPATION.					
{ Extr. Cascara Sagrada, 1 gr. Extr. Nux Vomica, 1-8 gr. Extr. Belladonna Leaves, 1-8 gr. Ipecac, powd., 1-8 gr. Podophyllin, 1-8 gr. }		\$ 15	\$ 60	\$1 15	
ANTI-DYSPEPTIC, No. 2.					
{ Strychnine Sulphate, 1-60 gr. Ipecac, powd., 1-10 gr. Capsicum, powd., 1-4 gr. Extr. Rhubarb, 1-4 gr. Extr. Gentian, 1-2 gr. Sodium Bicarbonate, 2 grs. }		13	50	95	
APHRODISIAC.					
{ Extr. Damiana, 2 grs. Extr. Nux Vomica, 1-8 gr. Zinc Phosphide, 1-10 gr. Cantharides, 1-25 gr. }		21	90	1 75	
BLAUD		3 grs.	12	38	70
BLAUD		5 grs.	12	43	80
BLAUD, Modified.					
{ Blaud's Mass, 5 grs. Acid Arsenous, 1-40 gr. }		12	45	85	
BLAUD with NUX VOMICA.					
{ Blaud's Mass, 3 grs. Extr. Nux Vomica, 1-6 gr. }		12	38	70	
BLAUD and SUMBUL COMP.					
{ Blaud's Mass, 3 grs. Extr. Sumbul, 1 gr. Acid Arsenous, 1-60 gr. Strychnine Sulphate, 1-60 gr. }		14	58	1 10	
BRONCHITIS, No. 2.					
{ Tinct. Aconite, 1-5 min. Tinct. Bryonia, 1-10 min. Tinct. Belladonna Leaves, 1-10 min. Antimony, Sulphurated, 1-100 gr. Potassium Bichromate, 1-100 gr. }		12	45	85	
CAFFEINE, Citrated		1 gr.	16	65	1 25
CALCIUM SULPHIDE		1-10 gr.	12	38	70
CALCIUM SULPHIDE		1-4 gr.	12	40	75
CALCIUM SULPHIDE		1-2 gr.	12	40	75
CALCIUM SULPHIDE ...		1 gr.	12	43	80
CALOMEL (Mercurous Chloride, mild).....		1-10 gr.	12	38	70
CALOMEL.....		1-4 gr.	12	40	75
CALOMEL.....		1-2 gr.	12	43	80
CALOMEL.....		1 gr.	12	48	90
CALOMEL.....		2 grs.	15	60	1 15
CALOMEL, IPECAC and SODIUM, No. 1.					
{ Calomel, 1-5 gr. Ipecac, powd., 1-10 gr. Sodium Bicarbonate, 1 gr. }		12	43	80	
CALOMEL and SODIUM, No. 2.					
{ Calomel, 1-2 gr. Sodium Bicarbonate, 1-2 gr. }		12	43	80	
CALOMEL and SODIUM, No. 4.					
{ Calomel, 1 gr. Sodium Bicarbonate, 1 gr. }		12	45	85	
CALOMEL and SODIUM, No. 5.					
{ Calomel, 2 1-2 grs. Sodium Bicarbonate, 2 1-2 grs. }		17	70	1 35	
CALOMEL and SODIUM, No. 6.					
{ Calomel, 1-4 gr. Sodium Bicarbonate, 1 gr. }		12	38	70	
CALOMEL and SODIUM, No. 8.					
{ Calomel, 1-10 gr. Sodium Bicarbonate, 1 gr. }		12	38	70	
CALOMEL, SODIUM and PODOPHYLLIN, No. 1.					
{ Calomel, 1-2 gr. Sodium Bicarbonate, 1-2 gr. Podophyllin, 1-12 gr. }		12	48	90	
CALOMEL, SODIUM and PODOPHYLLIN, No. 2.					
{ Calomel, 1-4 gr. Sodium Bicarbonate, 1-2 gr. Podophyllin, 1-12 gr. }		12	40	75	

CHOCOLATE-COATED TABLETS.

		Per Bottle of 100	Per Bottle of 500	Per Bottle of 1000
CAMPHOR, HYOSCYAMUS and VALERIAN.				
{ Camphor, 1 gr. } { Extr. Hyoscyamus, 1-2 gr. } { Extr. Valerian, 1-2 gr. }				
CASCARA SAGRADA, Extr.	1 gr.	13	53	1 00
CASCARA SAGRADA, Extr.	2 grs.	18	78	1 50
CASCARA SAGRADA, Extr.	3 grs.	22	95	1 85
CASCARA SAGRADA, Extr.	4 grs.	25	1 10	2 15
CASCARA SAGRADA, Extr.	5 grs.	28	1 25	2 45
CASCARIN COMPOUND.				
{ Cascarin, 1-4 gr. } { Aloin, 1-4 gr. } { Podophyllin, 1-4 gr. }				
CATHARTIC, Special.				
{ Aloin, 1-10 gr. } { Podophyllin, 1-5 gr. } { Extr. Colocynth Comp., 1-10 gr. } { Oil, Croton, 1-15 min. } { Extr. Nux Vomica, 1-10 gr. } { Oleoresin Capsicum, 1-120 min. }				
CATHARTIC COMP., Improved.				
{ Extr. Colocynth Comp., 1-3 gr. } { Extr. Jalap, 1-6 gr. } { Podophyllin, 1-12 gr. } { Extr. Gentian, 1-6 gr. } { Leptandrin, 1-12 gr. } { Extr. Hyoscyamus, 1-12 gr. } { Oil Peppermint, q. s. }				
CHLORODYNE.				
{ Morphine Hydrochlorate, 1-6 gr. } { Extr. Cannabis Indica, 1-4 gr. } { Nitroglycerin, 1-300 gr. } { Extr. Hyoscyamus, 1-2 gr. } { Oleoresin Capsicum, 1-10 min. } { Oil Peppermint, 1-10 min. }				
COLD.				
{ Quinine Sulphate, 2 grs. } { Dover's Powder, 2 grs. } { Capsicum, powd., 1-4 gr. } { Tinct. Aconite, 1 min. }				
CORYZA (Kenyon).				
{ Quinine Sulphate, 1-2 gr. } { Camphor, 1-2 gr. } { Morphine Sulphate, 1-64 gr. } { Atropine Sulphate, 1-2000 gr. }				
CORYZA, No. 2.				
{ Quinine Sulphate, 1-2 gr. } { Ammonium Chloride, 1-2 gr. } { Camphor, 1-2 gr. } { Opium, powd., 1-10 gr. } { Extr. Belladonna Leaves, 1-20 gr. } { Extr. Aconite Root, 1-10 gr. }				
CREOSOTE, Beechwood	1-2 min.	12	43	80
CREOSOTE, Beechwood	1 min.	17	70	1 35
CREOSOTE, Beechwood	2 min.	18	78	1 50
CREOSOTE COMP.				
{ Creosote, Beechwood, 1-8 min. } { Cocaine Hydrochlorate, 1-20 gr. } { Cerium Oxalate, 2 grs. } { Pepsin, U. S. P. (1: 3000), 1-4 gr. } { Tinct. Nux Vomica, 1-4 min. }				
CYSTITIS, No. 1.				
{ Acid, Boric, 2 grs. } { Potassium Bicarbonate, 2 grs. } { Extr. Buchu, 1 gr. } { Extr. Couch Grass, 1 gr. } { Extr. Corn Silk, 1-2 gr. } { Extr. Hydrangea, 1-2 gr. } { Atropine Sulphate, 1-500 gr. }				
CYSTITIS, No. 2.				
{ Acid, Benzoic, 3 grs. } { Sodium Borate, 2 grs. } { Extr. Buchu, 1 gr. } { Extr. Couch Grass, 1 gr. } { Extr. Corn Silk, 1-2 gr. } { Extr. Hydrangea, 1-2 gr. } { Atropine Sulphate, 1-500 gr. }				

In ordering our Preparations through dealers, please specify SHARP & DOHME'S.

CHOCOLATE-COATED TABLETS.

		Per Bottle of 100	Per Bottle of 500	Per Bottle of 1000
DAMIANA COMP., No. 1.				
{ Extr. Damiana,	2 grs. }			
{ Phosphorus,	1-30 gr. }	\$ 22	\$ 95	\$ 1 85
{ Extr. Nux Vomica,	1-4 gr. }			
DIARRHEA.				
{ Calomel,	1-8 gr. }			
{ Morphine Sulphate,	1-16 gr. }			
{ Capsicum, powd.,	1-16 gr. }	16	65	1 25
{ Ipecac, powd.,	1-32 gr. }			
{ Camphor,	1-16 gr. }			
DIURETIC.				
{ Digitalis, powd.,	1 gr. }			
{ Potassium Nitrate,	1 gr. }			
{ Extr. Buchu,	1 gr. }	14	55	1 05
{ Squill, powd.,	1 gr. }			
DOVER'S POWDER	1 gr.	13	50	95
DOVER'S POWDER	2 1-2 grs.	15	63	1 20
DOVER'S POWDER	5 grs.	23	1 03	2 00
EMMENAGOGUE, Improved.				
{ Extr. Cotton Root Bark,	1 gr. }			
{ Ergotin,	1 gr. }			
{ Iron Sulphate, dried,	1 gr. }			
{ Extr. Black Hellebore,	1 gr. }	25	1 10	2 15
{ Aloes, purified,	1 gr. }			
{ Oil Savine,	1-4 min. }			
FEVER (Davis).				
{ Tinct. Aconite Root,	1-5 min. }			
{ Tinct. Bryonia,	1-10 min. }	12	40	75
{ Tinct. Belladonna,	1-10 min. }			
FEVER (Kenyon).				
{ Tinct. Aconite,	1 min. }			
{ Tartar Emetic,	1-50 gr. }			
{ Morphine Sulphate,	1-20 gr. }	17	70	1 35
{ Ipecac, powd.,	1-8 gr. }			
FOUR CHLORIDES (Goodell), (Univ. Hosp.*Pharm.)				
{ Iron Chloride,	2-3 gr. }			
{ Quinine Hydrochlorate,	1 gr. }			
{ Arsenic Chloride,	1-64 gr. }	29	1 30	2 55
{ Corrosive Sublimate,	1-48 gr. }			
GONORRHEA.				
{ Cubeb, powd.,	3-4 gr. }			
{ Iron Sulphate, dried,	1-8 gr. }			
{ Copaiba Mass,	1-2 gr. }	16	65	1 25
{ Venice Turpentine,	1-4 gr. }			
{ Oil Sandalwood,	1-10 min. }			
{ Oil Wintergreen,	1-20 min. }			
HEPATIC (Kenyon).				
{ Euonymin,	1-8 gr. }			
{ Calomel,	1-8 gr. }			
{ Podophyllin,	1-20 gr. }	13	50	95
{ Aloin,	1-12 gr. }			
{ Ipecac, powd.,	1-8 gr. }			
IRON, ARSENIC and STRYCHNINE, No. 1.				
{ Iron Reduced,	1 gr. }			
{ Acid, Arsenous,	1-100 gr. }	12	45	85
{ Strychnine Sulphate,	1-60 gr. }			
IRON, ARSENIC and STRYCHNINE, No. 2.				
{ Iron Reduced,	1 gr. }			
{ Acid, Arsenous,	1-50 gr. }	12	48	90
{ Strychnine Sulphate,	1-60 gr. }			
IRON, QUININE and ARSENIC, No. 2.				
{ Iron, Reduced,	1 gr. }			
{ Quinine Sulphate,	1 gr. }	25	1 20	2 35
{ Acid, Arsenous,	1-32 gr. }			
IRON, QUININE and STRYCHNINE, No. 1.				
{ Iron, Reduced,	1-2 gr. }			
{ Quinine Sulphate,	1-2 gr. }	18	75	1 45
{ Strychnine Sulphate,	1-120 gr. }			
IRON, QUININE and STRYCHNINE, No. 2.				
{ Iron, Reduced,	1 gr. }			
{ Quinine Sulphate,	1 gr. }	28	2 25	2 45
{ Strychnine Sulphate,	1-60 gr. }			
IRON and STRYCHNINE COMP.				
{ Iron, Reduced,	1-2 gr. }			
{ Strychnine Sulphate,	1-120 gr. }	18	78	1 50
{ Acid, Arsenous,	1-100 gr. }			
{ Quinine Sulphate,	1-2 gr. }			

CHOCOLATE-COATED TABLETS.

	Per Bottle of 100	Per Bottle of 500	Per Bottle of 1000
MERCURY, Red Iodide.....1-16 gr.	\$ 12	\$ 40	\$ 75
MERCURY, Yellow Iodide.....1-8 gr.	12	43	80
MERCURY, Yellow Iodide.....1-4 gr.	12	45	85
MERCURY, Yellow Iodide1-2 gr.	16	68	1 30
MIGRAINE.			
{ Acetanilid, 2 grs. }			
{ Camphor Monobromated, 1-2 gr. }			
{ Caffeine Citrated, 1-2 gr. }	19	80	1 55
MIXED TREATMENT.			
{ Potassium Iodide, 2 grs. }			
{ Syrup Iron Iodide, 5 min. }			
{ Corrosive Sublimate, 1-64 gr. }	35	1 60	3 15
{ Solution Arsenic & Mercuric Iodide, 2 min. }			
{ Tinct. Nux Vomica, 2 min. }			
MORPHINE SULPHATE.....1-8 gr.	21	90	1 75
MORPHINE SULPHATE.....1-6 gr.	25	1 10	2 15
MORPHINE SULPHATE.....1-4 gr.	33	1 50	2 95
MORPHINE SULPHATE.....1-2 gr.	58	2 75	5 45
MORPHINE and ATROPINE, No. 4.			
{ Morphine Sulphate, 1-4 gr. }			
{ Atropine Sulphate, 1-150 gr. }	35	1 60	3 15
NERVE TONIC, No. 1 (Westbrook).			
{ Zinc Phosphide, 1-10 gr. }			
{ Extr. Nux Vomica, 1-4 gr. }	14	58	1 10
{ Iron, Reduced, 1 gr. }			
NEURALGIC (Kenyon).			
{ Zinc Phosphide, 1-16 gr. }			
{ Strychnine, 1-60 gr. }			
{ Extr. Cannabis Indica, 1-8 gr. }	13	53	1 00
{ Sodium Arsenate, 1-20 gr. }			
{ Aconitine, 1-400 gr. }			
NITROGLYCERIN.....1-100 gr.	12	38	70
NITROGLYCERIN COMP.			
{ Nitroglycerin, 1-200 gr. }			
{ Strychnine, 1-60 gr. }			
{ Fid. Extr. Digitalis, 1 min. }	14	58	1 10
{ Iron, Reduced, 1 gr. }			
{ Tinct. Strophanthus, 3 min. }			
NUX VOMICA, Extract.....1-4 gr.	12	40	75
NUX VOMICA and IGNATIA COMP.			
{ Tinct. Nux Vomica, 1 min. }			
{ Tinct. Ignatia Amara, 1 min. }			
{ Tinct. Cinchona, 5 min. }			
{ Tinct. Chamomile, German, 1 min. }	14	55	1 05
{ Tinct. Gentian, 1 min. }			
{ Tinct. Calumba, 1-2 min. }			
{ Phosphorus, 1-300 gr. }			
{ Aromatic Powder, 1 gr. }			
OPIUM, powd.....1-2 gr.	17	70	1 35
OX GALL COMP.			
{ Ox Gall, inspissated, 1 gr. }			
{ Pancreatin, pure, 1 gr. }			
{ Ext. Colocynth Comp., 1-4 gr. }	31	1 40	2 75
{ Quinine Hydrochlorate, 1-2 gr. }			
{ Ext. Nux Vomica, 1-8 gr. }			
{ Extr. Taraxacum, 1 gr. }			
OX GALL, PEPSIN and PANCREATIN.			
{ Ox Gall, inspissated, 2 grs. }			
{ Pepsin U. S. P. (1:3000), 2 grs. }	63	3 00	5 95
{ Pancreatin, pure, 2 grs. }			
PAREGORIC.....equivalent to 10 min.	13	50	95
PEPSIN, U. S. P. (1:3000).....1 gr.	22	95	1 85
PEPSIN, U. S. P. (1:3000).....2 grs.	33	1 50	2 95
PEPSIN and NUX VOMICA.			
{ Pepsin, U. S. P. (1:3000), 1-10 gr. }			
{ Extr. Nux Vomica, 1-100 gr. }	12	45	85
PEPSIN and PANCREATIN COMP.			
{ Pepsin U. S. P. (1:3000), 1 gr. }			
{ Pancreatin, pure, 1 gr. }			
{ Extr. Nux Vomica, 1-4 gr. }	38	1 75	3 45
{ Oleoresin Ginger, 1-16 min. }			
PODOPHYLLIN.....1-4 gr.	12	45	85

CHOCOLATE-COATED TABLETS.

Per Bottle of 100	Per Bottle of 500	Per Bottle of 1000
-------------------	-------------------	--------------------

QUININE COMP.

{ Quinine Sulphate, 1 gr. }			
{ Iron, Reduced, 1 gr. }			
{ Strychnine Sulphate, 1-40 gr. }	\$ 27	\$1 23	\$2 40
{ Acid, Arsenous, 1-40 gr. }			
{ Oil Black Pepper, 1-3 gr. }			

RHINITIS (Full strength).

{ Camphor, 1-2 gr. }			
{ Fld. Extr. Belladonna, 1-4 min. }	19	80	1 55
{ Quinine Sulphate, 1-2 gr. }			

RHINITIS (Half strength), (Lincoln).

{ Camphor, 1-4 gr. }			
{ Fld. Extr. Belladonna, 1-8 min. }	14	55	1 05
{ Quinine Sulphate, 1-4 gr. }			

SALINE and CHALYBEATE TONIC (Flint).

{ Sodium Chloride, 3 grs. }			
{ Potassium Chloride, 3-20 gr. }			
{ Potassium Sulphate, 1-10 gr. }			
{ Potassium Carbonate, 1-20 gr. }			
{ Sodium Carbonate, 3-5 gr. }	14	55	1 05
{ Magnesium Carbonate, 1-20 gr. }			
{ Calcium Phosphate, precip., 1-2 gr. }			
{ Calcium Carbonate, precip., 1-20 gr. }			
{ Iron, Reduced, 9-20 gr. }			
{ Iron Carbonate, 1-20 gr. }			

SANTONIN and CALOMEL, No. 1.

{ Santonin, 1-2 gr. }	16	68	1 30
{ Calomel, 1-2 gr. }			

SANTONIN and CALOMEL, No. 3.

{ Santonin, 1 gr. }	26	1 15	2 25
{ Calomel, 1 gr. }			

STOMACHIC. (North).

{ Pepsin, U. S. P. (1: 3000), 1-4 gr. }			
{ Charcoal, powd., 1-4 gr. }	12	38	70
{ Extr. Nux Vomica, 1-1 gr. }			
{ Capsicum, powd., 1-4 gr. }			

STRYCHNINE SULPHATE 1-100 gr.

12	38	70
----	----	----

STRYCHNINE SULPHATE 1-60 gr.

12	40	75
----	----	----

STRYCHNINE SULPHATE 1-50 gr.

12	40	75
----	----	----

STRYCHNINE SULPHATE 1-40 gr.

12	43	80
----	----	----

STRYCHNINE SULPHATE 1-30 gr.

12	45	85
----	----	----

STRYCHNINE SULPHATE 1-20 gr.

12	48	90
----	----	----

SUMBUL COMP. (Goodell).

{ Extr. Sumbul, 1 gr. }			
{ Asafetida, 2 grs. }			
{ Iron Sulphate, dried, 1 gr. }	23	70	1 35
{ Acid, Arsenous, 1-40 gr. }			

SUN CHOLERA.

{ Tinct. Opium, 3 min. }			
{ Tinct. Rhubarb, 3 min. }			
{ Tinct. Capsicum, 3 min. }	17	70	1 35
{ Spirit Camphor, 3 min. }			
{ Oil Peppermint, q. s. }			

TONIC (Aiken).

{ Quinine Sulphate, 1 gr. }			
{ Iron, Reduced, 2-3 gr. }			
{ Acid, Arsenous, 1-50 gr. }	24	1 05	2 05
{ Strychnine Sulphate, 1-50 gr. }			
{ Extr. Gentian, 1-4 gr. }			

TONSILLITIS.

{ Tinct. Aconite, 1-5 min. }			
{ Tinct. Bryonia, 1-10 min. }	12	43	80
{ Tinct. Belladonna, 1-10 min. }			
{ Mercury, Red Iodide, 1-100 gr. }			

TULLY'S POWDER..... 2 1-2 grs.

20	88	1 70
----	----	------

TULLY'S POWDER..... 5 grs.

28	2 25	2 45
----	------	------

VIBURNUM COMP. (Uterine Tonic).

{ Extr. Black Haw, 1 gr. }			
{ Extr. Cramp Bark, 1 gr. }			
{ Extr. Unicorn Root, 1-2 gr. }			
{ Extr. Helonias, 1-2 gr. }	24	1 05	2 05
{ Extr. Squaw Vine, 1-2 gr. }			
{ Caulophyllin, 1-4 gr. }			

ZINC PHOSPHIDE and NUX VOMICA.

{ Zinc Phosphide, 1-10 gr. }	12	45	85
{ Extr. Nux Vomica, 1-4 gr. }			

EXPLANATORY NOTES

OF

REFERENCE.

1. ASSAYED FLUID EXTRACTS.

The assaying of drugs is by no means a new feature with us, as we have for many years resorted to assays of the alkaloidal strength of the more important ones at least, as one of the most reliable means of determining their quality in selecting the drugs, and thus securing efficacy and uniformity of strength in our Extracts. It is now generally admitted by authorities on both sides of the Atlantic that the gravimetric method of assay alone, as heretofore generally in use for assaying alkaloidal drugs and galenical preparations, gave results which were not very accurate, as the weighed alkaloids were contaminated to a varying degree with impurities which often could not be removed by the process employed. By the additional method of titration with volumetric acid solution, after careful extraction of the alkaloids, the actual percentage of pure alkaloids present can be definitely determined. The method depends for its usefulness upon the fact that every alkaloid whose molecular weight is known will neutralize a definite quantity of decinormal acid solution; for instance, in the case of Coca Leaves, the molecular weight of Cocaine being 303, each cubic centimeter of decinormal acid used to neutralize the crude alkaloidal residue would indicate 0.0303 gramme of Cocaine. When several alkaloids possessing different molecular weights are present it is customary to assume that the mean of the latter will represent the true molecular weight. Thus 1 cc. of decinormal acid solution is equivalent to 0.0364 gramme of Nux Vomica alkaloids (364 being the mean between 334 and 394, the molecular weights of Strychnine and Brucine respectively). We have therefore adopted the method of titration with volumetric acid solution as our standard of assay, except when otherwise stated.

2. ACONITINE TABLETS AND PILLS.

It was established in our laboratory that only one of the aconitines in this market was anything like pure aconitine, melting point 197°-198° C. (see A. R. L. Dohme, Proc. Amer. Pharm. Assoc., 1895, vol. 43, page 206). This product we use in all our tablets and pills of Aconitine, and we are certain of its uniform efficacy. Literature forwarded upon application.

3. ACONITUM NAPELLUS.

Our Fluid Extract Aconite Root contains 0.5 per cent. alkaloids, but according to Jurgues only half of this is aconitine. Aconite leaves also contain 0.5 per cent. alkaloids, but very little of this is aconitine. They are rich in Aconitic Acid. Our Fluid Extracts of Aconite respond thoroughly to the well known physiological test.

4. ALOES.

We assay all our Aloes and use only such as contains at least 20 per cent. of crystallized aloin.

5. ALOIN, S. & D.

We make a perfectly pure aloin possessing a lemon yellow color and hence free from extractive and resin. The success of our well known Lapactic Pills is in no small measure due to the quality of the aloin they contain.

6. ANESTHETIC TABLETS FOR PRODUCING ANESTHESIA BY INFILTRATION ACCORDING TO SCHLEICH.

We manufacture these hypodermic tablets in six strengths for the extemporaneous production of solutions used in the method of Dr. Schleich. Literature sent upon application. For formulæ and prices see page 57.

7. APIOL—GREEN S. & D.—RED S. & D.

Green Apiol is the oleoresin of Parsley Seed, while our red Apiol is the true active principle of Parsley and is the pure camphor known generally as Apiolin. Parsley Seed contains 20 per cent. of green oleoresin, but only 1.5 per cent. of the Parsley camphor Apiolin sp. gr. 1.079.

8. BERBERINE AND SALTS.

The alkaloids and concentrations of *Hydrastis Canadensis* are frequently misnamed, hydrastin being a concentration containing both hydrastine and berberine alkaloids, and hydrastin salts being really a mixture of hydrastine and berberine salts yellow in color. Our alkaloids, the white hydrastine and the golden yellow berberine and all their salts respectively of the same color are perfectly pure and beautifully crystalline.

9. BROOM CORN SEED.

Sorghum Saccharatum is a valuable and pronounced diuretic and demulcent, being especially recommended in irritable bladder, cystitis and difficult micturition. See also Lithiated *Sorghum Compound*. Literature mailed upon application.

10. BUCHU LEAF.

Many physicians and pharmacists formerly preferred the long leaf *B. serratifolia* to the short leaf *B. betulina*. As investigation, however, demonstrated that the short leaf was richer in oil than the long leaf, the latter has virtually been superseded by the short leaf. *Buchu serratifolia* contains 0.75 to 1.0 per cent. essential oil, and *Buchu betulina* contains 1 to 1.5 per cent. essential oil. The green leaves contain the largest percentage of oil, the perfectly yellow leaves yielding but very little oil.

11. CAROBA LEAF—JACARANDA PROCERA.

This plant is a native of Brazil, where it is known to possess powerful alterative, diuretic and tonic properties. It, like *Manaca*, has a specific action upon the secretory glands and markedly increases their activity. It has been analyzed and from it have been obtained Carobin, Carobic Acid, Steo-Carobic Acid, Carobene and Caroba balsam and other substances. Which of these is the active principle is not known.

12. CASCARA SAGRADA—RHAMNUS PURSHIANA.

Our F. E. Cascara Sagrada is the richest in extractive and our F. E. Cascara Sagrada Aromatized is a full strength fluid extract and unusually palatable and active therapeutically. This is due to our careful selection of the bark, wherein age is not the only desideratum, and to the fact that we have thoroughly and exhaustively studied Cascara, and as the result know the best means of exhausting the drug of all its effective ingredients. Since it has been exhibited in a palatable form either as Fluid Extract of Cascara Sagrada free from bitterness or Fluid Extract Cascara Sagrada Aromatized, the once valid objection to its bitter taste no longer exists. In our laboratory the active principle of the drug has been isolated and has been named by us Purshianin to distinguish it from the various preparations named Cascarin that have been put upon the market. Just as in the case of Ergot, where Ergotin is not the active principle of the drug, so in Cascara Sagrada, Cascarin is neither the active principle nor even a chemical compound, but a mixture, in fact, a concentration of Cascara Sagrada. Monographs on "The Chemistry of Cascara Sagrada" and "Cascara Sagrada" furnished upon application.

13. CHAPARRO AMARGOSO, CASTELA NICHOLSINI.

This drug is indigenous to Texas and Mexico, where it is regarded as practically a specific for acute and chronic diarrhea and dysentery. It is mainly an antiseptic astringent, and, due to its bitterness, incidentally a tonic. We present it to the profession either as a bitter fluid extract or as an aromatized fluid extract of the same full strength as the former, also in pill form. Literature furnished upon application.

14. COCA LEAF. ERYTHROXYLON COCA.

The value of this drug as a tonic and stimulant in cases of nervous depression and physical and mental exhaustion is unquestioned. We use the leaves of a variety *Erythroxylon Bolivianum*, commonly known as Huanuco Coca, because it has been found by us after years of observation embracing hundreds of assays that this variety is richer in Cocaine than the variety *Erythroxylon Spruceanum* known as Truxillo Coca. The latter possesses the richer flavor, being richer in oils, and we use it only as far as it is necessary to bring the assay of the *E. Bolivianum*, which usually exceeds 0.5 per cent. Cocaine, down to the latter standard, which we have adopted.

15. COCAINE TABLETS FOR MAKING EXTEMPORANEOUS SOLUTIONS.

We call particular attention to the purity of the Cocaine used in the manufacture of our Cocaine tablets for making extemporaneous solutions, to their perfect solubility, accuracy and the economy of both drug and time by using tablets of known strength, especially in cases of emergency.

16. COD LIVER OIL.

We are careful in selecting the very best Norwegian Oil and guarantee our plain oil and emulsion to be absolutely pure and free of any admixture of other oils. Our Emulsion is guaranteed to contain 50 per cent. of cod liver oil, and will be found permanent, palatable and pure.

17. CORN SILK—STIGMATA MAYDIS.

As a demulcent in inflammation of the bladder and painful micturition it is hardly surpassed by any other drug. It also possesses diuretic properties.

18. DIGITALIS.

Recent investigations of Keller have shown that the active principle of *Digitalis* is digitoxin, and the examination of digitalis leaves from various parts of Europe has shown that they vary from 0.20 to 0.60 per cent. in digitoxin. We assay our digitalis and have adopted 0.35 per cent. digitoxin as our standard strength, and our F. E. *Digitalis* will therefore always be of the same digitoxin strength.

19. DISINTEGRATING TABLETS.

These tablets disintegrate into powder as soon as they enter a liquid, as, for instance, the contents of the stomach. They therefore have all of the advantages and none of the disadvantages of powders.

20. ECHINACEA ANGUSTIFOLIA.

This drug has been highly lauded, especially by eclectic physicians, as an alterative of unquestionable merit and a valuable remedy in all syphilitic and scrofulous conditions. It grows in the central Western States, and we are prepared to furnish a preparation of it made from freshly gathered drug.

21. EPHEDRA TRIFURCA.

Also known as *Ephedra anti-syphilitica*; it is a shrub that grows largely in the Southwestern United States and has been used with success in gonorrhea.

22. ERGOT.

As we were the first to apply assaying to this drug on the basis of its active principle, the cornutine of Keller (see A. R. L. Dohme, Proc. Amer. Pharm. Assoc., vol. 4, page 263) we use only Ergot that has been found to contain at least 0.25 per cent. of this alkaloid, and as only Spanish Ergot has been found to yield this amount of cornutine, we use it exclusively. We do not hence regard the amount of extractive yielded by Ergot as a criterion of its value and efficacy. Literature sent upon application.

23. ERGOTOLE, S. & D.

Was introduced by us about ten years ago and represents the acme of Ergot preparations, as it is made from prime Spanish Ergot, and is uniform in efficacy, and, since all irritating constituents have been removed, it can be used hypodermically without danger of forming abscesses. It acts when injected hypodermically more promptly than any other preparation of Ergot. Our monograph on Ergotole will be mailed upon application.

24. FERRO-MANGANESE PEPTONATE, S. & D.

Is an assayed preparation of the peptonized albuminates of iron and manganese, each fluidounce of which contains 1.5 per cent. of metallic iron and 0.75 per cent. of metallic manganese in the form of neutral peptonized albuminates. It is generally admitted that iron in small doses is more readily assimilable than in large doses, and in our palatable Ferro-Manganese Peptonate all the conditions are observed for a perfect, readily assimilable, palatable iron preparation. It is eminently adapted for cases of anemia, chlorosis, general debility, and convalescence from wasting diseases. It does not blacken the teeth. Literature forwarded upon application.

25. GOLDEN SEAL—HYDRASTIS CANADENSIS.

We always assay all of our Golden Seal preparations, and have adopted 2 per cent. Hydrastine as the standard for our Fluid Extract.

26. HYDRIODIC ACID—CONCENTRATED SOLUTION 10 PER CENT.

It is assayed and of uniform strength, keeps perfectly and indefinitely, and enables the pharmacist to make syrup Hydiiodic Acid as required. This is convenient and economical, inasmuch as it prevents the loss of any syrup Hydiiodic Acid, which is an unstable preparation and usually spoils before the entire contents of the bottle has been used up.

27. HYPODERMIC TABLETS.

The universally acknowledged superiority of our soluble hypodermic tablets is due to the fact that they are instantaneously soluble, absolutely uniform and reliable and they never produce abscesses. Every ingredient that enters into their composition is critically examined before it is used, and every lot of tablets is carefully tested as to solubility and identity before being packaged. Our "Brief Summary of Hypodermic Medication," which gives a concise, complete, up-to-date statement of the effects and doses of the various medicaments employed hypodermically to advantage, mailed upon application.

28. LAPACTIC PILLS.

The peculiar efficiency of our Lapactic Pills is in a great measure due to the purity of the Aloin manufactured in our laboratory, their special coating and perfect solubility. They act promptly, efficiently, and without causing griping.

29. LITHIATED SORGHUM COMPOUND.

This preparation is composed of Broomcorn Seed, a very powerful diuretic and demulcent to the mucous lining of the ureters and bladder, Corn Silk whose value as a diuretic is well known, Saw Palmetto whose selective action upon the prostate gland makes it a valuable constituent of this preparation, Hydrangea Root well adapted as an emollient diuretic, and Benzo-Citrate of Lithium, one of the most efficient remedies in the uric acid diathesis. In cases of difficult urination, acute or chronic cystitis and pyelitis, general dropsy, gout and rheumatism, Lithiated Sorghum Comp. will be found to be a most effective and palatable remedy.

30. LITHIUM CITRATE TABLETS -EFFERVESCENT.

In the uric acid diathesis and rheumatic gout, renal calculi or albuminuria, these tablets are of great value. They are rapidly soluble, and from them can be made a lithia water of known strength in a few minutes. We make them of two strengths, 3 and 5 grains. Literature mailed upon request.

31. MANACA ROOT.

This Brazilian drug has been termed *mercurio vegetal* (the vegetable mercury) because of its marked alterative properties. It appears from a mass of clinical evidence to be practically a specific in rheumatism and scrofula, and we have introduced it in our ideal tonic alterative, *Mel-Maroba*, where its beneficial effects are promptly experienced and its unpleasant bitter taste is completely disguised. *Manaca* has been analyzed by Erwin without, however, isolating any active principle, and although Dragendorff has reported an alkaloid as contained in *Manaca Root*, this has as yet never been confirmed.

32. MATERIA MEDICA SPECIMENS.

As we have been frequently called upon to supply to institutions and students of pharmacy a complete assortment of specimens of standard official and other drugs, we offer them in a uniform set of neat lacquered tin boxes. The labels bear a number only so that students may familiarize themselves with the drug without the assistance that would be given by a label bearing the botanical name and other data relative to the drug. By reference to a chart giving the common name, botanical name, natural order, habitat, therapy and medicinal properties of each drug in the cabinet which accompanies it, the student may verify his conclusions and in this way practically acquaint himself with those drugs most generally used in pharmacy.

33. MEL-MAROBA, S. & D.

Contains *Manaca*, *Caroba*, *Stillingia* and *Potassium Iodide*, and has a true honey flavor without its extreme sweetness. *Manaca Root* is known as the vegetable mercury. *Caroba* is a very active and efficient alterative, while *Stillingia* is well known for its tonic alterative properties. No doubt exists either as to the merit of *Potassium Iodide* as an alterative, and in *Mel-Maroba* its metallic taste is entirely obliterated and is unrecognizable. Literature sent upon application.

34. MUIRAPUAMA—LIRIOSMA OVATA.

Indigenous to Brazil, this root enjoys in its home the reputation of being a more effective aphrodisiac than *damiana*. We are prepared to supply it in the form of fluid extract.

35. PAN-PEPTIC TABLETS AND PAN-PEPTIC ELIXIR.

These preparations, besides being exceptionally palatable, are assayed, hence are always uniform in strength. We use for both the elixir and tablets our soluble inodorous *Webber-Pepsin*, which is double the strength of the U. S. P. *Pepsin*, and also a *Pancreatin* of our own make that is both pure and efficient. For the summer complaints of children the elixir is a very effective and easily administered remedy. The tablets are especially recommended after a heavy meal and as an appetizer before meals.

37. PODOPHYLLIN, S. & D.

We call attention to the bright yellow color of our *Podophyllin*. The yield of *Podophyllin* can be increased by using a weaker alcoholic menstruum, exhausting the *mandrake root*, and the price hence decreased, but the increased yield obtained is not *Podophyllin*. It is extractive and decreases the therapeutic value of the *Podophyllin* in proportion to the extent of its presence. It also makes the color of the *Podophyllin* darker and more of a brown to green color.

38. POMEGRANATE, BARK OF ROOT—PUNICA GRANATUM.

This drug enjoys a reputation as an effective *taeniicide*. Some cases have been reported in which it failed to act, and this is unquestionably due to the fact that the bark used in making the fluid extract was old. Freshly gathered bark with a green fracture is necessary to produce positive results, hence we use only bark that has recently been gathered and has a fresh green fracture.

39. RESINS, FLUID EXTRACTS OF.

Some years ago we devised and originated a method of making permanent full strength fluid extracts of the several resins and gum resins of the pharmacopoeia, including Asafetida, Aloes and Myrrh, Benzoin, Benzoin Comp., Capsicum and Myrrh, Catechu, Catechu Comp., Guaiac, Kino, Lavender Comp., Myrrh, and Tolu. These preparations met with the success they deserved, and have since practically all been made official in the U. S. Pharmacopoeia.

40. SANTAL OIL AND SANTALETTS.

Much of the Santal Oil offered for sale is adulterated with oil of cedar and other substances. We have, hence, for some time been distilling our own oil from sandalwood logs imported from India. Our oil has a specific gravity of 0.979 and is absolutely pure. We use it in all of our capsules of Santal Oil and its combinations, and hence can earnestly recommend them for their efficacy and reliability. The same is also true of our Santalets which are pearls of gelatin containing 5 minims of pure Santal Oil.

41. SAW PALMETTO COMP. ELIXIR.

This preparation exhibits in a palatable form the medicinal properties of Saw Palmetto, Corn Silk and Sandalwood. As the oleoresin is the efficient ingredient in Saw Palmetto, we assay the berries and use only such as will assay at least 18 per cent. of oleoresin.

42. SOLUBLE FLUID EXTRACTS, FULL STRENGTH OF DRUG.

These soluble fluid extracts differ from those made from oils in actually representing pound for pound of drug and hence being full strength fluid extracts. Among them are included soluble fluid extract Celery Seed, Coca Leaf and Tolu. By a special method of treatment those constituents of the drug that are not freely soluble in water, syrups, elixirs, etc., are removed without at the same time removing any of the flavoring strength. They are especially adapted to the ready manufacture of Coca Wine, Syrup Tolu, etc.

SOLUBLE FLUID EXTRACTS FROM OILS.

These soluble fluid extracts embracing Anise, Fennel, Lemon, Rose and Peppermint, enable the pharmacist to easily prepare syrups, waters, ointments, etc. They are made from the best grade of essential oils by our own process, and will be found to possess a very rich and pure flavor.

43. STROPHANTHUS.

This drug should be assayed, as its active principle, Strophanthin, is a very active substance physiologically, and preparations of it may vary very widely, unless a standard is established. We use only the Strophanthus Kombé, which will assay at least 0.75 per cent. Strophanthin.

An Alphabetical List

Of Botanical and Official Names, and their English Synonyms as used in our price list to designate our Fluid Extracts, Pressed Herbs, etc.

Botanical Names.	English Synonyms.
Acacia Catechu	Catechu.
Achillea Millefolium.....	Yarrow.
Aconitum Napellus.....	Aconite, (Monk's Hood).
Acorus Calamus.....	Calamus root, (Sweet Flag).
Adiantum pedatum.....	Maiden-hair.
Adonis vernalis	False Hellebore.
Ægle Marmelos	Bael fruit.
Aesculus glabra.....	Buckeye bark.
Aesculus hippocastanum.....	Horse-chestnut bark.
Agrimonia Eupatoria.....	Agrimony.
Agropyrum repens, (Triticum repens)	Couch-grass, (Dog-grass).
Ailanthus glandulosa.....	Tree of Heaven, (Chinese Sumach).
Aletris farinosa	Unicorn root, true, (Star Grass).
Alkanna tinctoria.....	Alkanet root.
Allium sativum	Garlic.
Alnus rubra	Tag Alder.
Aloe socotrina.....	Aloes.
Alpinia officinarum	Galangal.
Alstonia scholaris.....	Dita bark.
Althæa officinalis	Marshmallow root.
Ampelopsis quinquefolia, (Vitis quinquefolia).....	American Ivy.
Anacyclus Pyrethrum, (A. Atropurpurea).....	Pellitory root.
Anagallis arvensis	Red chickweed.
Anemone Pulsatilla.....	Pulsatilla.
Anthemis nobilis.....	Chamomile, Roman.
Apium graveolens	Celery seed.
Apocynum androsaemifolium.....	Bitter root.
Apocynum cannabinum.....	Canadian Hemp, (Black Indian Hemp).
Aralia hispida	Dwarf Elder.
Aralia nudicaulis.....	Sarsaparilla, American.
Aralia racemosa.....	Spikenard.
Archangelica officinalis	Angelica root.
Arctium Lappa, (Lappa officinalis)	Burdock seed or root.
Arctostaphylos glauca.....	Manzanita leaves.
Arctostaphylos Uva-ursi	Uva Ursi, (Bearberry).
Areca Catechu.....	Areca nut.
Aristolochia Serpentaria	Virginia Snakeroot.
Arnica montana	Arnica flowers or root.
Artemisia Abrotanum	Southern wood.
Artemisia Absinthium	Wormwood.
Artemisia vulgaris.....	Mugwort.
Arum triphyllum, (Arisæma triphyllum).....	Indian or Wild Turnip.
Asarum canadense.....	Canada Snakeroot, (Wild Ginger).
Asclepias incarnata.....	Indian Hemp, White.
Asclepias syriaca	Silk (or Milk) Weed.
Asclepias tuberosa.....	Pleurisy root.
Asparagus officinalis.....	Asparagus.
Aspidium; Filix-mas	Male Fern.
Aspidosperma Quebracho-blanco.....	Quebracho.
Atropa Belladonna	Belladonna, (Deadly Night-shade).
Avena sativa	Oats.
Baptisia tinctoria	Wild Indigo.

Barosma betulina	Buchu, short leaf.
Barosma serratifolia	Buchu, long leaf.
Berberis Aquifolium	Oregon Grape Root.
Berberis vulgaris	Barberry bark.
Betonica officinalis, (Stachys Betonica)	Wood Betony.
Boletus laricis, (Polyporus officinalis)	Agaric.
Bryonia alba	Bryony.
Cactus grandiflorus, (Cereus grandiflorus)	Night-blooming cereus.
Calendula officinalis	Calendula, (Marigold).
Canella alba	Canella.
Cannabis sativa, (Cannabis indica)	Indian Hemp, (Foreign).
Cantharis vesicatoria	Cantharides.
Capsella Bursa-pastoris	Shepherd's purse.
Capsicum	Cayenne Pepper.
Carthamus tinctorius	American Saffron, (Safflower).
Carum Carui, (Carvi)	Caraway.
Cassia acutifolia	Senna, Alexandria.
Castanea dentata	Chestnut leaves.
Caulophyllum thalictroides	Blue Cohosh.
Ceanothus americanus	Red Root, (Jersey Tea).
Celastrus scandens	False Bittersweet.
Centaurea benedicta, (Carduus benedictus) ...	Blessed Thistle.
Cephaëlis Ipecacuanha	Ipecac.
Cephalanthus occidentalis	Button Bush.
Cercis canadensis	Judas-tree bark.
Chelidonium majus	Garden Celandine.
Chelone glabra	Balmoney.
Chenopodium anthelminticum	Wormseed.
Chenopodium Botrys	Jerusalem Oak.
Chicorium Intybus	Chicory.
Chimaphila umbellata	Pipsissewa, (Prince's Pine).
Chionanthus virginica	Fringe-tree bark.
Chondodendron tomentosum	Pareira Brava.
Cicuta maculata	Water Hemlock.
Cimicifuga racemosa	Black Cohosh.
Cinchona pallida	Cinchona, pale.
Cinchona rubra	Cinchona, red.
Cinnamomum Cassia	Cassia bark.
Cinnamomum Zeylanicum	Cinnamon bark.
Citrullis Colocynthis	Colocynth.
Citrullus vulgaris	Watermelon seed.
Citrus Aurantium	Orange Peel, Sweet.
Citrus Limonum	Lemon peel.
Citrus vulgaris	Orange peel, bitter.
Claviceps purpurea	Ergot.
Cocculus indicus	Fishberries.
Cochlearia Armoracia	Horse-radish.
Coffea arabica	Coffee.
Cola acuminata	Kola nut.
Colchicum autumnale	Colchicum root or seed.
Collinsonia canadensis	Stone root.
Commiphora Myrrha	Myrrh.
Comptonia asplenifolia, (Myrica Comptonia) ...	Sweet Fern.
Conium maculatum	Conium, (Poison Hemlock).
Convallaria majalis	Lily of the Valley flowers or root.
Coptis trifolia	Gold Thread.
Corallorhiza odontorhiza	Crawley root.
Coriandrum sativum	Coriander.
Cornus florida	Dogwood bark, (Boxwood).
Croton Eluteria	Cascarilla.
Cucurbita Pepo	Pumpkin seed.
Cunila mariana	Dittany.
Curcuma longa	Turmeric.
Cypripedium pubescens	Ladies'-slipper.
Cytisus Scoparius	Broom top.
Daphne Mezereum	Mezereum, (Mezereon bark).

<i>Datura Stramonium</i>	<i>Stramonium leaves, (Jimson weed).</i>
<i>Daucus Carota</i>	<i>Carrot seed, wild.</i>
<i>Delphinium Consolida</i>	<i>Larkspur seed.</i>
<i>Delphinium Staphisagria</i>	<i>Stavesacre seed.</i>
<i>Dicentra canadensis, (Corydalis)</i>	<i>Turkey Corn.</i>
<i>Digitalis purpurea</i>	<i>Foxglove.</i>
<i>Dioscorea villosa</i>	<i>Wild Yam.</i>
<i>Diospyros virginiana</i>	<i>Persimmon bark.</i>
<i>Dipteryx odorata</i>	<i>Tonka bean.</i>
<i>Drosera rotundifolia</i>	<i>Sundew.</i>
<i>Echinacea angustifolia</i>	<i>Echinacea.</i>
<i>Elettaria Cardamomum</i>	<i>Cardamom.</i>
<i>Ephedra Trifurca or Antisyphilitica</i>	<i>Mountain Rush.</i>
<i>Epigæa repens</i>	<i>Gravel-plant.</i>
<i>Epiphegus virginiana</i>	<i>Cancer-root.</i>
<i>Equisetum hyemale</i>	<i>Scouring Rush.</i>
<i>Erechtites hieracifolia</i>	<i>Fireweed.</i>
<i>Erigeron canadense</i>	<i>Erigeron, Canada, (Fleabane).</i>
<i>Eriodictyon glutinosum</i>	<i>Yerba Santa.</i>
<i>Eryngium yuccæfolium, (E. aquaticum)</i>	<i>Water Eryngo.</i>
<i>Erythraea Centaury</i>	<i>Centaury, foreign.</i>
<i>Erythroxylon Coca</i>	<i>Coca leaves.</i>
<i>Eucalyptus globulus</i>	<i>Eucalyptus.</i>
<i>Eugenia aromatica, (Caryophyllus aromaticus)</i> .	<i>Cloves.</i>
<i>Eugenia Chequen</i>	<i>Chekan.</i>
<i>Euonymus atropurpureus</i>	<i>Wahoo, bark of root</i>
<i>Eupatorium perfoliatum</i>	<i>Boneset.</i>
<i>Eupatorium purpureum</i>	<i>Queen of the meadow.</i>
<i>Fabiana imbricata</i>	<i>Pichi.</i>
<i>Ferula fetida</i>	<i>Asafetida. *</i>
<i>Ferula Sumbul</i>	<i>Musk-root, Sumbul.</i>
<i>Fœniculum capillaceum</i>	<i>Fennel seed.</i>
<i>Franciscea uniflora, (Brunfelsia Hopeana)</i>	<i>Manaca.</i>
<i>Frankenia grandifolia</i>	<i>Yerba Reuma.</i>
<i>Fraxinus americana</i>	<i>American Ash, White.</i>
<i>Fraxinus sambucifolia</i>	<i>Black Ash.</i>
<i>Fucus vesiculosus</i>	<i>Bladder (or Sea) Wrack.</i>
<i>Fumaria officinalis</i>	<i>Fumitory.</i>
<i>Galipea Cusparia</i>	<i>Angustura.</i>
<i>Galium Aparine</i>	<i>Cleavers.</i>
<i>Gaultheria procumbens</i>	<i>Wintergreen.</i>
<i>Gelsemium sempervirens</i>	<i>Gelsemium.</i>
<i>Gentiana lutea</i>	<i>Gentian.</i>
<i>Gentiana quinqueflora</i>	<i>Five-flowered Gentian.</i>
<i>Geranium maculatum</i>	<i>Cranesbill.</i>
<i>Geum rivale</i>	<i>Avens root.</i>
<i>Gillenia trifoliata</i>	<i>Indian Physic.</i>
<i>Glycyrrhiza glabra</i>	<i>Liquorice root.</i>
<i>Gnaphalium polycephalum</i>	<i>Life Everlasting.</i>
<i>Gonolobus Cundurango</i>	<i>Condurango.</i>
<i>Gossypium herbaceum</i>	<i>Cotton root bark.</i>
<i>Gratiola officinalis</i> ...	<i>Hedge Hyssop.</i>
<i>Grindelia robusta</i>	<i>Grindelia.</i>
<i>Guaiaci resina</i>	<i>Guaiac.</i>
<i>Guaiacum officinale</i>	<i>Guaiac Wood.</i>
<i>Hæmatoxylon campechianum</i>	<i>Logwood</i>
<i>Hagenia abyssinica, (Brayera anthelmintica)</i> ...	<i>Kousso, (Cusso).</i>
<i>Hamamelis virginica</i>	<i>Witch Hazel, bark or leaves</i>
<i>Hedeoma pulegioides</i>	<i>Pennyroyal.</i>
<i>Helianthemum canadense</i>	<i>Frostwort.</i>
<i>Helleborus niger</i>	<i>Black Hellebore.</i>
<i>Helonias dioica</i>	<i>False Unicorn, (Helonias).</i>
<i>Hepatica triloba, (Anemone Hepatica)</i>	<i>Liverwort.</i>
<i>Humulus Lupulus</i>	<i>Hops, (Lupulin).</i>
<i>Hydrangea arborescens</i>	<i>Hydrangea.</i>
<i>Hydrastis canadensis</i>	<i>Golden-seal, (Hydrastis).</i>

<i>Hyoscyamus niger</i>	<i>Henbane.</i>
<i>Hypericum perforatum</i>	<i>St. John's Wort.</i>
<i>Hyssopus officinalis</i>	<i>Hyssop.</i>
<i>Inula Helenium</i>	<i>Elecampane.</i>
<i>Ipomoea Jalapa</i>	<i>Jalap.</i>
<i>Iris florentina</i>	<i>Orris-root.</i>
<i>Iris versicolor</i>	<i>Blue Flag.</i>
<i>Jacaranda procera</i>	<i>Caroba leaves.</i>
<i>Jateorhiza palmata</i>	<i>Calumba, (Columbo).</i>
<i>Jeffersonia diphylla</i>	<i>Twinleaf.</i>
<i>Juglans cinerea</i>	<i>Butternut.</i>
<i>Juglans nigra</i>	<i>Walnut leaves, black.</i>
<i>Juglans regia</i>	<i>Walnut leaves, English.</i>
<i>Juniperus communis</i>	<i>Juniper berries.</i>
<i>Juniperus Sabina</i>	<i>Savine, (Savin).</i>
<i>Kalmia latifolia</i>	<i>Sheep Laurel, (Mountain Laurel).</i>
<i>Krameria triandra</i>	<i>Rhatany.</i>
<i>Lactuca sativa</i>	<i>Lettuce.</i>
<i>Lactuca virosa</i>	<i>Lactucarium.</i>
<i>Larix americana</i>	<i>Tamarac bark.</i>
<i>Laurus nobilis</i>	<i>Bay Laurel.</i>
<i>Lavandula vera</i>	<i>Lavender.</i>
<i>Leonurus Cardiaca</i>	<i>Motherwort.</i>
<i>Leptandra virginica, (Veronica virginica)</i>	<i>Culver's root.</i>
<i>Levisticum officinale, (Ligusticum Levisticum)</i>	<i>Lovage.</i>
<i>Liatris odoratissima</i>	<i>Deer tongue.</i>
<i>Liatris spicata</i>	<i>Button Snakeroot.</i>
<i>Lindera Benzoin, (Benzoin odoriferum)</i>	<i>Feverbush.</i>
<i>Liquidambar styraciflua</i>	<i>Sweet-gum bark.</i>
<i>Liriodendron Tulipifera</i>	<i>Whitewood bark.</i>
<i>Lobelia inflata</i>	<i>Lobelia.</i>
<i>Lycopus virginicus</i>	<i>Bugleweed.</i>
<i>Magnolia glauca</i>	<i>Magnolia bark.</i>
<i>Mallotus philippinensis</i>	<i>Kamala.</i>
<i>Marrubium vulgare</i>	<i>Horehound.</i>
<i>Matricaria Chamomilla</i>	<i>Chamomile, German.</i>
<i>Melissa officinalis</i>	<i>Lemon-balm.</i>
<i>Menispermum canadense</i>	<i>Yellow Parilla.</i>
<i>Mentha piperita</i>	<i>Peppermint.</i>
<i>Mentha viridis</i>	<i>Spearmint.</i>
<i>Menyanthes trifoliata, (Trifolii fibrini)</i>	<i>Buckbean.</i>
<i>Micromeria Douglassii</i>	<i>Yerba Buena.</i>
<i>Mikania Guaco</i>	<i>Guaco leaves.</i>
<i>Mitchella repens</i>	<i>Squaw Vine.</i>
<i>Mitella nuda</i>	<i>Coolwort.</i>
<i>Monarda punctata</i>	<i>Horsemint.</i>
<i>Myrica cerifera</i>	<i>Bayberry.</i>
<i>Myristica fragrans</i>	<i>Nutmeg.</i>
<i>Nepeta Cataria</i>	<i>Catnep.</i>
<i>Nepeta Glechoma</i>	<i>Ground-ivy.</i>
<i>Nymphaea odorata</i>	<i>Lily Root, white.</i>
<i>Ocimum Basilicum</i>	<i>Sweet Basil.</i>
<i>Oenanthe Phellandrium</i>	<i>Water-fennel seed.</i>
<i>Oenothera biennis</i>	<i>Evening Primrose.</i>
<i>Origanum Majorana</i>	<i>Sweet Marjoram.</i>
<i>Osmunda regalis</i>	<i>Buckhorn brake.</i>
<i>Papaver somniferum</i>	<i>Poppy heads or leaves.</i>
<i>Para-Coto</i>	<i>Coto bark.</i>
<i>Passiflora incarnata</i>	<i>Passion Flower.</i>
<i>Paullinia sorbilis</i>	<i>Guarana.</i>
<i>Penthorum sedoides</i>	<i>Virginia Stonecrop.</i>
<i>Petroselinum sativum</i>	<i>Parsley-seed.</i>
<i>Peumus Boldus</i>	<i>Boldo leaves.</i>
<i>Phoradendron flavescens, (Viscum album)</i>	<i>Mistletoe.</i>
<i>Physostigma venenosum</i>	<i>Calabar bean.</i>
<i>Phytolacca decandra</i>	<i>Poke root or berries.</i>

<i>Picræna excelsa</i>	<i>Quassia.</i>
<i>Picramnia</i>	<i>Cascara Amarga.</i>
<i>Pilocarpus Selloanus</i>	<i>Jaborandi.</i>
<i>Pimenta officinalis</i>	<i>Allspice.</i>
<i>Pimpinella Anisum</i>	<i>Anise seed.</i>
<i>Pimpinella Saxifraga</i>	<i>Saxifrage.</i>
<i>Pinus canadensis</i>	<i>Hemlock Spruce bark.</i>
<i>Pinus Strobus</i>	<i>White Pine bark.</i>
<i>Piper angustifolium, (Artanthe elongata)</i>	<i>Matico.</i>
<i>Piper Cubeba</i>	<i>Cubeb.</i>
<i>Piper methysticum</i>	<i>Kava-kava.</i>
<i>Piper nigrum</i>	<i>Black Pepper.</i>
<i>Piscidia Erythrina</i>	<i>Jamaica Dogwood.</i>
<i>Plantago major</i>	<i>Plantain leaves.</i>
<i>Podophyllum peltatum</i>	<i>Mandrake (Mayapple).</i>
<i>Polemonium reptans</i>	<i>Abscess root.</i>
<i>Polygala Senega</i>	<i>Senega.</i>
<i>Polygonatum officinale</i>	<i>Solomon's Seal.</i>
<i>Polygonum Punctatum</i>	<i>Water Pepper.</i>
<i>Polymnia Uvedalia</i>	<i>Bearsfoot.</i>
<i>Polytrichum juniperinum</i>	<i>Haircap Moss.</i>
<i>Populus Candicans</i>	<i>Balm of Gilead buds.</i>
<i>Populus tremuloides</i>	<i>Poplar bark.</i>
<i>Prinos verticillatus, (Ilex verticillata)</i>	<i>Black Alder.</i>
<i>Prunus persica</i>	<i>Peach leaves.</i>
<i>Prunus virginiana, (serotina)</i>	<i>Wild Cherry bark.</i>
<i>Ptelea trifoliata</i>	<i>Wafer-ash.</i>
<i>Pterocarpus Marsupium</i>	<i>Kino.</i>
<i>Pterocarpus santalinus</i>	<i>Red Saunders.</i>
<i>Pulmonaria officinalis</i>	<i>Lungwort.</i>
<i>Punica Granatum</i>	<i>Pomegranate, Bark of root.</i>
<i>Pycnanthemum montana</i>	<i>Mountain-mint.</i>
<i>Pyrethrum Parthenium</i>	<i>Feverfew.</i>
<i>Pyrus Maius</i>	<i>Apple-tree bark.</i>
<i>Quercus alba</i>	<i>White Oak bark.</i>
<i>Quercus lusitanica</i>	<i>Nutgall.</i>
<i>Quercus rubra</i>	<i>Red Oak bark.</i>
<i>Quillaja saponaria</i>	<i>Soap-tree bark.</i>
<i>Rhamnus catharticus</i>	<i>Buckthorn berries.</i>
<i>Rhamnus Frangula</i>	<i>Buckthorn bark.</i>
<i>Rhamnus Purshiana</i>	<i>Cascara Sagrada.</i>
<i>Rhaphidophora vitiensis</i>	<i>Tonga.</i>
<i>Rheum officinale</i>	<i>Rhubarb.</i>
<i>Rhus aromatica</i>	<i>Sweet Sumach.</i>
<i>Rhus glabra</i>	<i>Sumach bark or berries.</i>
<i>Rhus Toxicodendron</i>	<i>Poison Oak.</i>
<i>Ricinus communis</i>	<i>Castor leaves.</i>
<i>Rosa gallica</i>	<i>Rose leaves, red.</i>
<i>Rosmarinos officinalis</i>	<i>Rosemary.</i>
<i>Rubus canadensis</i>	<i>Dewberry root.</i>
<i>Rubus strigosus</i>	<i>Raspberry leaves.</i>
<i>Rubus villosus</i>	<i>Blackberry root.</i>
<i>Rumex Acetosella</i>	<i>Sheep Sorrel.</i>
<i>Rumex Crispus</i>	<i>Yellow Dock.</i>
<i>Ruta graveolens</i>	<i>Rue.</i>
<i>Sabal serrulata, (Serenoa serrulata)</i>	<i>Saw Palmetto.</i>
<i>Sabbatia angularis</i>	<i>Centaury, Red, (American).</i>
<i>Sabbatia Elliottii</i>	<i>Quinine-flower.</i>
<i>Salix alba</i>	<i>White Willow bark.</i>
<i>Salix nigra</i>	<i>Black Willow buds or bark.</i>
<i>Salvia officinalis</i>	<i>Sage.</i>
<i>Sambucus canadensis</i>	<i>Elder flowers.</i>
<i>Sambucus nigra</i>	<i>Elder-bark.</i>
<i>Sanguinaria canadensis</i>	<i>Blood-root.</i>
<i>Santalum album</i>	<i>Sandal-wood.</i>
<i>Saponaria officinalis</i>	<i>Soapwort.</i>

<i>Sarracenia flava</i>	<i>Trumpet-plant.</i>
<i>Sarracenia purpurea</i>	<i>Pitcher-plant.</i>
<i>Sassafras variifolium</i>	<i>Sassafras.</i>
<i>Satureia hortensis</i>	<i>Summer-savory.</i>
<i>Scrophularia nodosa</i>	<i>Figwort.</i>
<i>Scutellaria lateriflora</i>	<i>Sculleap.</i>
<i>Semen santonici</i>	<i>Wormseed, Levant.</i>
<i>Senecio aureus</i>	<i>Life-root.</i>
<i>Senecio gracilis</i>	<i>Senecio.</i>
<i>Serpentaria</i>	<i>Virginia Snakeroot.</i>
<i>Sesamum indicum</i>	<i>Benne leaves.</i>
<i>Silphium laciniatum</i>	<i>Rosin-weed.</i>
<i>Simaruba officinalis</i> , (<i>S. amara</i>)	<i>Simaruba bark.</i>
<i>Smilax medica</i>	<i>Sarsaparilla, Mexican.</i>
<i>Smilax officinalis</i>	<i>Sarsaparilla, Honduras.</i>
<i>Smilax Sarsaparilla</i> , (<i>S. Pseudo-China</i>)	<i>Bamboo-brrier root.</i>
<i>Solanum Carolinense</i>	<i>Horse-nettle.</i>
<i>Solanum Dulcamara</i>	<i>Bittersweet.</i>
<i>Solidago odora</i>	<i>Golden-rod.</i>
<i>Sorghum saccharatum</i>	<i>Broom-corn seed.</i>
<i>Spigelia marilandica</i>	<i>Pink-root.</i>
<i>Spiræa tomentosa</i>	<i>Hardhack.</i>
<i>Statice Limonium</i>	<i>Marsh-rosemary.</i>
<i>Stigmata Maydis</i>	<i>Corn-silk.</i>
<i>Stillingia sylvatica</i>	<i>Stillingia.</i>
<i>Strophanthus hispidus</i>	<i>Strophanthus.</i>
<i>Strychnos Ignatii</i>	<i>Ignatia.</i>
<i>Strychnos Nux-vomica</i>	<i>Nux Vomica.</i>
<i>Stylosanthes elatior</i>	<i>Pencil-flower</i>
<i>Swertia Chirata</i>	<i>Chirata.</i>
<i>Symphytum officinale</i>	<i>Comfrey.</i>
<i>Symplocarpus foetidus</i>	<i>Skunk Cabbage.</i>
<i>Tanacetum vulgare</i>	<i>Double Tansy.</i>
<i>Taraxacum officinale</i>	<i>Dandelion.</i>
<i>Thea chinensis</i> (<i>Camellia Thea</i>)	<i>Tea.</i>
<i>Thuja occidentalis</i>	<i>Arbor Vitæ.</i>
<i>Thymus vulgaris</i>	<i>Thyme.</i>
<i>Toluifera Balsamum</i>	<i>Tolu.</i>
<i>Trifolium pratense</i>	<i>Red Clover-tops.</i>
<i>Trillium Erectum</i>	<i>Bethroot.</i>
<i>Triticum repens</i>	<i>Couch-grass, (Dog-grass).</i>
<i>Turnera microphylla</i>	<i>Damiana.</i>
<i>Tussilago Farfara</i>	<i>Coltsfoot.</i>
<i>Ulmus fulva</i>	<i>Elm-bark.</i>
<i>Urginea maritima</i>	<i>Squill.</i>
<i>Urtica dioica</i>	<i>Nettle.</i>
<i>Ustilago Maydis</i>	<i>Smut-corn, (Corn Ergot).</i>
<i>Valeriana officinalis</i>	<i>Valerian.</i>
<i>Veratrum Album</i>	<i>White Hellebore.</i>
<i>Veratrum Viride</i>	<i>American Hellebore.</i>
<i>Verbascum Thapsus</i>	<i>Mullein leaves.</i>
<i>Verbena hastata</i>	<i>Vervain.</i>
<i>Viburnum dentatum</i>	<i>Arrow-wood.</i>
<i>Viburnum Opulus</i>	<i>Cramp-bark.</i>
<i>Viburnum prunifolium</i>	<i>Black Haw.</i>
<i>Viola tricolor</i>	<i>Pansy.</i>
<i>Viscum Album</i>	<i>Mistletoe.</i>
<i>Xanthium Spinosum</i>	<i>Spiny Clotbur.</i>
<i>Xanthoxylum americanum</i> , (<i>X. Clava-Herculis</i>)	<i>Prickly Ash berries or bark.</i>
<i>Zingiber officinale</i>	<i>Jamaica Ginger.</i>

FORMULÆ.

To prepare extemporaneously, from our Fluid Extracts, the Syrups, Tinctures, Vinegars, Wines, Infusions, etc., of the U. S. P. and American Dispensatory.

As our Fluid Extracts thoroughly represent one ounce of the respective drug in each fluidounce, the Syrups, Tinctures and Wines made from them will be fully equal to the preparations made direct from a prime article of the crude drug.

SYRUPS.

BLACKBERRY (U. S. P.)

Take of Fld. Extr. Blackberry (U. S. P.).....	4 fl. ozs.
Simple Syrup	12 fl. ozs.

BLOOD ROOT (Amer. Disp.)

Take of Fld. Extr. Blood Root (U. S. P.).....	4 fl. ozs.
Acid, Acetic	1-2 fl. oz.
Simple Syrup.....	11 1-2 fl. ozs.

COFFEE (Amer. Disp.)

Take of Fld. Extr. Coffee for Syrup	2 fl. ozs.
Simple Syrup.....	14 fl. ozs.

GINGER (U. S. P.)

Take of Fld. Extr. Ginger, Soluble.....	1 fl. oz.
Simple Syrup	15 fl. ozs.

HOREHOUND COMP. (Amer. Disp.)

Take of Fld. Extr. Horehound Comp.....	4 fl. ozs.
Simple Syrup	12 fl. ozs.

HYDRANGEA (Amer. Disp.)

Take of Fld. Extr. Hydrangea.....	4 fl. ozs.
Simple Syrup	12 fl. ozs.

IPECAC (U. S. P.)

Take of Fld. Extr. Ipecac (U. S. P.)	1 fl. oz.
Acid, Acetic.....	1 fl. drm.
Glycerin.....	1 1-2 fl. ozs.
Simple Syrup	q. s. to make 14 fl. ozs.
Mix.	

LIQUORICE (Germ. Pharm.)

Take of Fld. Extr. Liquorice for Quinine Mixtures.....	2 fl. ozs.
Simple Syrup	14 fl. ozs.

LOBELIA (Amer. Disp.)

Take of Fld. Extr. Lobelia (U. S. P.).....	1 fl. oz.
Acid, Acetic	1 fl. oz.
Simple Syrup	14 fl. ozs.
Mix.	

MARSHMALLOW (U. S. P.), Althæa Root.

Take of Fld. Extr. Marshmallow Root.....	1-2 fl. oz.
Glycerin	1 fl. oz.
Simple Syrup	8 1-2 fl. ozs.
Mix.	

ORANGE PEEL (U. S. P.)

Take of Fld. Extr. Orange Peel for Syrup.....	1-2 fl. oz.
Alcohol	1-2 fl. oz.
Simple Syrup	9 fl. ozs.
Mix.	

POPPY (Br. P.)

Take of Fld. Extr. Poppy Heads.....	5 fl. ozs.
Simple Syrup	10 fl. ozs.

PARTRIDGE BERRY COMP., Mother's Cordial, (Amer. Disp.)

Take of Fld. Extr. Squaw Vine.....	4 fl. ozs.
Fld. Extr. Helonias.....	1 fl. oz.
Fld. Extr. Cramp Bark (U. S. P.).....	1 fl. oz.
Fld. Extr. Blue Cohosh.....	1 fl. oz.
Simple Syrup.....	25 fl. ozs.
Mix.	

QUEEN'S ROOT, Stillingia, (Amer. Disp.)

Take of Fld. Extr. Stillingia (U. S. P.).....	3 fl. ozs.
Fld. Extr. Prickly Ash Berries.....	1 1-2 fl. ozs.
Simple Syrup	13 1-2 fl. ozs.
Mix.	

QUEEN'S ROOT COMP., Stillingia Comp., (Amer. Disp.)

Take of Fld. Extr. Stillingia Comp.....	4 fl. ozs.
Simple Syrup	12 fl. ozs.

RHATANY (U. S. P.)

Take of Fld. Extr. Rhatany (U. S. P.).....	4 1-2 fl. ozs.
Simple Syrup	5 1-2 fl. ozs.

RHUBARB (U. S. P.)

Take of Fld. Extr. Rhubarb (U. S. P.).....	1 fl. oz.
Spirits Cinnamon (U. S. P.)	18 min.
Potassium Carbonate.....	45 grs.
Water	1-2 fl. oz.
Glycerin.....	1-2 fl. oz.
Simple Syrup	8 fl. ozs.
Dissolve the Potassium Carbonate in the water and add to the other ingredients previously mixed.	

RHUBARB, Aromatic (U. S. P.)

Take of Fld. Extr. Rhubarb, Aromatic.....	1 1-2 fl. ozs.
Simple Syrup	8 1-2 fl. ozs.

FORMULÆ—SYRUPS, TINCTURES.

RHUBARB and POTASSIUM, Neutralizing Cordial, (Amer. Disp.)

Take of Fld. Extr. Rhubarb and Potassium.....4 fl. ozs.
Simple Syrup14 fl. ozs.

ROSE (U. S. P.)

Take of Fld. Extr. Rose Leaves, Red (U. S. P.).....1 1-4 fl. ozs.
Simple Syrup.....8 3-4 fl. ozs.

SARSAPARILLA COMP. (U. S. P.)

Take of Fld. Extr. Sarsaparilla Comp. for Syrup.....4 fl. ozs.
Simple Syrup12 fl. ozs.

SENEGA (U. S. P.)

Take of Fld. Extr. Senega (U. S. P.).....2 fl. ozs.
Simple Syrup8 fl. ozs.

SENNA (U. S. P.)

Take of Fld. Extr. Senna Alexandria (U. S. P.)2 1-2 fl. ozs.
Simple Syrup...7 1-2 fl. ozs.
Oil Coriander.....23 min.
Mix well.

SQUILL (U. S. P.)

Take of Fld. Extr. Squill (U. S. P.).....1 fl. oz.
Acid, Acetic1 fl. oz.
Simple Syrup18 fl. ozs.
Mix.

SQUILL COMP. (U. S. P.)

Take of Fld. Extr. Squill Comp.....1 3-4 fl. ozs.
Tartar Emetic10 grs.
Hot Water1-4 fl. oz.
Simple Syrup8 fl. ozs.
Dissolve Tartar Emetic in the hot water and add to Fld. Extr.
and Simple Syrup previously mixed.

TAR (U. S. P.)

Take of Fld. Extr. Tar, Soluble.....2 fl. ozs.
Simple Syrup.....14 fl. ozs.

TOLU (U. S. P.)

Take of Fld. Extr. Tolu, Soluble.....1 fl. oz.
Simple Syrup9 fl. ozs.

WILD CHERRY BARK (U. S. P.)

Take of Fld. Extr. Wild Cherry Bark, Procter's Modified.....3 fl. ozs.
Glycerin.....1 fl. oz.
Simple Syrup6 fl. ozs.
Mix.

TINCTURES.

ACONITE LEAVES (U. S. P. 1870).

Take of Fld. Extr. Aconite Leaves.....2 fl. ozs.
Alcohol, Diluted14 fl. ozs.

ACONITE ROOT (U. S. P.)

Take of Fld. Extr. Aconite Root, (U. S. P.)3 1-2 fl. ozs.
Alcohol5 fl. ozs.
Water.....1 1-2 fl. ozs.
Mix the Alcohol and Water and add the Fld. Extract.

FORMULÆ—TINCTURES.

ALOES (U. S. P.)

Take of Fld. Extr. Aloes.....	2 fl. ozs.
Fld. Extr. Liquorice Root (U. S. P.).....	2 fl. ozs.
Alcohol, Diluted.....	6 fl. ozs.
Mix.	

ALOES and MYRRH (U. S. P.)

Take of Fld. Extr. Aloes and Myrrh	2 1-2 fl. ozs.
Fld. Extr. Liquorice Root (U. S. P.).....	1 fl. oz.
Alcohol.....	5 1-2 fl. ozs.
Water.....	1 fl. oz.
Mix the Alcohol and Water and add the Fluid Extracts.	

ARNICA FLOWERS (U. S. P.)

Take of Fld. Extr. Arnica Flowers.....	2 fl. ozs.
Alcohol, Diluted	8 fl. ozs.

ARNICA ROOT (U. S. P.)

Take of Fld. Extr. Arnica Root (U. S. P.).....	1 fl. oz.
Alcohol, Diluted	9 fl. ozs.

ASAFETIDA (U. S. P.)

Take of Fld. Extr. Asafetida.....	4 fl. ozs.
Alcohol.....	6 fl. ozs.

BELLADONNA LEAVES (U. S. P.)

Take of Fld. Extr. Belladonna Leaves ...	1 1-2 fl. ozs.
Alcohol, Diluted.....	8 1-2 fl. ozs.

BENZOIN (U. S. P.)

Take of Fld. Extr. Benzoin.....	2 1-2 fl. ozs.
Alcohol.....	7 1-2 fl. ozs.

BENZOIN COMP. (U. S. P.)

Take of Fld. Extr. Benzoin Comp.....	5 fl. ozs.
Alcohol	10 fl. ozs.

BLACK COHOSH (U. S. P.)

Take of Fld. Extr. Black Cohosh (U. S. P.).....	2 fl. ozs.
Alcohol.....	7 fl. ozs.
Water.....	1 fl. oz.
Mix the Alcohol and Water and add the Fld. Extract.	

BLACK HELLEBORE (U. S. P. 1870).

Take of Fld. Extr. Black Hellebore.....	2 fl. ozs.
Alcohol, Diluted	14 fl. ozs.

BLOOD ROOT (U. S. P.)

Take of Fld. Extr. Blood Root (U. S. P.).....	1 1-2 fl. ozs.
Alcohol	6 fl. ozs.
Water.....	2 1-2 fl. ozs.
Mix the Alcohol and Water and add the Fld. Extract.	

BLOOD ROOT COMP. (Amer. Disp.)

Take of Fld. Extr. Blood Root (U. S. P.)	2 fl. ozs.
Fld. Extr. Lobelia (U. S. P.)	2 fl. ozs.
Fld. Extr. Skunk Cabbage.....	2 fl. ozs.
Alcohol, 70 per cent.....	26 fl. ozs.
Mix.	

BLUE FLAG (Amer. Disp.)

Take of Fld. Extr. Blue Flag (U. S. P.).....	3 fl. ozs.
Alcohol, 70 per cent.....	13 fl. ozs.

BRYONY (U. S. P.)

Take of Fld. Extr. Bryony.....	1 fl. oz.
Alcohol	7 fl. ozs.
Water	2 fl. ozs.
Mix the Alcohol and Water and add the Fluid Extract.	

BUCHU (Br. P.)

Take of Fld. Extr. Buchu (U. S. P.).....	2 fl. ozs.
Alcohol, 70 per cent.....	14 fl. ozs.

CALABAR BEAN (U. S. P.)

Take of Fld. Extr. Calabar Bean.....	1 1-2 fl. ozs.
Alcohol.....	8 1-2 fl. ozs.

CALENDULA (U. S. P.)

Take of Fld. Extr. Calendula.....	2 fl. ozs.
Alcohol, Diluted	8 fl. ozs.

CALUMBA (U. S. P.)

Take of Fld. Extr. Calumba (U. S. P.).....	1 fl. oz.
Alcohol	5 1-2 fl. ozs.
Water	3 1-2 fl. ozs.
Mix the Alcohol and Water and add the Fluid Extract.	

CANNABIS INDICA (U. S. P.)

Take of Fld. Extr. Cannabis Indica (U. S. P.).....	1 1-2 fl. ozs.
Alcohol	8 1-2 fl. ozs.

CANTHARIDES (U. S. P.)

Take of Fld. Extr. Cantharides.....	1 fl. oz.
Alcohol	19 fl. ozs.

CARDAMOM (U. S. P.)

Take of Fld. Extr. Cardamom.....	1 fl. oz.
Alcohol, Diluted	9 fl. ozs.

CARDAMOM COMP. (U. S. P.)

Take of Fld. Extr. Cardamom Comp.....	2 fl. ozs.
Alcohol, Diluted	14 fl. ozs.

CASCARILLA (Br. P.)

Take of Fld. Extr. Cascarilla.....	2 1-2 fl. ozs.
Alcohol, Diluted	13 1-2 fl. ozs.

CATECHU COMP. (U. S. P.)

Take of Fld. Extr. Catechu Comp.....	3 fl. ozs.
Alcohol, Diluted	7 fl. ozs.

CAYENNE PEPPER (U. S. P.)

Take of Fld. Extr. Cayenne Pepper (U. S. P.).....	1 fl. oz.
Alcohol	17 fl. ozs.
Water	2 fl. ozs.
Mix the Alcohol and Water and add the Fluid Extract.	

CHIRATA (U. S. P.)

Take of Fld. Extr. Chirata (U. S. P.).....1 1-2 fl. ozs.
Alcohol, Diluted.....14 1-2 fl. ozs.

CINCHONA (U. S. P.)

Take of Fld. Extr. Cinchona (U. S. P.).....2 fl. ozs.
Alcohol6 fl. ozs.
Water2 fl. ozs.
Mix the Alcohol and Water and add the Fluid Extract.

CINCHONA COMP. (U. S. P.)

Take of Fld. Extr. Cinchona Comp. (for Tinct. U. S. P.)2 1-2 fl. ozs.
Alcohol.....5 1-2 fl. ozs.
Water.....2 fl. ozs.
Mix the Alcohol and Water and add the Fluid Extract.

CINNAMON (U. S. P.)

Take of Fld. Extr. Cinnamon Bark1 fl. oz.
Glycerin1-2 fl. oz.
Alcohol6 1-2 fl. ozs.
Water.....2 fl. ozs.
Mix the Glycerin, Alcohol and Water and add the Fld. Extr.

COLCHICUM SEED (U. S. P.)

Take of Fld. Extr. Colchicum Seed (U. S. P.).....1 1-2 fl. ozs.
Alcohol.....5 fl. ozs.
Water3 1-2 fl. ozs.
Mix the Alcohol and Water and add the Fluid Extract.

CONIUM LEAVES.

Take of Fld. Extr. Conium Leaves.....2 fl. ozs.
Alcohol, Diluted14 fl. ozs.

CONIUM SEED (U. S. P. 1880).

Take of Fld. Extr. Conium Fruit (U. S. P.).....1 1-2 fl. ozs.
Alcohol, Diluted.....8 1-2 fl. ozs.

CUBEB (U. S. P.)

Take of Fld. Extr. Cubeb (U. S. P.).....2 fl. ozs.
Alcohol8 fl. ozs.

CULVER'S (Amer. Disp.)

Take of Fld. Extr. Culver's Root (U. S. P.).....3 fl. ozs.
Alcohol, Diluted13 fl. ozs.

DIGITALIS (U. S. P.)

Take of Fld. Extr. Digitalis (U. S. P.).....1 1-2 fl. ozs.
Alcohol, Diluted.....8 1-2 fl. ozs.

ERGOT (Amer. Disp.)

Take of Fld. Extr. Ergot (U. S. P.).....8 fl. ozs.
Alcohol, Diluted12 fl. ozs.

ERGOT (Br. P.)

Take of Fld. Extr. Ergot (U. S. P.).....5 fl. ozs.
Alcohol, Diluted14 fl. ozs.

GALLS (U. S. P.)

Take of Fld. Extr. Nut Gall.....	2 fl. ozs.
Glycerin	1 fl. oz.
Alcohol	6 fl. ozs.
Water	1 fl. oz.
Mix the Glycerin, Alcohol and Water and add the Fld. Extr.	

GELSEMIUM (U. S. P.)

Take of Fld. Extr. Gelsemium (U. S. P.).....	1 1-2 fl. ozs.
Alcohol	7 fl. ozs.
Water	1 1-2 fl. ozs.
Mix the Alcohol and Water and add the Fld. Extract.	

GENTIAN COMP. (U. S. P.)

Take of Fld. Extr. Gentian Comp.....	1 1-2 fl. ozs.
Alcohol, Diluted	8 1-2 fl. ozs.

GINGER (U. S. P.)

Take of Fld. Extr. Ginger (U. S. P.).....	2 fl. ozs.
Alcohol	8 fl. ozs.

GOLDEN SEAL (U. S. P.)

Take of Fld. Extr. Golden Seal (U. S. P.).....	2 fl. ozs.
Alcohol, Diluted	8 fl. ozs.

GUAIAC (U. S. P.)

Take of Fld. Extr. Guaiac.....	4 fl. ozs.
Alcohol.....	12 fl. ozs.

GUAIAC, Ammoniated, (U. S. P.)

Take of Fld. Extr. Guaiac.....	4 fl. ozs.
Spirits Ammonia, Aromatic.....	12 fl. ozs.

HENBANE (U. S. P.)

Take of Fld. Extr. Henbane (U. S. P.).....	1 1-2 fl. ozs.
Alcohol, Diluted	8 1-2 fl. ozs.

HOPS (U. S. P.)

Take of Fld. Extr. Hops.....	2 fl. ozs.
Alcohol, Diluted	8 fl. ozs.

IGNATIA (U. S. P. 1880).

Take of Fld. Extr. Ignatia.....	1 fl. oz.
Alcohol	9 fl. ozs.

INDIAN HEMP, Foreign. (See Cannabis Indica.)

JALAP (U. S. P. 1870).

Take of Fld. Extr. Jalap.....	3 fl. ozs.
Alcohol, 60 per cent.....	13 fl. ozs.

KINO (U. S. P.)

Take of Fld. Extr. Kino.....	2 fl. ozs.
Glycerin	1 fl. oz.
Alcohol	5 fl. ozs.
Water	2 fl. ozs.
Mix the Glycerin, Alcohol and Water and add the Fld. Extr.	

LAVENDER COMP. (U. S. P.)

Take of Fld. Extr. Lavender Comp.....	2 fl. ozs.
Alcohol, 85 per cent.....	14 fl. ozs.

FORMULÆ—TINCTURES.

LEMON PEEL (Br. P.)

Take of Fld. Extr. Lemon Peel.....	2 1-2 fl. ozs.
Alcohol, 60 per cent.....	13 1-2 fl. ozs.

LOBELIA (U. S. P.)

Take of Fld. Extr. Lobelia (U. S. P.).....	2 fl. ozs.
Alcohol, Diluted	8 fl. ozs.

LUPULIN (U. S. P. 1870).

Take of Fld. Extr. Lupulin (U. S. P.).....	2 fl. ozs.
Alcohol	14 fl. ozs.

MANDRAKE (Amer. Disp.)

Take of Fld. Extr. Mandrake (U. S. P.).....	3 fl. ozs.
Alcohol, 70 per cent.....	13 fl. ozs.

MATICO (U. S. P.)

Take of Fld. Extr. Matico (U. S. P.).....	1 fl. oz.
Alcohol, 60 per cent.....	9 fl. ozs.

MUSKROOT (U. S. P.)

Take of Fld. Extr. Muskroot.....	1 fl. oz.
Alcohol	8 fl. ozs.
Water	1 fl. oz.

MYRRH (U. S. P.)

Take of Fld. Extr. Myrrh.....	2 fl. ozs.
Alcohol	8 fl. ozs.

MYRRH and CAPSICUM (Amer. Disp.)

(Hot Drops, No. 6.)

Take of Fld. Extr. Myrrh and Capsicum.....	1 1-2 fl. ozs.
Alcohol	14 1-2 fl. ozs.

NUX VOMICA (U. S. P.)

Take of Fld. Extr. Nux Vomica (U. S. P.).....	2 fl. ozs.
Alcohol	6 fl. ozs.
Water	2 fl. ozs.
Mix the Alcohol and Water and add the Fld. Extract.	

OPIUM (U. S. P.)

Take of Fld. Extr. of Opium for making Laudanum.....	4 fl. ozs.
Alcohol, Diluted.....	12 fl. ozs.

OPIUM, Camphorated (U. S. P.)

Take of Fld. Extr. Opium, Camphorated.....	2 fl. ozs.
Alcohol, Diluted.....	14 fl. ozs.

ORANGE PEEL, Bitter, (U. S. P.)

Take of Fld. Extr. Orange Peel, Bitter, (U. S. P.).....	2 fl. ozs.
Alcohol, Diluted	8 fl. ozs.

ORANGE PEEL, Sweet, (U. S. P.)

Take of Fld. Extr. Orange Peel, Sweet.....	2 fl. ozs.
Alcohol, Diluted	8 fl. ozs.

PELLITORY ROOT, (Pyrethrum), (U. S. P.)

Take of Fld. Extr. Pellitory Root.....	2 fl. ozs.
Alcohol	8 fl. ozs.

POKE ROOT (Amer. Disp.)

Take of Fld. Extr. Poke Root.....	3 fl. ozs.
Alcohol, Diluted	13 fl. ozs.

PRICKLY ASH BERRIES (Amer. Disp.)

Take of Fld. Extr. Prickly Ash Berries.....	4 fl. ozs.
Alcohol, 85 per cent.....	12 fl. ozs.

PULSATILLA (Amer. Disp.)

Take of Fld. Extr. Pulsatilla.....	8 fl. ozs.
Alcohol	6 fl. ozs.
Water	2 fl. ozs.
Mix the Alcohol and Water and add the Fld. Extract.	

QUASSIA (U. S. P.)

Take of Fld. Extr. Quassia (U. S. P.).....	1 fl. oz.
Alcohol	3 1-2 fl. ozs.
Water	5 1-2 fl. ozs.
Mix the Alcohol and Water and add the Fld. Extract.	

RHATANY (U. S. P.)

Take of Fld. Extr. Rhatany (U. S. P.).....	2 fl. ozs.
Alcohol, Diluted	8 fl. ozs.

RHUBARB (U. S. P.)

Take of Fld. Extr. Rhubarb (U. S. P.).....	1 fl. oz.
Fld. Extr. Cardamom.....	1 1-2 fl. dr'ms.
Glycerin	1 fl. oz.
Alcohol.....	5 1-4 fl. ozs.
Water.....	2 1-2 fl. ozs.
Mix the Glycerin, Alcohol and Water and add the Fld. Extrs.	

RHUBARB COMP. (Amer. Disp.)

Take of Fld. Extr. Rhubarb Comp.....	3 fl. ozs.
Alcohol, Diluted	13 fl. ozs.

RHUBARB, Sweet, (U. S. P.)

Take of Fld. Extr. Rhubarb, Sweet.....	2 fl. ozs.
Glycerin	1 fl. oz.
Alcohol, Diluted	7 fl. ozs.
Mix the Glycerin and Alcohol and add the Fld. Extract.	

SAVINE (Br. P.)

Take of Fld. Extr. Savine (U. S. P.)	2 1-2 fl. ozs.
Alcohol.....	16 1-2 fl. ozs.

SENEGA (Br. P.)

Take of Fld. Extr. Senega (U. S. P.).....	2 1-2 fl. ozs.
Alcohol, Diluted	13 1-2 fl. ozs.

SENNA (Br. P.)

Take of Fld. Extr. Senna (U. S. P.).....	2 1-2 fl. ozs.
Fld. Extr. Coriander.....	1-2 fl. oz.
Fld. Extr. Caraway	1-2 fl. oz.
Seedless Raisins.....	2 ozs.
Alcohol, Diluted sufficient to make	16 fl. ozs.

SENNA COMP. (Amer. Disp.)

Take of Fld. Extr. Senna Comp.....	2 fl. ozs.
Seedless Raisins	1 1-2 ozs.
Alcohol, Diluted	14 fl. ozs.

FORMULÆ—TINCTURES.

SERPENTARIA (U. S. P.)

Take of Fld. Extr. Serpentaria (U. S. P.).....	1 fl. oz.
Alcohol, Diluted	9 fl. ozs.

SHEEP LAUREL (Amer. Disp.)

Take of Fld. Extr. Sheep Laurel.....	3 fl. ozs.
Alcohol, Diluted	13 fl. ozs.

SKUNK CABBAGE (Amer. Disp.)

Take of Fld. Extr. Skunk Cabbage.....	3 fl. ozs.
Alcohol, Diluted	13 fl. ozs.

SQUILL (U. S. P.)

Take of Fld. Extr. Squill (U. S. P.).....	1 1-2 fl. ozs.
Alcohol, Diluted	8 1-2 fl. ozs.

STAVESACRE SEED (Amer. Disp.)

Take of Fld. Extr. Stavesacre Seed.....	5 fl. ozs.
Alcohol	3 fl. ozs.

STILLINGIA, Queen's Root, (Amer. Disp.)

Take of Fld. Extr. Stillingia (U. S. P.).....	3 fl. ozs.
Alcohol, 70 per cent.....	13 fl. ozs.

STRAMONIUM SEED (U. S. P.)

Take of Fld. Extr. Stramonium Seed (U. S. P.).....	1 1-2 fl. ozs.
Alcohol, 60 per cent.....	8 1-2 fl. ozs.

TOLU (U. S. P.)

Take of Fld. Extr. Tolu for making Tincture.....	2 fl. ozs.
Alcohol	8 fl. ozs.

TURKEY CORN (Amer. Disp.)

Take of Fld. Extr. Turkey Corn.....	3 fl. ozs.
Alcohol, Diluted	13 fl. ozs.

VALERIAN (U. S. P.)

Take of Fld. Extr. Valerian (U. S. P.).....	2 fl. ozs.
Alcohol	6 fl. ozs.
Water	2 fl. ozs.
Mix the Alcohol and Water and add the Fld. Extract.	

VALERIAN, Ammoniated, (U. S. P.)

Take of Fld. Extr. Valerian (U. S. P.).....	2 fl. ozs.
Spirits Ammonia, Aromatic.....	8 fl. ozs.

VERATRUM VIRIDE (U. S. P.)

Take of Fld. Extr. Veratrum Viride (U. S. P.).....	4 fl. ozs.
Alcohol	6 fl. ozs.

WATER PEPPER (Amer. Disp.)

Take of Fld. Extr. Water Pepper.....	4 fl. ozs.
Alcohol, 60 per cent.....	12 fl. ozs.

YELLOW JASMINE (Amer. Disp.).

Take of Fld. Extr. Gelsemium (Green Root).....	4 fl. ozs.
Alcohol.....	12 fl. ozs.

YELLOW JASMINE (U. S. P.). (See Gelsemium.)

ALCOHOLS.

Formulæ for mixing Alcohols of the various strengths named in preparing Tinctures.

DILUTED ALCOHOL.

Take of Strong Alcohol1 part.
Water1 part.

SIXTY PER CENT. ALCOHOL.

Take of Strong Alcohol.....5 parts.
Water.....3 parts.

SEVENTY PER CENT. ALCOHOL.

Take of Strong Alcohol6 parts.
Water2 parts.

EIGHTY-FIVE PER CENT. ALCOHOL.

Take of Strong Alcohol7 parts.
Water.....1 part.

For ALCOHOL use 94 per cent.

VINEGARS.

BLOOD ROOT (U. S. P. 1880).

Take of Fld. Extr. Blood Root (U. S. P.).....1 fl. oz.
Acid, Acetic, Diluted.....9 fl. ozs.
Mix and filter.

LOBELIA (U. S. P. 1880).

Take of Fld. Extr. Lobelia (U. S. P.).....1 fl. oz.
Acid, Acetic, Diluted.....9 fl. ozs.
Mix and filter.

SQUILL (U. S. P.)

Take of Fld. Extr. Squill (U. S. P.)1 fl. oz.
Acid, Acetic, Diluted9 fl. ozs.
Mix and filter.

WINES.

ALOE (U. S. P. 1880).

Take of Fld. Extr. Aloe1 1-2 fl. ozs.
Fld. Extr. Cardamom1 fl. dr'm.
Fld. Extr. Ginger (U. S. P.)1 fl. dr'm.
Sherry Wine.....11 fl. ozs.
Filter.

AROMATIC (U. S. P. 1880).

Take of Fld. Extr. Aromatic (for Wine).....1 fl. oz.
Sherry Wine.....15 fl. ozs.

COLCHICUM ROOT (U. S. P.)

Take of Fld. Extr. Colchicum Root (U. S. P.)4 fl. ozs.
Sherry Wine4 1-2 fl. ozs.
Alcohol.....1 1-2 fl. ozs.

COLCHICUM SEED (U. S. P.)

Take of Fld. Extr. Colchicum Seed (U. S. P.)1 1-2 fl. ozs.
 Sherry Wine7 fl. ozs.
 Alcohol1 1-2 fl. ozs.

ERGOT (U. S. P.)

Take of Fld. Extr. Ergot (U. S. P.).....1 1-2 fl. ozs.
 Sherry Wine7 fl. ozs.
 Alcohol1 1-2 fl. ozs.
 Filter.

GOLDEN SEAL COMP. (Amer. Disp.)

Take of Fld. Extr. Golden Seal (U. S. P.)1 fl. dr'm.
 Fld. Extr. White Wood Bark.....1 fl. dr'm.
 Fld. Extr. Bitter Root1 fl. dr'm.
 Fld. Extr. Prickly Ash Berries.....1-2 fl. dr'm.
 Fld. Extr. Sassafras.....1-2 fl. dr'm.
 Fld. Extr. Cayenne Pepper (U. S. P.).....1-2 fl. dr'm.
 Sherry Wine sufficient to make 3 pints; filter.

HELLEBORE COMP. (Amer. Disp.)

Take of Fld. Extr. Black Hellebore2 fl. ozs.
 Fld. Extr. False Unicorn2 fl. ozs.
 Fld. Extr. Logwood.....2 fl. ozs.
 Sherry Wine sufficient to make 1 1-2 pints; filter.

IPECAC (U. S. P.)

Take of Fld. Extr. Ipecac (U. S. P.).....1 fl. oz.
 Sherry Wine8 fl. ozs.
 Alcohol1 fl. oz.

RHUBARB (U. S. P. 1880).

Take of Fld. Extr. Rhubarb (U. S. P.) 1 1-4 fl. ozs.
 Fld. Extr. Calamus (U. S. P.)1 fl. dr'm.
 Sherry Wine1 1-2 fl. ozs.

TAR (Nat'l Formulary).

Take of Fld. Extr. Tar, Soluble.....2 fl. ozs.
 Stronger White Wine.....14 fl. ozs.

DECOCTIONS.

Decoctions and Infusions being made with a watery menstruum, while that of the Fluid Extracts is more or less alcoholic, are, in most cases, better prepared directly from the drug, although we annex formulæ for some of these also, in case it should be desired to prepare them from our Fluid Extracts.

BITTER SWEET (U. S. P. 1870).

Take of Fld. Extr. Bitter Sweet (U. S. P.).....1 fl. oz.
 Boiling Water.....1 pint.
 Mix thoroughly, strain and add sufficient boiling water through strainer, to make the preparation measure one pint.

Like the foregoing, are prepared decoctions of

CINCHONA CALISAYA (U. S. P. 1870).	OAK BARK (U. S. P. 1880).
CINCHONA, Red, (U. S. P. 1870).	PIPSISSEWA (U. S. P. 1870).
DOGWOOD (U. S. P. 1880).	SENEGA (U. S. P. 1870.)
LOGWOOD (U. S. P. 1880).	UVA URSI (U. S. P. 1870).

SARSAPARILLA COMP. (U. S. P.)

Take of Fld. Extr. Sarsaparilla (U. S. P.) 1 1-4 fl. ozs.
 Fld. Extr. Guaiacum Wood 2 fl. dr'ms.
 Fld. Extr. Liquorice 2 fl. dr'ms.
 Fld. Extr. Sassafras 2 fl. dr'ms.
 Fld. Extr. Mezereum (U. S. P.) 1 fl. dr'm.
 Boiling Water, q. s. to make 12 1-2 fl. ozs. Prepare in the
 manner directed for Decoction of Bitter Sweet.

The U. S. P. 1890 directs that for all decoctions the strength of which
 is not directed by the physician, use

Drug 1 part.
 Boiling Water, q. s. to make..... 20 parts.

INFUSIONS.

ANGUSTURA (U. S. P. 1870).

Take of Fld. Extr. Angustura..... 1-2 fl. oz.
 Water, q. s. to make..... 1 pint.
 Filter or strain.

BUCHU (U. S. P. 1880).

Take of Fld. Extr. Buchu (U. S. P.)..... 1 fl. oz.
 Water, q. s. to make..... 1 pint.
 Filter or strain.

BONESET (U. S. P. 1870).

Take of Fld. Extr. Boneset..... 1 fl. oz.
 Water, q. s. to make..... 1 pint.
 Filter or strain.

CALUMBA (U. S. P. 1870).

Take of Fld. Extr. Calumba (U. S. P.)..... 1-2 fl. oz.
 Water, q. s. to make..... 1 pint
 Filter or strain.

CASCARILLA (U. S. P. 1870).

Take of Fld. Extr. Cascarilla..... 1 fl. oz.
 Water, q. s. to make..... 1 pint.
 Filter or strain.

CATECHU COMP.

Take of Fld. Extr. Catechu..... 1 fl. oz.
 Fld. Extr. Cinnamon Bark..... 1 fl. dr'm.
 Water, q. s. to make..... 1 pint.
 Filter or strain.

CAYENNE PEPPER (U. S. P. 1870).

Take of Fld. Extr. Cayenne Pepper (U. S. P.)..... 1-2 fl. oz.
 Water, q. s. to make..... 1 pint.
 Filter or strain.

CHAMOMILE (U. S. P. 1870).

Take of Fld. Extr. Chamomile 1-2 fl. oz.
 Water, q. s. to make..... 1 pint.
 Filter or strain.

CINCHONA, (U. S. P.).

Take of Fld. Extr. Cinchona (U. S. P.).....1 fl. oz.
 Acid, Sulphuric, Aromatic.....80 min.
 Water, q. s. to make.....1 pint.
 Filter or strain.

CINCHONA, Red, (U. S. P. 1880).

Take of Fld. Extr. Cinchona, Red.....1 fl. oz.
 Acid, Sulphuric, Aromatic.....1 fl. dr'm.
 Water, q. s. to make.....1 pint.
 Filter or strain.

CLOVES (U. S. P. 1880).

Take of Fld. Extr. Cloves.....2 fl. dr'ms.
 Water, q. s. to make1 pint.
 Filter or strain.

DANDELION (U. S. P. 1880).

Take of Fld. Extr. Dandelion (U. S. P.).....2 fl. ozs.
 Water, q. s. to make1 pint.
 Filter or strain.

DIGITALIS (U. S. P.).

Take of Fld. Extr. Digitalis (U. S. P.).....2 fl. dr'ms.
 Alcohol1 1-2 fl. ozs.
 Cinnamon Water.....2 1-2 fl. ozs.
 Water, q. s. to make.....1 pint.
 Filter or strain.

GENTIAN COMP. (U. S. P. 1880).

Take of Fld. Extr. Gentian (U. S. P.)4 fl. dr'ms.
 Fld. Extr. Orange Peel, Bitter (U. S. P.)1 fl. dr'm.
 Fld. Extr. Coriander.....1 fl. dr'm.
 Water, q. s. to make.....1 pint.
 Filter or strain.

GINGER (U. S. P. 1870).

Take of Fld. Extr. Ginger (U. S. P.).....1-2 fl. oz.
 Water, q. s. to make.....1 pint.
 Filter or strain.

HOPS (U. S. P. 1870).

Take of Fld. Extr. Hops.....1-2 fl. oz.
 Water, q. s. to make.....1 pint.
 Filter or strain.

JUNIPER BERRIES (U. S. P. 1870).

Take of Fld. Extr. Juniper Berries.....1-2 fl. oz.
 Water, q. s. to make.....1 pint.
 Filter or strain.

PAIREIRA BRAVA (U. S. P. 1870).

Take of Fld. Extr Pareira Brava (U. S. P.).....1 fl. oz.
 Water, q. s. to make.....1 pint.
 Filter or strain.

PINK ROOT (U. S. P. 1870).

Take of Fld. Extr. Pink Root (U. S. P.).....1-2 fl. oz.
 Water, q. s. to make.....1 pint.
 Filter or strain.

QUASSIA (U. S. P. 1880).

Take of Fld. Extr. Quassia (U. S. P.).....2 fl. dr'ms.
 Water, q. s. to make.....1 pint.
 Filter or strain.

RHATANY (U. S. P. 1870).

Take of Fld. Extr. Rhatany (U. S. P.).....1 fl. oz.
 Water, q. s. to make.....1 pint.
 Filter or strain.

RHUBARB (U. S. P. 1870).

Take of Fld. Extr. Rhubarb (U. S. P.).....1-2 fl. oz.
 Water, q. s. to make.....1 pint.
 Filter or strain.

SAGE (U. S. P. 1870).

Take of Fld. Extr. Sage.....1-2 fl. oz.
 Water, q. s. to make.....1 pint.
 Filter or strain.

SENNA (U. S. P. 1880).

Take of Fld. Extr. Senna (U. S. P.).....1 fl. oz.
 Fld. Extr. Coriander.....1 fl. dr'm.
 Water, q. s. to make.....1 pint.
 Filter or strain.

VALERIAN (U. S. P. 1870).

Take of Fld. Extr. Valerian (U. S. P.).....1-2 fl. oz.
 Water, q. s. to make.....1 pint.
 Filter or strain.

VIRGINIA SNAKEROOT (U. S. P. 1870).

Take of Fld. Extr. Virginia Snakeroot (U. S. P.).....1-2 fl. oz.
 Water, q. s. to make.....1 pint.
 Filter or strain.

WILD CHERRY BARK (U. S. P.).

Take of Fld. Extr. Wild Cherry Bark (U. S. P.).....5 fl. dr'ms.
 Water, q. s. to make.....1 pint.
 Filter or strain.

TABLE OF EQUIVALENTS.

Solids.	Exact Equivalent.
1-500 grain.....	0.000129 gramme.
1-150 grain.....	0.000432 gramme.
1-120 grain.....	0.000539 gramme.
1-100 grain.....	0.000647 gramme.
1-64 grain.....	0.001013 gramme.
1-60 grain.....	0.001079 gramme.
1-50 grain.....	0.001296 gramme.
1-48 grain.....	0.001349 gramme.
1-40 grain.....	0.001620 gramme.
1-32 grain.....	0.002025 gramme.
1-30 grain.....	0.002160 gramme.
1-25 grain.....	0.002592 gramme.
1-20 grain.....	0.003239 gramme.
1-16 grain.....	0.004049 gramme.
1-12 grain.....	0.005399 gramme.
1-10 grain.....	0.006479 gramme.
1-8 grain.....	0.008098 gramme.
1-6 grain.....	0.010798 gramme.
1-4 grain.....	0.016200 gramme.
1-3 grain.....	0.021599 gramme.
1-2 grain.....	0.032399 gramme.
1 grain.....	0.064798 gramme.
5 grains	0.3239 gramme.
10 grains	0.6480 gramme.
1 scruple (20 grs.).....	1.2960 grammes.
1 drachm troy (60 grs.).....	3.888 grammes.
1 ounce troy (480 grs.)	31.103 grammes.
1 ounce avoirdupois (437.5 grs.)	28.350 grammes.
1 pound troy (5760 grs.).....	373.242 grammes.
1 pound avoirdupois (7000 grs.)	453.592 grammes.

Solids.	Approximate Equivalent.
1 milligramme	1-65 grain.
1 centigramme (10 milligrammes)	1-6 grain.
1 decigramme (100 milligrammes)	1 1-2 grains.
1 gramme.....	15 1-2 grains.
4 grammes	60 grains.
1 dekagramme (10 grammes)	1-3 ounce.
28 grammes	1 ounce.
1 hektogramme (100 grammes).....	3 1-2 ounces.
112 grammes	4 ounces.
225 grammes	8 ounces.
450 grammes.....	1 pound (7000 grs.)
1 kilogramme or 1 kilo	2 1-5 pounds.

Liquids.	Exact Equivalent.
1 minim	0.061 cubic centimeter.
1 fluidrachm	3.697 cubic centimeters.
1 fluidounce	29.574 cubic centimeters.
4 fluidounces (1-8 liter)	118.295 cubic centimeters.
8 fluidounces (1-4 liter)	236.590 cubic centimeters.
1 pint (1-2 liter).....	473.180 cubic centimeters.
1 quart.....	.946 liter.
1 gallon	3.785 liters.

Liquids.	Approximate Equivalent.
1 cubic centimeter	16 minims.
4 cubic centimeters	1 fluidrachm.
15 cubic centimeters	1-2 fluidounce.
30 cubic centimeters	1 fluidounce.
120 cubic centimeters	4 fluidounces.
235 cubic centimeters	8 fluidounces.
470 cubic centimeters	1 pint.
950 cubic centimeters	1 quart.
4 liters	1 gallon.

HAVING LARGELY INCREASED

OUR FACILITIES

FOR THE

Manufacture of Pharmaceuticals,

WE ARE PREPARED TO PROMPTLY AND SATISFACTORILY
EXECUTE ALL ORDERS FOR

Private Preparations

WITH WHICH WE MAY BE FAVORED.

In these special preparations we exercise the same careful supervision over every detail of their manufacture that we invariably observe in the preparation of the products bearing our own label, using only the


PUREST DRUGS.

As all correspondence relative to these special preparations is considered confidential, and all formulæ submitted either for quotation or manufacture are maintained strictly the property of the person thus addressing us, our patrons can implicitly rely upon the *absolute protection* of their private formulæ when entrusted to us.

Our quotations will always be found to be as low as is consistent with first-class material and workmanship, but they should not be unjustly compared to prices based upon inferior preparations.


We strictly guarantee the quality of all products prepared in our Laboratories, and on this basis solicit the patronage of our customers.






QV 5531p 1899

GENERAL OFFICES
NEW YORK




41 JOHN STREET.



LABORATORIES
AND HOME OFFICE
BALTIMORE, MD. U.S.A.

CHICAGO HOUSE



221 RANDOLPH ST.
COR. FRANKLIN ST.